

Appendix C. Monitoring Results



Air Quality Monitoring Results

1-hour TSP Results
Station: AR1A - Man Tung Road Park

Date	Time	Weather	Wind Speed (m/s)	Wind Direction (deg)	1-hr TSP (µg/m³)	Action Level (µg/m³)	Limit Level (µg/m³)
06-Sep-18	8:57	Sunny	2.9	61	33	306	500
06-Sep-18	9:57	Sunny	2.8	35	27	306	500
06-Sep-18	10:57	Sunny	3.5	26	23	306	500
12-Sep-18	9:00	Fine	5.1	32	27	306	500
12-Sep-18	10:00	Fine	5.2	30	17	306	500
12-Sep-18	11:00	Fine	5.6	58	15	306	500
18-Sep-18	9:08	Sunny	7.1	116	24	306	500
18-Sep-18	10:08	Sunny	8.7	114	19	306	500
18-Sep-18	11:08	Sunny	6.6	101	16	306	500
24-Sep-18	08:54	Rainy	6.2	305	65	306	500
24-Sep-18	9:54	Rainy	3.5	222	62	306	500
24-Sep-18	10:54	Rainy	1.3	252	37	306	500
28-Sep-18	9:05	Sunny	3.9	21	41	306	500
28-Sep-18	10:05	Sunny	4.8	354	38	306	500
28-Sep-18	11:05	Sunny	3.8	324	47	306	500

1-hour TSP Results
Station: AR2 - Village House, Tin Sum

Date	Time	Weather	Wind Speed (m/s)	Wind Direction (deg)	1-hr TSP (µg/m³)	Action Level (µg/m³)	Limit Level (µg/m³)
06-Sep-18	9:00	Sunny	3.3	63	17	298	500
06-Sep-18	10:00	Sunny	3.2	45	10	298	500
06-Sep-18	11:00	Sunny	4.1	27	13	298	500
12-Sep-18	8:57	Fine	5.1	32	24	298	500
12-Sep-18	9:57	Fine	5.4	28	17	298	500
12-Sep-18	10:57	Fine	5.5	58	14	298	500
18-Sep-18	8:54	Sunny	7.3	118	16	298	500
18-Sep-18	9:54	Sunny	8.0	118	12	298	500
18-Sep-18	10:54	Sunny	6.9	116	7	298	500
24-Sep-18	8:48	Rainy	6.8	304	36	298	500
24-Sep-18	9:48	Rainy	4.6	227	49	298	500
24-Sep-18	10:48	Cloudy	1.3	252	44	298	500
28-Sep-18	8:55	Fine	3.7	18	44	298	500
28-Sep-18	9:55	Fine	5.1	7	40	298	500
28-Sep-18	10:55	Fine	3.7	328	57	298	500



Noise Monitoring Results

Noise Measurement Results

Station: NM1A- Man Tung Road Park

Date	Weather	Time	Measured L ₁₀ dB(A)	Measured L ₉₀ dB(A)	L _{eq(30mins)} dB(A)
06-Sep-18	Sunny	9:12	73.0	55.0	71
06-Sep-18	Sunny	9:17	73.0	56.5	
06-Sep-18	Sunny	9:22	69.5	55.5	
06-Sep-18	Sunny	9:27	69.5	54.0	
06-Sep-18	Sunny	9:32	74.0	56.5	
06-Sep-18	Sunny	9:37	71.5	56.0	
12-Sep-18	Fine	9:20	65.5	57.0	65
12-Sep-18	Fine	9:25	64.0	55.0	
12-Sep-18	Fine	9:30	64.5	56.0	
12-Sep-18	Fine	9:35	64.5	55.0	
12-Sep-18	Fine	9:40	65.0	55.5	
12-Sep-18	Fine	9:45	63.5	55.0	
20-Sep-18	Sunny	11:20	74.5	58.0	72
20-Sep-18	Sunny	11:25	70.5	53.0	
20-Sep-18	Sunny	11:30	72.0	53.0	
20-Sep-18	Sunny	11:35	73.5	54.0	
20-Sep-18	Sunny	11:40	71.0	53.0	
20-Sep-18	Sunny	11:45	69.5	52.5	
24-Sep-18	Fine	13:35	72.0	55.0	73
24-Sep-18	Fine	13:40	74.5	55.5	
24-Sep-18	Fine	13:45	74.0	56.0	
24-Sep-18	Fine	13:50	73.5	55.5	
24-Sep-18	Fine	13:55	72.0	54.0	
24-Sep-18	Fine	14:00	72.5	54.0	

Remarks:

+3dB (A) correction was applied to free-field measurement.

Noise Measurement Results

Station: NM4- Ching Chung Hau Po Woon Primary School

Date	Weather	Time	Measured L ₁₀ dB(A)	Measured L ₉₀ dB(A)	L _{eq(30mins)} dB(A)
06-Sep-18	Sunny	14:14	62.0	58.5	64
06-Sep-18	Sunny	14:19	64.0	60.5	
06-Sep-18	Sunny	14:24	62.5	58.5	
06-Sep-18	Sunny	14:29	62.5	58.5	
06-Sep-18	Sunny	14:34	63.0	58.5	
06-Sep-18	Sunny	14:39	63.5	58.5	
12-Sep-18	Cloudy	14:34	64.0	60.5	65
12-Sep-18	Cloudy	14:39	63.5	60.0	
12-Sep-18	Cloudy	14:44	63.5	60.0	
12-Sep-18	Cloudy	14:49	64.0	60.5	
12-Sep-18	Cloudy	14:54	64.5	60.0	
12-Sep-18	Cloudy	14:59	65.0	60.5	
18-Sep-18	Sunny	13:43	62.0	58.5	64
18-Sep-18	Sunny	13:48	63.0	59.5	
18-Sep-18	Sunny	13:53	62.5	58.0	
18-Sep-18	Sunny	13:58	62.0	58.5	
18-Sep-18	Sunny	14:03	62.0	59.0	
18-Sep-18	Sunny	14:08	62.5	58.5	
24-Sep-18	Fine	14:44	63.0	59.0	66
24-Sep-18	Fine	14:49	63.5	59.0	
24-Sep-18	Fine	14:54	70.5	59.5	
24-Sep-18	Fine	14:59	63.5	59.5	
24-Sep-18	Fine	15:04	64.0	60.0	
24-Sep-18	Fine	15:09	63.0	59.0	

Remarks:

+3dB (A) correction was applied to free-field measurement.

Noise Measurement Results**Station: NM5- Village House, Tin Sum**

Date	Weather	Time	Measured L ₁₀ dB(A)	Measured L ₉₀ dB(A)	L _{eq(30mins)} dB(A)
06-Sep-18	Sunny	8:59	56.0	45.0	56
06-Sep-18	Sunny	9:04	57.0	43.5	
06-Sep-18	Sunny	9:09	50.5	44.0	
06-Sep-18	Sunny	9:14	51.0	44.5	
06-Sep-18	Sunny	9:19	50.0	43.5	
06-Sep-18	Sunny	9:24	50.0	44.0	
12-Sep-18	Fine	9:00	61.5	50.5	57
12-Sep-18	Fine	9:05	60.0	51.0	
12-Sep-18	Fine	9:10	61.0	51.5	
12-Sep-18	Fine	9:15	56.0	49.0	
12-Sep-18	Fine	9:20	56.5	49.5	
12-Sep-18	Fine	9:25	64.0	51.0	
18-Sep-18	Sunny	8:57	56.0	46.5	58
18-Sep-18	Sunny	9:02	61.5	49.0	
18-Sep-18	Sunny	9:07	56.0	47.0	
18-Sep-18	Sunny	9:12	51.5	46.5	
18-Sep-18	Sunny	9:17	55.5	46.5	
18-Sep-18	Sunny	9:22	52.0	46.0	
24-Sep-18	Cloudy	11:06	51.5	46.0	54
24-Sep-18	Cloudy	11:11	51.5	45.5	
24-Sep-18	Cloudy	11:16	49.5	45.5	
24-Sep-18	Cloudy	11:21	50.5	46.0	
24-Sep-18	Cloudy	11:26	49.5	44.5	
24-Sep-18	Cloudy	11:31	52.0	46.0	

Remarks:





+3dB (A) correction was applied to free-field measurement.

Noise Measurement Results**Station: NM6- House No.1 Sha Lo Wan**

Date	Weather	Time	Measured L ₁₀ dB(A)	Measured L ₉₀ dB(A)	L _{eq(30mins)} dB(A)
04-Sep-18	Sunny	9:39	75.5	46.5	71
04-Sep-18	Sunny	9:44	73.5	51.5	
04-Sep-18	Sunny	9:49	72.5	49.5	
04-Sep-18	Sunny	9:54	74.0	49.5	
04-Sep-18	Sunny	9:59	73.0	57.5	
04-Sep-18	Sunny	10:04	71.5	55.0	
10-Sep-18	Sunny	9:40	70.0	53.5	68
10-Sep-18	Sunny	9:45	69.5	55.5	
10-Sep-18	Sunny	9:50	71.0	58.5	
10-Sep-18	Sunny	9:55	72.5	59.5	
10-Sep-18	Sunny	10:00	68.0	57.5	
10-Sep-18	Sunny	10:05	72.5	56.5	
20-Sep-18	Sunny	9:40	76.5	49.0	70
20-Sep-18	Sunny	9:45	71.5	49.0	
20-Sep-18	Sunny	9:50	72.5	45.5	
20-Sep-18	Sunny	9:55	70.0	46.5	
20-Sep-18	Sunny	10:00	74.5	48.5	
20-Sep-18	Sunny	10:05	73.0	46.5	
26-Sep-18	Fine	9:41	72.5	52.5	70
26-Sep-18	Fine	9:46	73.5	49.5	
26-Sep-18	Fine	9:51	74.5	50.0	
26-Sep-18	Fine	9:56	71.5	52.0	
26-Sep-18	Fine	10:01	76.0	51.0	
26-Sep-18	Fine	10:06	73.0	51.0	

Remarks:

+3dB (A) correction was applied to free-field measurement.



Water Quality Monitoring Results

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 01 September 18 during Mid-Ebb Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity (NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)	
									Value	Average	Value	Average	Value	Average	Value	Average	Value	DA	Value	DA	Value	DA	Value	DA			Value	DA	Value	DA
C1	Rainy	Moderate	15:51	8.6	Surface	1.0	0.4	247	27.9	7.9	7.9	16.0	16.0	84.2	83.9	6.0	5.4	4.9	8.4	4	5	86	90	815608	804226	<0.2	<0.2	2.4	2.7	
						1.0	0.4	259	27.9	7.9	7.9	16.0	16.0	83.6	83.9	6.0	5.0	5	87	<0.2	2.8									
					Middle	4.3	0.2	130	27.3	7.9	7.9	23.5	23.4	69.7	69.3	4.9	7.7	5	89	<0.2	2.6									
						4.3	0.2	139	27.3	7.9	7.9	23.4	23.4	68.9	69.3	4.8	8.3	5	90	<0.2	3.0									
					Bottom	7.6	0.1	272	26.6	7.9	7.9	27.5	27.5	67.2	67.9	4.6	4.7	12.4	5	93	<0.2	2.8								
						7.6	0.1	298	26.6	7.9	7.9	27.5	27.5	68.5	67.9	4.7	12.1	6	93	<0.2	2.8									
C2	Rainy	Moderate	14:48	12.5	Surface	1.0	0.3	94	28.3	7.8	7.8	12.4	12.5	75.4	75.4	5.5	5.3	9.7	12.3	4	4	81	85	825672	806971	<0.2	<0.2	4.2	4.0	
						1.0	0.3	95	28.3	7.8	7.8	12.5	12.5	75.4	75.4	5.5	9.7	4	82	<0.2	4.2									
					Middle	6.3	0.1	236	28.2	7.8	7.8	16.6	16.6	71.8	71.8	5.1	13.5	4	85	<0.2	4.1									
						6.3	0.1	254	28.2	7.8	7.8	16.6	16.6	71.8	71.8	5.1	13.5	3	85	<0.2	3.9									
					Bottom	11.5	0.1	254	27.9	7.8	7.8	19.6	19.6	73.0	73.1	5.1	13.7	4	89	<0.2	3.9									
						11.5	0.1	275	27.9	7.8	7.8	19.6	19.6	73.1	73.1	5.1	13.7	4	89	<0.2	3.7									
C3	Rainy	Moderate	16:26	12.3	Surface	1.0	0.5	58	27.7	7.9	7.9	19.2	19.2	74.6	74.6	5.3	5.2	9.1	8.8	6	6	81	86	822138	817787	<0.2	<0.2	2.0	2.3	
						1.0	0.5	63	27.7	7.9	7.9	19.2	19.2	74.5	74.6	5.3	9.1	6	81	<0.2	2.3									
					Middle	6.2	0.2	88	27.2	7.9	7.9	21.7	21.7	70.7	70.7	5.0	8.2	6	86	<0.2	2.2									
						6.2	0.3	93	27.2	7.9	7.9	21.7	21.7	70.6	70.7	5.0	8.2	6	86	<0.2	2.3									
					Bottom	11.3	0.1	27	26.6	7.9	7.9	24.7	24.7	67.4	67.5	4.7	9.2	6	89	<0.2	2.3									
						11.3	0.1	28	26.6	7.9	7.9	24.7	24.7	67.5	67.5	4.7	9.2	6	90	<0.2	2.4									
IM1	Rainy	Moderate	15:32	5.3	Surface	1.0	0.2	168	28.1	7.8	7.8	16.2	16.3	82.2	82.2	5.9	5.9	3.6	3.8	4	5	84	85	817939	807113	<0.2	<0.2	3.0	3.0	
						1.0	0.3	180	28.1	7.8	7.8	16.3	16.3	82.1	82.2	5.9	3.7	5	85	<0.2	2.8									
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	3.8	-	5	-	86	86	817939	807113	<0.2	<0.2	-	-	
						-	-	-	-	-	-	-	-	-	-	-	-	-	3.8	-	5	-	86	86	817939	807113	<0.2	<0.2	-	-
					Bottom	4.3	0.2	174	28.1	7.8	7.8	17.0	17.0	82.9	83.1	5.9	5.9	3.9	3.8	6	87	<0.2	2.8							
						4.3	0.2	175	28.1	7.8	7.8	16.9	17.0	83.2	83.1	5.9	3.8	5	88	<0.2	3.2									
IM2	Rainy	Moderate	15:25	7.5	Surface	1.0	0.2	216	27.9	7.9	7.9	14.6	14.6	88.2	88.2	6.4	6.0	3.7	12.9	4	4	81	82	818142	806141	<0.2	<0.2	3.3	3.2	
						1.0	0.2	221	27.9	7.9	7.9	14.6	14.6	88.1	88.2	6.4	3.7	4	82	<0.2	3.1									
					Middle	3.8	0.2	207	27.9	7.9	7.9	18.8	18.8	78.1	78.0	5.5	12.7	4	87	<0.2	3.2									
						3.8	0.3	217	27.9	7.9	7.9	18.8	18.8	77.8	78.0	5.5	13.2	4	87	<0.2	3.2									
					Bottom	6.5	0.2	104	27.4	7.9	7.9	22.8	22.8	77.1	77.2	5.4	22.2	6	90	<0.2	3.2									
						6.5	0.2	113	27.4	7.9	7.9	22.8	22.8	77.3	77.2	5.4	22.0	6	91	<0.2	3.1									
IM3	Rainy	Moderate	15:18	8.2	Surface	1.0	0.2	241	28.0	7.8	7.8	16.8	16.7	82.5	82.5	5.9	5.6	4.9	13.5	5	6	83	84	818775	805583	<0.2	<0.2	3.2	3.0	
						1.0	0.2	252	28.0	7.8	7.8	16.7	16.7	82.5	82.5	5.9	4.9	6	84	<0.2	3.1									
					Middle	4.1	0.2	132	27.7	7.9	7.9	19.9	19.9	74.9	74.9	5.3	11.5	5	86	<0.2	2.8									
						4.1	0.2	138	27.7	7.9	7.9	19.9	19.9	74.8	74.9	5.3	11.8	6	87	<0.2	2.9									
					Bottom	7.2	0.1	135	27.4	7.9	7.9	22.7	22.7	77.6	77.7	5.4	24.0	7	90	<0.2	2.9									
						7.2	0.1	143	27.4	7.9	7.9	22.7	22.7	77.8	77.7	5.4	24.1	6	90	<0.2	2.8									
IM4	Rainy	Moderate	15:08	7.8	Surface	1.0	0.1	301	28.0	7.8	7.8	16.2	16.2	81.1	81.1	5.8	5.7	4.5	11.9	5	7	85	86	819725	804635	<0.2	<0.2	2.9	2.7	
						1.0	0.1	313	28.0	7.8	7.8	16.2	16.2	81.1	81.1	5.8	4.6	5	86	<0.2	2.7									
					Middle	3.9	0.0	84	27.8	7.9	7.9	18.9	18.9	77.8	77.8	5.5	9.8	7	89	<0.2	2.7									
						3.9	0.0	91	27.8	7.9	7.9	18.9	18.9	77.7	77.8	5.5	10.0	8	90	<0.2	2.6									
					Bottom	6.8	0.1	105	27.5	7.9	7.9	22.3	22.3	83.9	84.1	5.9	21.3	9	93	<0.2	2.8									
						6.8	0.1	109	27.5	7.9	7.9	22.3	22.3	84.3	84.1	5.9	21.0	9	94	<0.2	2.7									
IM5	Rainy	Moderate	14:59	7.3	Surface	1.0	0.2	9	27.9	7.9	7.9	18.1	18.1	79.9	79.9	5.7	5.6	12.6	12.4	5	6	83	83	820740	804893	<0.2	<0.2	2.6	2.8	
						1.0	0.2	9	27.9	7.9	7.9	18.1	18.1	79.9	79.9	5.7	12.7	6	83	<0.2	2.7									
					Middle	3.7	0.2	302	27.7	7.9	7.9	20.3	20.4	76.5	76.7	5.4	10.2	7	86	<0.2	2.7									
						3.7	0.2	316	27.7	7.9	7.9	20.4	20.4	76.8	76.8	5.4	10.3	7	86	<0.2	2.9									
					Bottom	6.3	0.1	91	27.7	7.9	7.9	20.6	20.6	80.6	80.7	5.7	14.3	6	92	<0.2	3.0									
						6.3	0.1	98	27.7	7.9	7.9	20.6	20.6	80.8	80.7	5.7	14.3	6	94	<0.2	2.6									
IM6	Rainy	Moderate	14:51	7.5	Surface	1.0	0.1	290	28.1	7.8	7.8	11.8	11.8	82.3	82.3	6.0	5.8	5.7	13.8	5	7	82	83	821070	805806	<0.2	<0.2	4.0	4.1	
						1.0	0.1	294	28.1	7.8	7.8	11.8	11.8	82.2	82.3	6.0	5.8	5	83	<0.2	4.1									
					Middle	3.8	0.0	255	28.0	7.8	7.8	17.1	17.1	78.2	78.8	5.6	9.9	7	87	<0.2	4.0									
						3.8	0.0	279	28.0	7.8	7.8	17.1	17.1	78.7	78.8	5.6	10.1	8	88	<0.2	4.2									
					Bottom	6.5	0.1	122	27.8	7.9	7.9	20.3	20.3	81.0	81.1	5.7	25.5	8	90	<0.2	4.3									
						6.5	0.1	127	27.8	7.8	7.8	20.3	20.3	81.2	81.1	5.7	25.6	8	91	<0.2	4.2									
IM7	Rainy	Moderate	14:44	8.5	Surface	1.0	0.0	271	28.2	7.8	7.8	11.9	11.9	79.6	79.6	5.8	5.8	5.6	8.5	4	5	82	82	821357	806840	<0.2	<0.2	4.1	4.1	
						1.0	0.0	278	28.2	7.8	7.8	11.9	11.9	79.6	79.6	5.8	5.7	4	82	<0.2	4.2									
					Middle	4.3	0.2	60	28.0	7.8	7.8	17.1	17.1	79.7	79.7	5.7	8.3	5	86	<0.2	4.3									
						4.3	0.3	64	28.0	7.8	7.8	17.1	17.1	79.7	79.7	5.7	8.3	5	87	<0.2	4.0									
					Bottom	7.5	0.2	85	27.9	7.8	7.8	18.8	18.8	82.4	82.6	5.8	11.6	5	90	<0.2	3.9									
						7.5	0.2	85	27.9	7.8	7.8	18.8	18.8	82.7	82.6	5.8	11.6	5	90	<0.2	4.0									
IM8	Rainy	Moderate	15:12	8.2	Surface	1.0	0.3	115	28.3	7.8	7.8	13.2	13.1	74.8	74.8	5.4	5.5	9.1	14.5	5	6	81	82	821832	808129	<0.2	<0.2	3.6	3.6	
						1.0	0.3	121	28.3	7.8	7.8	13.1	13.1	74.7	74.8	5.4	9.1	4	81	<0.2	3.8									
					Middle	4.1	0.3	135	28.1	7.9	7.9	15.6	15.6	78.0	78.1	5.6	11.9	5	86	<0.2	3.5									
						4.1	0.4	135	28.1	7.9	7.9	15.6	15.6	78.1	78.1	5.6	12.0	6	87	<0.2	3.5									
					Bottom	7.2	0.2	114	28.0	7.9	7.9	18.6	18.6	78.0	78.0	5.5	22.5	7	89	<0.2	3.6									
						7.2	0.3	123	28.0	7.9	7.9	18.6	18.6	78.0	78.0	5.5	22.5	7	90	<0.2	3.8									

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 01 September 18 during Mid-Ebb Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)							
									Value	Average	Value	Average	Value	Average	Value	Average	Value	DA	Value	DA	Value	DA	Value	DA			Value	DA	Value	DA	Value	DA				
IM9	Rainy	Moderate	15:19	7.4	Surface	1.0	0.4	105	28.3	28.3	7.7	7.7	11.6	11.6	76.0	76.0	5.6	5.6	9.2	15.0	5	6	82	86	822104	808816	<0.2	4.3	4.3							
						1.0	0.4	115	28.3		7.7	7.7	11.6	11.6	76.0	76.0	5.6	5.6	9.3		6		82				<0.2	4.5								
					Middle	3.7	0.5	105	28.1	28.1	7.9	7.9	18.1	18.0	76.5	76.5	5.4	5.5	15.3	7	87	<0.2	4.5													
						3.7	0.6	109	28.1		7.9	7.9	17.8	18.0	76.4	76.5	5.4	5.4	15.3	6	87	<0.2	4.4													
					Bottom	6.4	0.2	95	28.0	28.0	7.9	7.9	18.6	18.6	78.0	78.0	5.5	5.5	20.1	7	89	<0.2	4.3													
						6.4	0.3	103	28.0		7.9	7.9	18.6	18.6	78.1	78.1	5.5	5.5	20.6	7	90	<0.2	4.0													
IM10	Rainy	Moderate	15:27	7.1	Surface	1.0	0.6	116	28.2	28.2	7.7	7.7	11.3	11.3	73.7	73.7	5.4	5.4	9.3	14.7	4	4	82	87	822396	809789	<0.2	3.6	3.7							
						1.0	0.6	118	28.2		7.7	7.7	11.3	11.3	73.6	73.7	5.4	5.4	9.3		4		83				<0.2	3.8								
					Middle	3.6	0.7	103	28.1	28.1	7.9	7.9	15.6	15.6	76.6	76.6	5.5	5.5	14.5	4	86	<0.2	4.2													
						3.6	0.7	108	28.1		7.9	7.9	15.6	15.6	76.6	76.6	5.5	5.5	14.7	4	86	<0.2	3.6													
					Bottom	6.1	0.4	99	28.0	28.0	7.9	7.9	17.7	17.7	75.2	75.2	5.3	5.3	20.2	4	92	<0.2	3.5													
						6.1	0.4	102	28.0		7.9	7.9	17.7	17.7	75.2	75.2	5.3	5.3	20.1	5	93	<0.2	3.7													
IM11	Rainy	Moderate	15:37	8.5	Surface	1.0	0.7	116	28.1	28.1	7.8	7.8	11.9	11.9	76.4	76.4	5.6	5.6	8.8	11.7	3	4	85	89	822038	811446	<0.2	3.9	3.8							
						1.0	0.7	127	28.1		7.8	7.8	11.9	11.9	76.3	76.4	5.6	5.6	8.8		3		86				<0.2	3.8								
					Middle	4.3	0.6	96	28.2	28.2	7.8	7.8	15.8	15.8	73.0	73.1	5.2	5.4	12.2	3	89	<0.2	3.9													
						4.3	0.7	97	28.2		7.8	7.8	15.7	15.8	73.1	73.1	5.2	5.2	12.2	4	90	<0.2	3.8													
					Bottom	7.5	0.4	75	27.9	27.9	7.9	7.9	18.0	18.0	74.4	74.4	5.3	5.3	14.0	4	92	<0.2	3.8													
						7.5	0.4	78	27.9		7.9	7.9	18.0	18.0	74.4	74.4	5.3	5.3	14.0	4	93	<0.2	3.8													
IM12	Rainy	Moderate	15:43	8.3	Surface	1.0	0.7	101	28.2	28.2	7.8	7.8	13.2	13.2	75.3	75.3	5.5	5.5	10.2	16.6	3	4	82	86	821440	812016	<0.2	3.2	3.3							
						1.0	0.8	106	28.2		7.8	7.8	13.2	13.2	75.2	75.3	5.5	5.5	10.3		3		82				<0.2	3.2								
					Middle	4.2	0.6	96	28.1	28.1	8.0	8.0	16.4	16.4	73.6	73.6	5.3	5.4	14.7	4	85	<0.2	3.2													
						4.2	0.6	100	28.1		8.0	8.0	16.4	16.4	73.5	73.6	5.2	5.2	14.7	4	86	<0.2	3.4													
					Bottom	7.3	0.3	71	27.6	27.6	7.9	7.9	20.6	20.6	70.1	70.2	4.9	4.9	24.7	6	90	<0.2	3.3													
						7.3	0.3	72	27.6		7.9	7.9	20.6	20.6	70.2	70.2	4.9	4.9	24.7	5	90	<0.2	3.3													
SR2	Rainy	Moderate	16:07	4.6	Surface	1.0	0.4	95	28.1	28.1	7.9	7.9	15.3	15.3	77.7	77.8	5.6	5.6	10.6	11.0	4	5	82	85	821450	814145	<0.2	2.1	2.2							
						1.0	0.4	95	28.1		7.9	7.9	15.2	15.3	77.9	77.9	5.6	5.6	10.6		4		83				<0.2	2.3								
					Middle	-	-	-	-		-	-	-	-	-	-	-	-	-		-		-				-	-		-	-	-	-	-	-	-
						-	-	-	-		-	-	-	-	-	-	-	-	-		-		-				-	-		-	-	-	-	-	-	-
					Bottom	3.6	0.2	98	28.1		28.1	7.9	7.9	15.9	15.9	78.4	78.5	5.6	5.6		11.4		6				87	<0.2		2.2						
						3.6	0.2	103	28.1			7.9	7.9	15.9	15.9	78.5	78.5	5.6	5.6		11.4		6				87	<0.2		2.3						
SR3	Rainy	Moderate	15:07	9.4	Surface	1.0	0.2	133	28.3	28.3	7.8	7.8	14.2	14.2	73.5	73.6	5.3	5.3	10.9	13.2	6	6	-	-	822166	807550	-	-	-							
						1.0	0.2	134	28.3		7.8	7.8	14.2	14.2	73.6	73.6	5.3	5.3	10.9		6		-				-									
					Middle	4.7	0.2	111	28.1	28.1	7.9	7.9	16.3	16.3	77.0	77.0	5.5	5.4	13.4	7	-	-														
						4.7	0.2	117	28.1		7.9	7.9	16.3	16.3	76.9	77.0	5.5	5.5	13.5	7	-	-														
					Bottom	8.4	0.2	89	28.1	28.1	7.9	7.9	17.4	17.4	77.5	77.5	5.5	5.5	15.3	6	-	-														
						8.4	0.2	96	28.1		7.9	7.9	17.4	17.4	77.5	77.5	5.5	5.5	15.3	6	-	-														
SR4A	Rainy	Moderate	16:14	8.4	Surface	1.0	0.3	59	28.0	28.0	7.9	7.9	16.8	16.8	83.8	83.7	6.0	6.0	12.4	15.4	5	6	-	-	817173	807799	-	-	-							
						1.0	0.4	62	28.0		7.9	7.9	16.8	16.8	83.6	83.7	6.0	6.0	12.6		6		-				-									
					Middle	4.2	0.4	63	27.9	27.9	7.9	7.9	18.9	18.9	78.8	78.8	5.6	5.8	15.7	6	-	-														
						4.2	0.4	64	27.9		7.9	7.9	18.9	18.9	78.8	78.8	5.6	5.6	15.3	6	-	-														
					Bottom	7.4	0.3	51	27.7	27.7	7.9	7.9	20.5	20.5	81.4	81.9	5.7	5.8	18.1	7	-	-														
						7.4	0.3	51	27.7		7.9	7.9	20.5	20.5	82.3	82.3	5.8	5.8	18.1	7	-	-														
SR5A	Rainy	Moderate	16:30	3.8	Surface	1.0	0.1	285	27.8	27.8	7.9	7.9	17.9	17.9	84.5	84.6	6.0	6.0	6.5	6.6	9	10	-	-	816574	810695	-	-	-							
						1.0	0.1	289	27.8		7.9	7.9	17.9	17.9	84.6	84.6	6.0	6.0	6.5		9		-				-									
					Middle	-	-	-	-		-	-	-	-	-	-	-	-	-		-		-				-	-		-	-	-	-	-	-	-
						-	-	-	-		-	-	-	-	-	-	-	-	-		-		-				-	-		-	-	-	-	-	-	-
					Bottom	2.8	0.1	313	27.8		27.8	7.9	7.9	17.9	17.9	86.2	86.3	6.1	6.1		6.6		10				-	-								
						2.8	0.1	332	27.8			7.9	7.9	17.9	17.9	86.4	86.3	6.1	6.1		6.7		11				-	-								
SR6	Rainy	Moderate	17:08	4.3	Surface	1.0	0.0	36	27.9	27.9	7.8	7.8	17.2	17.2	75.4	75.4	5.4	5.4	11.3	13.0	12	12	-	-	817878	814635	-	-	-							
						1.0	0.0	39	27.9		7.8	7.8	17.2	17.2	75.4	75.4	5.4	5.4	11.4		12		-				-									
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-		-	-	-				
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-		-	-	-				
					Bottom	3.3	0.0	7	27.9	27.9	7.8	7.8	18.4	18.4	78.1	78.1	5.5	5.5	14.6	13	-	-														
						3.3	0.0	7	27.9		7.8	7.8	18.4	18.4	78.1	78.1	5.5	5.5	14.6	12	-	-														
SR7	Rainy	Moderate	16:52	18.0	Surface	1.0	0.5	104	27.6	27.6	7.9	7.9	19.5	19.5	76.9	76.9	5.4	5.0	7.9	9.0	4	6	-	-	823619	823714	-	-	-							
						1.0	0.5	110	27.6		7.9	7.9	19.5	19.5	76.8	76.9	5.4	5.0	7.9		4		-				-									
					Middle	9.0	0.3	108	26.9	26.9	7.9	7.9	23.2	23.2	65.8	65.7	4.6	4.6	9.0	6	-	-														
						9.0	0.4	109	26.9		7.9	7.9	23.2	23.2	65.6	65.7	4.6	4.6	9.0	6	-	-														
					Bottom	17.0	0.2	84	26.1	26.1	7.9	7.9	26.4	26.4	62.6	62.7	4.4	4.4	10.2	7	-	-														
						17.0	0.3	90	26.1		7.9	7.9	26.4	26.4	62.7	62.7	4.4	4.4	10.2	7	-	-														
SR8	Rainy	Moderate	15:54	3.9	Surface	1.0	-	-	28.0	28.0	8.1	8.1	14.2	14.2	82.3	82.3	6.0	6.0	11.4	12.5	7	7	-	-	820417	811593	-	-	-							
						1.0	-	-	28.0		8.1	8.1	14.2	14.2	82.3	82.3	6.0	6.0	11.4		7		-				-									
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-		-	-	-				
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-		-	-	-				
					Bottom	2.9	-	-	28.1	28.1	8.0	8.0	15.2	15.2	81.0	81.0	5.8	5.8	13.5	8	-	-														
						2.9	-	-	28.1		8.0	8.0	15.2	15.2	81.0	81.0	5.8	5.8	13.6	8	-	-														

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 01 September 18 during Mid-Flood Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)			
									Value	Average	Value	Average	Value	Average	Value	Average	Value	DA	Value	DA	Value	DA	Value	DA			Value	DA	Value	DA	Value	DA
C1	Rainy	Moderate	11:14	9.1	Surface	1.0	0.5	51	28.0	28.0	7.8	7.8	15.7	15.7	82.0	82.0	5.9	5.9	6.3	6.3	4	4	81	81	815623	804231	<0.2	2.9	3.0			
						1.0	0.6	52	28.0	7.8	7.8	15.7	15.7	82.0	82.0	5.9	5.9	6.3	6.3	4	4	81	81	<0.2			2.9					
					Middle	4.6	0.6	64	27.7	27.7	7.9	7.9	19.4	19.4	77.5	77.5	5.5	5.5	14.9	14.9	6	6	89	89			<0.2	2.9				
						4.6	0.7	66	27.7	7.9	7.9	19.4	19.4	77.5	77.5	5.5	5.5	15.0	15.0	5	5	91	91	<0.2			3.0					
					Bottom	8.1	0.4	69	27.3	27.3	7.9	7.9	24.2	24.2	75.6	75.7	5.2	5.3	17.3	17.6	7	7	94	95			<0.2	3.2				
						8.1	0.4	74	27.3	7.9	7.9	24.2	24.2	75.8	75.3	5.3	5.3	17.6	17.7	7	7	95	95	<0.2			3.0					
C2	Cloudy	Moderate	12:10	12.4	Surface	1.0	0.2	39	28.4	28.4	7.7	7.7	11.2	11.2	72.1	72.1	5.3	5.3	9.6	9.6	4	4	82	83	825691	806938	<0.2	5.1	4.9			
						1.0	0.2	39	28.4	7.7	7.7	11.3	11.2	72.0	72.1	5.3	5.3	9.6	9.6	5	5	83	89	<0.2			4.9					
					Middle	6.2	0.1	32	28.2	28.2	7.8	7.8	17.0	17.0	70.1	70.3	5.0	5.0	11.0	11.1	5	5	89	89			<0.2	4.7				
						6.2	0.1	33	28.2	7.8	7.8	17.0	17.0	70.4	70.4	5.0	5.0	11.1	11.1	5	5	89	92	<0.2			4.6					
					Bottom	11.4	0.2	323	28.1	28.1	7.8	7.8	17.8	17.8	72.1	72.2	5.1	5.1	12.8	12.8	5	5	92	92			<0.2	5.0				
						11.4	0.2	328	28.1	7.8	7.8	17.8	17.8	72.2	72.2	5.1	5.1	12.8	12.8	5	5	92	92	<0.2			5.0					
C3	Rainy	Moderate	10:21	9.3	Surface	1.0	0.6	245	28.0	28.0	7.9	7.9	18.0	17.9	75.1	75.1	5.3	5.3	8.9	8.9	4	4	80	80	822079	817786	<0.2	3.1	3.8			
						1.0	0.6	251	28.0	7.9	7.9	17.9	17.9	75.0	75.1	5.3	5.3	8.9	8.9	4	4	80	80	<0.2			3.0					
					Middle	4.7	0.7	257	27.7	27.7	7.9	7.9	20.2	20.2	71.5	71.5	5.0	5.0	9.2	9.2	6	6	88	89			<0.2	3.2				
						4.7	0.7	257	27.7	7.9	7.9	20.2	20.2	71.4	71.5	5.0	5.0	9.2	9.2	7	7	89	93	<0.2			4.9					
					Bottom	8.3	0.4	285	27.2	27.2	7.9	7.9	22.9	22.9	70.5	70.6	4.9	4.9	9.9	9.9	9	9	93	93			<0.2	4.2				
						8.3	0.4	286	27.2	7.9	7.9	22.9	22.9	70.6	70.6	4.9	4.9	10.0	10.0	9	9	93	93	<0.2			4.1					
IM1	Rainy	Moderate	11:33	5.4	Surface	1.0	0.4	0	27.9	27.9	7.9	7.9	15.9	15.9	87.4	87.4	6.3	6.3	6.1	6.1	7	7	82	82	817976	807127	<0.2	2.8	2.8			
						1.0	0.4	0	27.9	7.9	7.9	15.9	15.9	87.4	87.4	6.3	6.3	6.2	6.2	8	8	82	82	<0.2			2.8					
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-		-	<0.2	-
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			-	-		-	<0.2	-
					Bottom	4.4	0.2	349	27.8	27.8	7.9	7.9	19.5	19.5	86.5	86.6	6.1	6.1	16.1	15.8	9	9	85	86			<0.2	2.7				
						4.4	0.2	321	27.8	7.9	7.9	19.5	19.5	86.7	86.6	6.1	6.1	15.8	15.9	9	9	86	86	<0.2			2.7					
IM2	Rainy	Moderate	11:41	7.8	Surface	1.0	0.4	38	28.2	28.2	7.8	7.8	15.1	15.1	80.7	80.7	5.8	5.8	5.3	5.4	8	8	82	82	818134	806190	<0.2	2.8	2.8			
						1.0	0.5	38	28.2	7.8	7.8	15.2	15.1	80.7	80.7	5.8	5.8	5.4	5.4	8	8	82	82	<0.2			2.8					
					Middle	3.9	0.5	29	28.0	28.0	7.9	7.9	18.2	18.2	80.6	80.6	5.7	5.7	7.8	7.9	9	10	86	86			<0.2	2.8				
						3.9	0.5	30	28.0	7.9	7.9	18.2	18.2	80.6	80.6	5.7	5.7	7.9	7.9	10	10	86	89	<0.2			2.9					
					Bottom	6.8	0.3	6	27.9	27.9	7.9	7.9	20.0	20.0	78.5	78.6	5.5	5.5	10.5	10.7	12	11	89	90			<0.2	3.0				
						6.8	0.3	6	27.9	7.9	7.9	20.0	20.0	78.6	78.6	5.5	5.5	10.7	10.7	11	11	90	90	<0.2			2.7					
IM3	Rainy	Moderate	11:47	8.0	Surface	1.0	0.4	36	28.1	28.1	7.8	7.8	15.1	15.1	82.9	82.9	6.0	6.0	5.4	5.5	8	9	83	83	818803	805578	<0.2	2.9	2.9			
						1.0	0.5	39	28.1	7.8	7.8	15.1	15.1	82.8	82.9	5.9	5.9	5.5	5.5	9	10	83	85	<0.2			3.0					
					Middle	4.0	0.4	24	28.0	28.0	7.8	7.8	18.3	18.3	80.3	80.4	5.7	5.7	11.6	11.9	10	10	85	86			<0.2	2.8				
						4.0	0.4	24	28.0	7.8	7.8	18.3	18.3	80.4	80.4	5.7	5.7	11.9	11.9	10	10	86	90	<0.2			2.7					
					Bottom	7.0	0.3	23	27.8	27.8	7.9	7.9	20.2	20.2	83.3	83.4	5.8	5.8	16.6	16.6	13	12	90	90			<0.2	3.0				
						7.0	0.3	25	27.8	7.9	7.9	20.2	20.2	83.5	83.4	5.9	5.9	16.6	16.6	12	12	90	90	<0.2			2.8					
IM4	Rainy	Moderate	11:56	7.7	Surface	1.0	0.5	30	28.1	28.1	7.8	7.8	14.3	14.3	80.9	80.9	5.8	5.8	10.5	10.7	8	9	82	82	819706	804611	<0.2	2.3	2.2			
						1.0	0.6	31	28.1	7.8	7.8	14.4	14.4	80.8	80.8	5.8	5.8	10.7	10.7	8	8	82	86	<0.2			2.2					
					Middle	3.9	0.7	30	27.9	27.9	7.9	7.9	16.9	16.9	77.8	77.7	5.6	5.6	12.5	12.2	9	10	86	86			<0.2	2.1				
						3.9	0.7	32	27.9	7.9	7.9	16.9	16.9	77.7	77.8	5.6	5.6	12.2	12.2	10	9	86	89	<0.2			2.2					
					Bottom	6.7	0.3	24	27.6	27.6	7.9	7.9	21.5	21.5	80.3	80.5	5.6	5.6	20.3	20.6	9	10	89	91			<0.2	2.3				
						6.7	0.4	24	27.6	7.9	7.9	21.5	21.5	80.6	80.6	5.6	5.6	20.6	20.6	10	10	91	90	<0.2			2.1					
IM5	Rainy	Moderate	12:03	7.4	Surface	1.0	0.5	33	28.2	28.2	7.8	7.8	15.6	15.6	78.6	78.6	5.6	5.6	6.0	6.1	11	11	83	83	820727	804842	<0.2	2.2	2.1			
						1.0	0.5	35	28.2	7.8	7.8	15.7	15.7	78.6	78.6	5.6	5.6	6.1	6.1	11	11	83	87	<0.2			2.0					
					Middle	3.7	0.4	46	27.7	27.7	7.9	7.9	20.2	20.2	74.7	74.7	5.3	5.3	11.1	11.2	12	12	86	87			<0.2	2.2				
						3.7	0.4	47	27.7	7.9	7.9	20.2	20.2	74.7	74.7	5.3	5.3	11.2	11.2	12	12	87	89	<0.2			2.2					
					Bottom	6.4	0.3	41	27.7	27.7	7.9	7.9	21.3	21.3	77.0	77.0	5.4	5.4	14.6	14.6	12	12	89	90			<0.2	2.0				
						6.4	0.3	42	27.7	7.9	7.9	21.3	21.3	77.0	77.0	5.4	5.4	14.6	14.6	12	12	90	90	<0.2			2.1					
IM6	Rainy	Moderate	12:11	7.3	Surface	1.0	0.2	75	28.1	28.1	7.9	7.9	16.1	16.1	79.9	79.9	5.7	5.7	7.8	7.8	12	12	83	84	821060	805853	<0.2	2.2	2.3			
						1.0	0.2	76	28.1	7.9	7.9	16.1	16.1	79.9	79.9	5.7	5.7	7.8	7.8	12	12	84	86	<0.2			2.2					
					Middle	3.7	0.2	87	27.9	27.9	7.9	7.9	18.9	18.9	78.8	78.9	5.6	5.6	15.6	15.7	15	15	86	87			<0.2	2.4				
						3.7	0.2	90	27.9	7.9	7.9	18.9	18.9	78.9	78.9	5.6	5.6	15.7	15.7	15	15	87	89	<0.2			2.3					
					Bottom	6.3	0.1	58	27.9	27.9	7.9	7.9	19.9	19.9	83.0	83.1	5.8	5.9	18.2	18.2	16	17	89	91			<0.2	2.3				
						6.3	0.1	58	27.9	7.9	7.9	19.9	19.9	83.2	83.1	5.9	5.9	18.2	18.2	17	17	91	90	<0.2			2.2					
IM7	Rainy	Moderate	12:17	8.3	Surface	1.0	0.1	210	28.3	28.3	7.8	7.8	10.5	10.5	80.9	80.9	6.0	6.0	6.9	7.0	10	11	82	83	821359	806813	<0.2	2.3	2.3			
						1.0	0.1	230	28.3	7.8	7.8	10.5	10.5	80.9	80.9	6.0	6.0	7.0	7.1	11	11	83	89	<0.2			1.9					
					Middle	4.2	0.3	47	28.1	28.1	7.8	7.8	14.9	14.9	82.3	82.4	5.9	5.9	13.7	13.8	12	11	89	90			<0.2	1.9				
						4.2	0.3	49	28.1	7.8	7.8	14.9	14.9	82.4	82.4	5.9	5.9	13.8	13.8	11	11	90	92	<0.2			2.9					
					Bottom	7.3	0.3	75	28.0	28.0	7.8	7.8	18.2	18.2	86.8	87.1	6.1	6.2	19.4	19.0	12	13	92	93			<0.2	2.0				
						7.3	0.4	81	28.0	7.8	7.8	18.2	18.2	87.1	87.0	6.2	6.2	19.0	19.0	13	13	93	90	<0.2			2.9					
IM8	Cloudy	Moderate	11:44	8.1	Surface	1.0	0.3	69	28.2	28.2	7.8	7.8	9.7	9.7	79.6	79.6	5.9	5.9	9.3	9.3	8	8	83	83	821843	808156	<0.2	4.2	4.3			
						1.0	0.3	74	28.2	7.8	7.8	9.7	9.7	79.6	79.6	5.9	5.9	9.3	9.3	8	8	83	86	<0.2			4.4					
					Middle	4.1	0.4	58	28.2	28.2	7.8	7.8	14.4	14.4	74.4	74.5	5.4	5.4	15.7	15.8	9	9	86	86			<0.2					

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 01 September 18 during Mid-Flood Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)	
									Value	Average	Value	Average	Value	Average	Value	Average	Value	DA	Value	DA	Value	DA	Value	DA			Value	DA	Value	DA
IM9	Rainy	Moderate	11:37	7.8	Surface	1.0	0.4	48	28.3	28.3	7.7	7.7	11.7	11.7	74.4	74.4	5.4	5.5	10.8	17.6	8	9	82	86	822117	808832	<0.2	4.1	4.3	
						1.0	0.5	49	28.3		7.7	7.7	11.7	74.4	5.4	10.8	8		83		<0.2		3.8							
					Middle	3.9	0.5	32	28.2	28.2	7.9	7.9	12.8	12.8	75.8	75.8	5.5	18.2	9		86		<0.2				4.2			
						3.9	0.5	33	28.2		7.9	7.9	12.8	75.8	5.5	18.2	9	87	<0.2		4.5									
					Bottom	6.8	0.2	9	28.1	28.1	7.9	7.9	16.6	16.6	74.3	74.3	5.3	24.0	9		88		<0.2				4.5			
						6.8	0.2	9	28.1		7.9	7.9	16.7	74.3	5.3	23.7	9	90	<0.2		4.6									
IM10	Rainy	Moderate	11:36	8.0	Surface	1.0	0.4	36	28.3	28.3	7.7	7.7	11.7	11.7	75.0	75.0	5.5	5.5	11.4	16.5	8	8	81	85	822388	809775	<0.2	3.7	3.7	
						1.0	0.4	39	28.3		7.7	7.7	11.7	75.0	5.5	11.4	8		81		<0.2		3.7							
					Middle	4.0	0.5	27	28.3	28.3	7.9	7.9	12.7	12.7	75.7	75.7	5.5	16.6	8		85		<0.2				3.7			
						4.0	0.5	28	28.3		7.9	7.9	12.7	75.7	5.5	16.7	8	86	<0.2		3.5									
					Bottom	7.0	0.0	357	28.2	28.2	7.9	7.9	14.4	14.4	76.8	76.8	5.5	21.3	9		89		<0.2				3.8			
						7.0	0.0	328	28.2		7.9	7.9	14.4	76.8	5.5	21.3	9	90	<0.2		3.6									
IM11	Rainy	Moderate	11:15	8.7	Surface	1.0	0.2	308	28.2	28.2	7.8	7.8	14.9	14.9	78.6	78.6	5.7	5.4	11.4	17.7	8	8	82	86	822031	811441	<0.2	3.3	3.1	
						1.0	0.2	322	28.2		7.8	7.8	14.9	78.5	5.6	11.5	7		83		<0.2		3.2							
					Middle	4.4	0.4	302	27.9	27.9	7.9	7.9	18.2	18.2	74.0	73.9	5.2	19.0	8		85		<0.2				3.2			
						4.4	0.4	311	27.9		7.9	7.9	18.2	73.8	5.2	19.1	8	85	<0.2		3.1									
					Bottom	7.7	0.2	302	27.8	27.8	7.9	7.9	19.8	19.8	73.7	73.7	5.2	22.7	9		89		<0.2				3.0			
						7.7	0.2	303	27.8		7.9	7.9	19.8	73.7	5.2	22.7	9	90	<0.2		3.0									
IM12	Rainy	Moderate	11:07	9.6	Surface	1.0	0.4	271	28.0	28.0	7.9	7.9	17.6	17.6	74.3	74.3	5.3	5.3	10.6	15.9	11	16	81	85	821481	812062	<0.2	2.9	2.9	
						1.0	0.5	277	28.0		7.9	7.9	17.6	74.2	5.3	10.6	12		82		<0.2		2.9							
					Middle	4.8	0.4	279	27.8	27.8	7.9	7.9	19.4	19.4	74.0	74.1	5.2	14.5	14		85		<0.2				2.8			
						4.8	0.5	301	27.8		7.9	7.9	19.4	74.1	5.2	14.7	14	86	<0.2		2.9									
					Bottom	8.6	0.2	319	27.8	27.8	7.9	7.9	19.9	19.9	73.1	73.1	5.2	22.6	21		89		<0.2				2.9			
						8.6	0.2	324	27.8		7.9	7.9	19.9	73.1	5.1	22.6	22	89	<0.2		2.8									
SR2	Rainy	Moderate	10:43	4.8	Surface	1.0	0.4	313	28.0	28.0	7.8	7.8	16.6	16.6	76.5	76.5	5.5	5.5	12.4	14.9	8	9	81	84	821488	814184	<0.2	2.9	2.8	
						1.0	0.4	329	28.0		7.8	7.8	16.6	76.4	5.5	12.5	8		81		<0.2		2.7							
					Middle	-	-	-	-		-	-	-	-	-	-	-	-	-		-		-				-			
						-	-	-	-		-	-	-	-	-	-	-	-	-		-		-				-			
					Bottom	3.8	0.2	293	27.8	27.8	7.8	7.8	19.0	19.0	74.2	74.2	5.2	17.3	9		87		<0.2				2.8			
						3.8	0.2	293	27.8		7.8	7.8	19.0	74.2	5.3	17.2	9	87	<0.2		2.7									
SR3	Cloudy	Moderate	11:51	9.3	Surface	1.0	0.1	68	28.3	28.3	7.7	7.7	10.4	10.4	75.1	75.1	5.5	5.4	9.3	13.1	6	7	-	-	822152	807591	-	-	-	
						1.0	0.1	70	28.3		7.7	7.7	10.4	75.1	5.5	9.3	6		-		-									
					Middle	4.7	0.2	50	28.3	28.3	7.7	7.7	13.9	13.9	71.9	72.0	5.2	11.4	7		-		-							
						4.7	0.2	54	28.3		7.7	7.7	13.9	72.0	5.2	11.5	8	-	-											
					Bottom	8.3	0.3	58	28.2	28.2	7.8	7.8	16.3	16.3	73.9	73.9	5.3	18.5	8		-		-							
						8.3	0.3	59	28.2		7.8	7.8	16.3	73.9	5.3	18.4	7	-	-											
SR4A	Rainy	Moderate	10:51	8.4	Surface	1.0	0.1	238	27.8	27.8	7.9	7.9	19.0	19.0	81.4	81.4	5.8	5.8	8.3	9.3	12	13	-	-	817217	807814	-	-	-	
						1.0	0.1	259	27.8		7.9	7.9	19.0	81.4	5.8	8.3	12		-		-									
					Middle	4.2	0.1	252	27.8	27.8	7.9	7.9	19.1	19.1	81.4	81.4	5.8	9.1	14		-		-							
						4.2	0.1	254	27.8		7.9	7.9	19.1	81.4	5.8	9.1	14	-	-											
					Bottom	7.4	0.1	241	27.8	27.8	7.9	7.9	19.2	19.2	83.1	83.1	5.9	10.6	14		-		-							
						7.4	0.1	257	27.8		7.9	7.9	19.2	83.1	5.9	10.6	14	-	-											
SR5A	Rainy	Moderate	10:34	3.1	Surface	1.0	0.2	296	27.8	27.8	7.8	7.8	18.4	18.4	79.6	79.6	5.6	5.6	7.5	9.1	10	13	-	-	816611	810683	-	-	-	
						1.0	0.2	306	27.8		7.8	7.8	18.4	79.6	5.6	7.6	11		-		-									
					Middle	-	-	-	-		-	-	-	-	-	-	-	-	-		-		-							
						-	-	-	-		-	-	-	-	-	-	-	-	-		-		-							
					Bottom	2.1	0.1	239	27.8	27.8	7.8	7.8	18.5	18.5	79.0	79.0	5.6	10.7	15		-		-							
						2.1	0.1	243	27.8		7.8	7.8	18.5	79.0	5.6	10.7	15	-	-											
SR6	Rainy	Moderate	10:07	4.9	Surface	1.0	0.2	286	28.1	28.1	7.8	7.8	16.2	16.2	81.5	81.5	5.8	5.8	19.5	14.9	16	18	-	-	817878	814687	-	-	-	
						1.0	0.2	314	28.1		7.8	7.8	16.2	81.5	5.8	19.5	15		-		-									
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-									
						-	-	-	-	-	-	-	-	-	-	-	-	-	-		-									
					Bottom	3.9	0.1	341	28.0	28.0	7.8	7.8	16.7	16.7	86.2	86.4	6.2	10.2	19		-		-							
						3.9	0.1	352	28.0		7.8	7.8	16.7	86.6	6.2	10.2	20	-	-											
SR7	Rainy	Moderate	09:53	18.1	Surface	1.0	0.1	94	28.0	28.0	7.9	7.9	17.6	17.6	77.4	77.4	5.5	5.1	8.7	10.3	6	7	-	-	823618	823743	-	-	-	
						1.0	0.1	96	28.0		7.9	7.9	17.6	77.3	5.5	8.7	6		-		-									
					Middle	9.1	0.2	65	27.1	27.1	7.9	7.9	22.7	22.7	67.0	67.0	4.7	9.9	7		-		-							
						9.1	0.3	71	27.1		7.9	7.9	22.7	67.0	4.7	10.0	7	-	-											
					Bottom	17.1	0.0	259	26.6	26.6	7.9	7.9	25.6	25.6	64.4	64.5	4.5	12.2	9		-		-							
						17.1	0.0	273	26.6		7.9	7.9	25.6	64.5	4.5	12.2	9	-	-											
SR8	Rainy	Moderate	11:00	4.1	Surface	1.0	-	-	28.1	28.1	7.9	7.9	15.8	15.8	80.6	80.6	5.8	5.8	9.1	10.4	8	11	-	-	820417	811593	-	-	-	
						1.0	-	-	28.1		7.9	7.9	15.8	80.6	5.8	9.1	9		-		-									
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-		-							
						-	-	-	-	-	-	-	-	-	-	-	-	-	-		-		-							
					Bottom	3.1	-	-	27.9	27.9	7.8	7.8	18.0	18.0	77.4	77.5	5.5	11.7	14		-		-							
						3.1	-	-	27.9		7.8	7.8	18.0	77.5	5.5	11.7	14	-	-											

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 04 September 18 during Mid-Ebb Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (µg/L)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)	
									Value	Average	Value	Average	Value	Average	Value	DA	Value	DA	Value	DA	Value	DA	Value	DA			Value	DA	Value	DA
C1	Fine	Moderate	06:54	8.1	Surface	1.0	0.3	231	28.8	28.8	7.6	7.6	7.7	7.7	73.1	73.2	5.4	5.4	5.0	7	80	85	815613	804265	<0.2	5.5	5.4			
						1.0	0.3	233	28.8	7.6	7.6	7.7	7.7	73.3	73.2	5.4	5.4	5.1	6	81	85	815613	804265	<0.2	5.5	5.4				
					Middle	4.1	0.2	275	28.4	28.4	7.7	7.7	9.8	9.8	72.9	72.7	5.4	5.4	8.3	4	85	86	815613	804265	<0.2	5.5	5.4			
						4.1	0.2	275	28.4	28.4	7.7	7.7	9.8	9.8	72.4	72.7	5.3	5.3	8.7	4	86	86	815613	804265	<0.2	5.5	5.4			
					Bottom	7.1	0.3	219	26.7	26.7	7.8	7.8	25.3	25.3	60.2	60.4	4.2	4.2	12.7	6	89	90	815613	804265	<0.2	5.6	5.0			
						7.1	0.3	225	26.8	26.7	7.8	7.8	25.3	25.3	60.5	60.4	4.2	4.2	12.5	6	90	90	815613	804265	<0.2	5.0	5.0			
C2	Fine	Moderate	08:18	11.3	Surface	1.0	0.9	163	28.6	28.6	7.5	7.5	6.2	6.2	62.3	62.3	4.7	4.7	12.0	10	80	84	825687	806948	<0.2	5.9	5.9			
						1.0	1.0	166	28.6	7.5	7.5	6.2	6.2	62.3	62.3	4.7	4.7	12.0	8	80	84	825687	806948	<0.2	5.6	5.9				
					Middle	5.7	0.1	236	27.0	27.0	7.8	7.8	20.9	20.9	53.5	53.5	3.8	3.8	9.2	7	84	84	825687	806948	<0.2	6.0	5.8			
						5.7	0.1	254	27.0	27.0	7.8	7.8	20.9	20.9	53.5	53.5	3.8	3.8	9.2	9	84	87	825687	806948	<0.2	5.8	5.8			
					Bottom	10.3	0.2	354	26.7	26.7	7.8	7.8	22.8	22.8	54.4	54.5	3.8	3.8	9.6	8	87	88	825687	806948	<0.2	6.0	6.0			
						10.3	0.2	326	26.7	26.7	7.8	7.8	22.8	22.8	54.5	54.5	3.8	3.8	9.6	9	88	88	825687	806948	<0.2	5.9	5.9			
C3	Fine	Moderate	06:17	12.1	Surface	1.0	0.1	292	28.2	28.2	7.8	7.8	12.9	12.9	68.0	68.0	4.9	4.9	8.6	6	81	86	822113	817784	<0.2	4.4	4.5			
						1.0	0.1	301	28.2	7.8	7.8	12.9	12.9	67.9	68.0	4.9	4.9	8.6	6	81	86	822113	817784	<0.2	4.6	4.5				
					Middle	6.1	0.0	306	27.2	27.2	7.8	7.8	20.1	20.1	58.8	58.8	4.2	4.2	9.1	5	87	86	822113	817784	<0.2	4.5	4.5			
						6.1	0.0	309	27.2	27.2	7.8	7.8	20.1	20.1	58.8	58.8	4.2	4.2	9.1	7	86	91	822113	817784	<0.2	4.6	4.5			
					Bottom	11.1	0.3	129	25.5	25.5	7.9	7.9	26.7	26.7	56.5	56.6	4.0	4.0	10.9	6	91	90	822113	817784	<0.2	4.6	4.5			
						11.1	0.3	136	25.5	25.5	7.9	7.9	26.7	26.7	56.7	56.6	4.0	4.0	10.9	4	90	90	822113	817784	<0.2	4.5	4.5			
IM1	Fine	Moderate	07:15	4.1	Surface	1.0	0.0	204	28.2	28.2	7.8	7.8	13.7	13.7	70.3	70.3	5.1	5.1	4.1	6	86	86	817948	807154	<0.2	4.5	4.5			
						1.0	0.0	214	28.2	7.8	7.8	13.6	13.7	70.3	70.3	5.1	5.1	4.2	4	86	86	817948	807154	<0.2	4.5	4.5				
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88	817948	807154	<0.2	-	-	
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88	817948	807154	<0.2	-	-
					Bottom	3.1	0.1	59	27.7	27.7	7.8	7.8	17.7	17.7	69.1	69.2	4.9	4.9	5.0	4	89	90	817948	807154	<0.2	4.7	4.7			
						3.1	0.1	64	27.7	27.7	7.8	7.8	17.7	17.7	69.3	69.2	4.9	4.9	5.0	2	90	90	817948	807154	<0.2	4.5	4.5			
IM2	Fine	Moderate	07:22	6.6	Surface	1.0	0.2	301	28.7	28.7	7.8	7.8	10.1	10.1	79.5	79.5	5.8	5.8	3.7	5	82	83	818187	806176	<0.2	4.5	4.6			
						1.0	0.2	306	28.7	7.8	7.8	10.1	10.1	79.5	79.5	5.8	5.8	3.7	6	83	86	818187	806176	<0.2	4.6	4.6				
					Middle	3.3	0.2	277	28.4	28.4	7.8	7.8	11.6	11.6	73.3	73.3	5.4	5.4	4.3	5	86	87	818187	806176	<0.2	4.6	4.5			
						3.3	0.2	293	28.4	28.4	7.8	7.8	11.6	11.6	73.2	73.3	5.3	5.3	4.3	4	87	89	818187	806176	<0.2	4.5	4.5			
					Bottom	5.6	0.0	287	26.7	26.7	7.9	7.9	25.8	25.8	59.7	59.9	4.1	4.2	8.9	5	89	90	818187	806176	<0.2	4.6	4.6			
						5.6	0.0	309	26.7	26.7	7.9	7.9	25.8	25.8	60.0	59.9	4.2	4.2	8.9	5	90	90	818187	806176	<0.2	4.7	4.7			
IM3	Fine	Moderate	07:29	6.7	Surface	1.0	0.5	224	28.7	28.7	7.7	7.7	9.1	9.1	66.9	66.9	4.9	4.9	8.2	8	82	84	818777	805577	<0.2	4.6	4.6			
						1.0	0.5	228	28.7	7.7	7.7	9.1	9.1	66.9	66.9	4.9	4.9	8.2	9	84	87	818777	805577	<0.2	4.4	4.6				
					Middle	3.4	0.5	217	28.2	28.2	7.8	7.8	11.5	11.5	65.3	65.3	4.8	4.8	8.1	8	87	88	818777	805577	<0.2	4.6	4.7			
						3.4	0.5	235	28.2	28.2	7.8	7.8	11.5	11.5	65.2	65.3	4.8	4.8	8.1	6	88	92	818777	805577	<0.2	4.7	4.6			
					Bottom	5.7	0.2	217	27.1	27.1	7.8	7.8	21.8	21.7	67.7	68.0	4.8	4.8	9.3	6	92	93	818777	805577	<0.2	4.6	4.6			
						5.7	0.3	237	27.1	27.1	7.8	7.8	21.7	21.7	68.2	68.0	4.8	4.8	9.1	6	93	95	818777	805577	<0.2	4.4	4.4			
IM4	Fine	Moderate	07:38	6.8	Surface	1.0	0.7	200	28.7	28.6	7.6	7.6	7.4	7.4	62.3	62.3	4.6	4.6	7.3	7	85	85	819708	804594	<0.2	4.5	4.5			
						1.0	0.7	204	28.6	7.6	7.6	7.4	7.4	62.3	62.3	4.6	4.6	7.4	7	85	89	819708	804594	<0.2	4.7	4.7				
					Middle	3.4	0.5	200	27.9	27.9	7.6	7.6	14.5	14.5	62.2	62.2	4.6	4.6	10.6	7	89	89	819708	804594	<0.2	4.4	4.4			
						3.4	0.5	209	27.9	27.9	7.6	7.6	14.5	14.5	62.1	62.2	4.6	4.6	10.6	7	89	94	819708	804594	<0.2	4.4	4.5			
					Bottom	5.8	0.2	223	27.3	27.3	7.7	7.7	19.2	19.2	64.6	64.8	4.6	4.6	17.9	7	94	95	819708	804594	<0.2	4.5	4.5			
						5.8	0.2	241	27.3	27.3	7.7	7.7	19.2	19.2	65.0	64.8	4.6	4.6	18.0	7	95	95	819708	804594	<0.2	4.6	4.6			
IM5	Fine	Moderate	07:46	6.3	Surface	1.0	0.8	271	28.7	28.7	7.5	7.5	7.3	7.3	63.4	63.4	4.7	4.7	8.3	6	84	85	820755	804870	<0.2	4.5	4.5			
						1.0	0.8	275	28.7	7.5	7.5	7.4	7.3	63.3	63.3	4.7	4.7	8.3	7	84	85	820755	804870	<0.2	4.5	4.5				
					Middle	3.2	0.7	272	28.3	28.3	7.6	7.6	8.4	8.4	63.2	63.3	4.7	4.7	9.4	5	85	88	820755	804870	<0.2	4.5	4.7			
						3.2	0.7	278	28.3	28.3	7.6	7.6	8.4	8.4	63.3	63.3	4.7	4.7	9.5	5	85	88	820755	804870	<0.2	4.8	4.8			
					Bottom	5.3	0.5	271	27.9	27.9	7.6	7.6	13.3	13.4	68.3	68.3	5.0	5.0	12.6	6	88	88	820755	804870	<0.2	5.0	5.0			
						5.3	0.6	295	27.9	27.9	7.6	7.6	13.5	13.4	68.3	68.3	5.0	5.0	12.5	7	88	88	820755	804870	<0.2	4.6	4.6			
IM6	Fine	Moderate	07:56	6.1	Surface	1.0	1.0	247	28.6	28.6	7.6	7.6	7.2	7.2	60.6	60.6	4.5	4.5	8.4	7	83	86	821053	805803	<0.2	4.6	4.5			
						1.0	1.0	258	28.6	7.6	7.6	7.2	7.2	60.5	60.6	4.5	4.5	8.5	7	83	86	821053	805803	<0.2	4.5	4.5				
					Middle	3.1	0.6	238	27.8	27.8	7.7	7.7	15.7	15.7	63.0	63.1	4.6	4.6	10.6	9	86	87	821053	805803	<0.2	4.5	4.6			
						3.1	0.7	245	27.8	27.8	7.7	7.7	15.7	15.7	63.1	63.1	4.6	4.6	10.7	9	87	89	821053	805803	<0.2	4.6	4.6			
					Bottom	5.1	0.3	240	27.4	27.4	7.7	7.7	18.6	18.6	62.3	62.3	4.4	4.4	13.1	8	89	91	821053	805803	<0.2	4.5	4.5			
						5.1	0.3	253	27.4	27.4	7.7	7.7	18.7	18.6	62.6	62.5	4.5	4.5	13.1	8	91	91	821053	805803	<0.2	4.5	4.5			
IM7	Fine	Moderate	08:06	7.6	Surface	1.0	0.9	232	28.9	28.9	7.6	7.6	5.5	5.5	62.4	62.4	4.7	4.7	8.8	9	81	86	821332	806840	<0.2	4.6	4.7			
						1.0	0.9	241	28.9	7.6	7.6	5.5	5.5	62.4	62.4	4.7	4.7	8.7	7	83	86	821332	806840	<0.2	4.7	4.9				
					Middle	3.8	0.8	241	28.5	28.4	7.7	7.7	7.9	7.8	60.9	60.9	4.5	4.5	8.6	8	86	87	821332	806840	<0.2	4.7	4.7			
						3.8	0.8	252	28.4	28.4	7.7	7.7	7.8	7.8	60.8	60.9	4.5	4.5	8.6	10	87	90	821332	806840	<0.2	4.7	4.6			
					Bottom	6.6	0.3	227	27.3	27.3	7.7	7.7	19.2	19.2	62.6	62.8	4.5	4.5	10.0	8	90	91	821332	806840	<0.2	4.6	4.5			
						6.6	0.4	236	27.3	27.3	7.7	7.7	19.2	19.2	63.0	62.8	4.5	4.5	10.0	8	91	90	821332	806840	<0.2	4.				

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 04 September 18 during Mid-Ebb Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)			
									Value	Average	Value	Average	Value	Average	Value	DA	Value	DA	Value	DA	Value	DA	Value	DA			Value	DA	Value	DA	Value	DA
IM9	Fine	Moderate	07:32	7.4	Surface	1.0	0.3	160	29.1	29.1	7.6	7.6	5.7	5.7	67.7	67.8	5.0	4.8	13.3	11.5	10	9	81	86	822064	808790	<0.2	<0.2	4.0	4.0		
						1.0	0.3	163	29.1	29.1	7.6	7.6	5.8	5.7	67.8	67.8	5.0	4.8	13.3	11.5	9	8	82	86	822064	808790	<0.2	<0.2	4.0	4.0		
					Middle	3.7	0.0	61	28.5	28.5	7.6	7.6	8.6	8.6	61.9	61.9	4.6	4.6	10.9	10.8	8	9	86	86	822064	808790	<0.2	<0.2	4.0	4.0		
						3.7	0.0	61	28.5	28.5	7.6	7.6	8.6	8.6	61.9	61.9	4.6	4.6	10.8	10.9	9	8	86	86	822064	808790	<0.2	<0.2	4.2	4.2		
					Bottom	6.4	0.1	37	28.3	28.3	7.6	7.6	10.5	10.5	62.5	62.5	4.6	4.6	10.2	10.2	8	9	90	90	822064	808790	<0.2	<0.2	4.0	4.0		
						6.4	0.1	40	28.3	28.3	7.6	7.6	10.5	10.5	62.5	62.5	4.6	4.6	10.2	10.2	8	9	90	90	822064	808790	<0.2	<0.2	3.8	3.8		
IM10	Fine	Moderate	07:25	9.0	Surface	1.0	0.5	117	28.4	28.4	7.6	7.6	9.1	9.1	62.0	62.0	4.6	4.5	10.6	10.1	7	6	81	86	822399	809785	<0.2	<0.2	4.6	4.6		
						1.0	0.5	128	28.4	28.4	7.6	7.6	9.1	9.1	62.0	62.0	4.6	4.5	10.5	10.1	6	8	81	86	822399	809785	<0.2	<0.2	4.7	4.7		
					Middle	4.5	0.3	84	28.3	28.3	7.6	7.6	10.7	10.7	59.4	59.4	4.4	4.4	10.1	10.1	8	9	85	85	822399	809785	<0.2	<0.2	4.7	4.6		
						4.5	0.3	89	28.3	28.3	7.6	7.6	10.7	10.7	59.4	59.4	4.4	4.4	10.1	10.1	9	7	90	90	822399	809785	<0.2	<0.2	4.6	4.5		
					Bottom	8.0	0.3	99	27.2	27.2	7.8	7.8	19.9	19.9	54.2	54.2	3.9	3.9	9.6	9.6	7	9	90	90	822399	809785	<0.2	<0.2	4.5	4.6		
						8.0	0.3	101	27.2	27.2	7.8	7.8	19.7	19.7	54.1	54.1	3.9	3.9	9.6	9.6	9	9	90	90	822399	809785	<0.2	<0.2	4.6	4.6		
IM11	Fine	Moderate	07:11	9.3	Surface	1.0	0.6	103	28.8	28.8	7.6	7.6	6.8	6.8	65.0	65.0	4.8	4.6	11.7	14.4	8	7	81	86	822051	811473	<0.2	<0.2	5.1	4.9		
						1.0	0.6	107	28.8	28.8	7.6	7.6	6.8	6.8	65.0	65.0	4.8	4.6	11.7	14.4	7	8	81	86	822051	811473	<0.2	<0.2	4.9	4.9		
					Middle	4.7	0.4	99	28.0	28.0	7.7	7.7	14.4	14.4	59.1	59.1	4.3	4.3	11.2	11.3	7	6	87	86	822051	811473	<0.2	<0.2	4.8	4.8		
						4.7	0.4	107	28.0	28.0	7.7	7.7	14.4	14.4	59.1	59.1	4.3	4.3	11.3	11.3	6	6	86	90	822051	811473	<0.2	<0.2	4.8	4.7		
					Bottom	8.3	0.2	113	27.3	27.3	7.8	7.8	19.6	19.6	58.2	58.2	4.1	4.1	20.3	20.3	6	6	90	90	822051	811473	<0.2	<0.2	4.7	4.7		
						8.3	0.2	121	27.3	27.3	7.8	7.8	19.6	19.6	58.2	58.2	4.1	4.1	20.4	20.4	6	6	90	90	822051	811473	<0.2	<0.2	4.9	4.9		
IM12	Fine	Moderate	07:02	9.6	Surface	1.0	0.5	98	28.8	28.8	7.6	7.6	5.6	5.6	65.9	65.9	4.9	4.6	11.6	12.3	7	6	82	81	821480	812037	<0.2	<0.2	4.9	5.2		
						1.0	0.5	99	28.8	28.8	7.6	7.6	5.6	5.6	65.9	65.9	4.9	4.6	11.6	11.6	6	8	81	85	821480	812037	<0.2	<0.2	5.2	5.1		
					Middle	4.8	0.4	100	28.1	28.1	7.7	7.7	13.2	13.2	59.8	59.8	4.3	4.3	9.5	9.5	6	8	85	87	821480	812037	<0.2	<0.2	5.1	5.0		
						4.8	0.4	103	28.1	28.1	7.7	7.7	13.2	13.2	59.8	59.8	4.3	4.3	9.5	9.5	8	7	87	90	821480	812037	<0.2	<0.2	5.0	4.9		
					Bottom	8.6	0.1	138	26.6	26.6	7.8	7.8	22.0	22.0	54.8	54.9	3.9	3.9	15.9	15.9	7	5	90	88	821480	812037	<0.2	<0.2	5.0	4.9		
						8.6	0.1	148	26.6	26.6	7.8	7.8	22.1	22.1	54.9	54.9	3.9	3.9	15.9	15.9	5	5	88	86	821480	812037	<0.2	<0.2	4.9	4.9		
SR2	Fine	Moderate	06:42	4.3	Surface	1.0	0.2	59	28.4	28.4	7.6	7.6	9.2	9.2	68.2	68.3	5.0	5.1	9.5	9.3	5	5	81	81	821440	814137	<0.2	<0.2	5.5	5.5		
						1.0	0.2	62	28.4	28.4	7.6	7.6	9.2	9.2	68.3	68.3	5.1	5.1	9.5	9.5	5	5	81	81	821440	814137	<0.2	<0.2	5.5	5.5		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.1	-	-	-	83	821440	814137	<0.2	<0.2	-	-		
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.1	-	-	-	83	821440	814137	<0.2	<0.2	-	-	
					Bottom	3.3	0.1	317	28.4	28.4	7.7	7.7	11.2	11.2	71.3	71.3	5.2	5.2	9.1	9.1	5	5	85	86	821440	814137	<0.2	<0.2	5.6	5.7		
						3.3	0.1	342	28.4	28.4	7.7	7.7	11.2	11.2	71.3	71.3	5.2	5.2	9.1	9.1	5	5	86	86	821440	814137	<0.2	<0.2	5.6	5.7		
SR3	Fine	Moderate	07:46	9.1	Surface	1.0	0.7	205	29.0	29.0	7.5	7.5	5.3	5.3	63.2	63.2	4.7	4.5	12.2	10.7	7	8	-	-	822147	807559	-	-	-	-		
						1.0	0.7	218	29.0	29.0	7.5	7.5	5.3	5.3	63.2	63.2	4.7	4.5	12.1	12.1	8	8	-	-	822147	807559	-	-	-	-		
					Middle	4.6	0.5	235	28.1	28.1	7.6	7.6	12.2	12.1	58.5	58.5	4.3	4.3	10.1	10.1	8	9	-	-	822147	807559	-	-	-	-		
						4.6	0.5	247	28.1	28.1	7.6	7.6	12.1	12.1	58.5	58.5	4.3	4.3	10.1	10.1	9	9	-	-	822147	807559	-	-	-	-		
					Bottom	8.1	0.5	242	27.9	27.9	7.7	7.7	14.4	14.4	58.6	58.7	4.2	4.3	9.9	9.9	9	9	-	-	822147	807559	-	-	-	-		
						8.1	0.5	242	27.9	27.9	7.7	7.7	14.4	14.4	58.7	58.7	4.3	4.3	9.9	9.9	9	9	-	-	822147	807559	-	-	-	-		
SR4A	Fine	Calm	06:34	8.4	Surface	1.0	0.5	239	28.6	28.6	7.8	7.8	12.0	12.0	73.7	73.7	5.3	4.7	9.2	11.9	5	5	-	-	817190	807797	-	-	-	-		
						1.0	0.5	260	28.6	28.6	7.8	7.8	12.0	12.0	73.7	73.7	5.3	4.7	9.2	9.2	4	5	-	-	817190	807797	-	-	-	-		
					Middle	4.2	0.3	233	27.5	27.5	7.8	7.8	20.1	20.1	56.9	56.9	4.0	4.0	13.1	13.1	6	5	-	-	817190	807797	-	-	-	-		
						4.2	0.3	253	27.5	27.5	7.8	7.8	20.1	20.1	56.9	56.9	4.0	4.0	13.1	13.1	5	5	-	-	817190	807797	-	-	-	-		
					Bottom	7.4	0.4	241	26.7	26.7	7.8	7.8	25.4	25.4	59.8	60.0	4.2	4.2	13.3	13.3	5	5	-	-	817190	807797	-	-	-	-		
						7.4	0.5	256	26.7	26.7	7.8	7.8	25.4	25.4	60.1	60.1	4.2	4.2	13.4	13.4	6	5	-	-	817190	807797	-	-	-	-		
SR5A	Fine	Calm	06:16	3.6	Surface	1.0	0.1	304	28.7	28.7	7.7	7.7	11.5	11.5	72.8	72.7	5.3	5.3	8.1	11.1	7	6	-	-	816618	810697	-	-	-	-		
						1.0	0.1	306	28.7	28.7	7.7	7.7	11.5	11.5	72.6	72.6	5.3	5.3	8.7	8.7	6	6	-	-	816618	810697	-	-	-	-		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Bottom	2.6	0.1	320	28.7	28.7	7.7	7.7	13.0	13.0	73.3	73.4	5.3	5.3	13.8	13.8	6	7	-	-	816618	810697	-	-	-	-	-	-
						2.6	0.1	335	28.7	28.7	7.7	7.7	13.0	13.0	73.4	73.4	5.3	5.3	13.8	13.8	7	7	-	-	816618	810697	-	-	-	-	-	-
SR6	Fine	Calm	05:44	3.9	Surface	1.0	0.1	258	28.7	28.7	7.7	7.7	11.8	11.8	71.8	71.7	5.2	5.2	10.5	11.5	7	5	-	-	817892	814689	-	-	-	-		
						1.0	0.1	264	28.7	28.7	7.7	7.7	11.8	11.8	71.6	71.7	5.2	5.2	10.7	10.7	5	5	-	-	817892	814689	-	-	-	-		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
					Bottom	2.9	0.0	338	28.7	28.7	7.6	7.6	13.8	13.8	71.0	70.7	5.1	5.1	12.2	12.2	5	6	-	-	817892	814689	-	-	-	-	-	-
						2.9	0.0	340	28.7	28.7	7.6	7.6	13.9	13.9	71.4	71.2	5.1	5.1	12.4	12.4	6	6	-	-	817892	814689	-	-	-	-	-	-
SR7	Fine	Moderate	05:36	17.9	Surface	1.0	0.3	114	28.5	28.5	7.8	7.8	12.5	12.5	72.9	72.9	5.4	5.0	8.1	7.7	4	4	-	-	823624	823720	-	-	-	-		
						1.0	0.4	120	28.5	28.5	7.8	7.8	12.5	12.5	72.9	72.9	5.4	5.0	8.1	8.1	4	3	-	-	823624	823720	-	-	-	-		
					Middle	9.0																										

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 04 September 18 during Mid-Flood Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)				
									Value	Average	Value	Average	Value	Average	Value	Average	Value	DA	Value	DA	Value	DA	Value	DA			Value	DA	Value	DA	Value	DA	
C1	Cloudy	Moderate	14:35	8.0	Surface	1.0	0.4	43	29.3	29.3	7.6	7.6	7.6	7.5	69.1	69.1	5.1	5.1	5.9	7.7	5	5	80	85	815622	804239	<0.2	<0.2	4.9	4.9			
						1.0	0.4	43	29.3		7.6	7.6	7.5	7.5	69.0	69.1	5.1	5.8	5		81		<0.2				4.9						
					Middle	4.0	0.5	47	28.2	28.2	7.7	7.7	12.0	12.0	64.7	64.7	4.7	4.7	5.9	6	86	<0.2	4.9										
						4.0	0.5	50	28.2		7.7	7.7	12.0	12.0	64.6	64.7	4.7	6.2	5	87	<0.2	5.0											
					Bottom	7.0	0.3	28	26.6	26.6	7.8	7.8	25.8	25.7	53.3	53.4	3.7	3.7	11.3	5	89	<0.2	4.9										
						7.0	0.3	28	26.6		7.8	7.8	25.7	25.7	53.4	53.4	3.7	11.1	6	89	<0.2	4.8											
C2	Sunny	Moderate	13:15	10.2	Surface	1.0	0.8	167	28.7	28.7	7.5	7.5	6.3	6.2	59.6	59.6	4.5	4.5	12.8	10.3	11	10	82	87	825667	806964	<0.2	<0.2	5.8	6.0			
						1.0	0.8	167	28.7		7.5	7.5	6.2	6.2	59.6	59.6	4.5	4.5	12.8		10		82				<0.2		6.3				
					Middle	5.1	0.1	191	27.2	27.2	7.8	7.8	20.1	20.1	52.7	52.7	3.7	3.7	9.1	9	87	<0.2	5.8										
						5.1	0.1	202	27.2		7.8	7.8	20.1	20.1	52.7	52.7	3.7	9.0	10	87	<0.2	6.1											
					Bottom	9.2	0.3	345	26.7	26.7	7.9	7.9	23.0	23.0	54.9	54.9	3.9	3.9	9.1	10	92	<0.2	6.0										
						9.2	0.3	354	26.7		7.9	7.9	22.9	23.0	54.9	54.9	3.9	9.1	10	91	<0.2	6.1											
C3	Sunny	Moderate	15:00	11.2	Surface	1.0	0.4	257	28.9	28.9	7.8	7.8	12.5	12.5	75.2	75.2	5.4	5.4	7.8	8.2	6	5	81	85	822079	817818	<0.2	<0.2	4.1	4.2			
						1.0	0.4	280	28.9		7.8	7.8	12.5	12.5	75.1	75.2	5.4	7.8	5		81		<0.2				4.3						
					Middle	5.6	0.3	218	26.7	26.7	7.9	7.9	21.8	21.9	56.3	56.3	4.0	4.0	7.5	6	85	<0.2	4.2										
						5.6	0.3	221	26.7		7.9	7.9	21.9	21.9	56.2	56.3	4.0	7.5	4	85	<0.2	4.2											
					Bottom	10.2	0.3	293	25.7	25.7	7.9	7.9	26.3	26.3	56.0	56.0	3.9	3.9	9.3	5	90	<0.2	4.2										
						10.2	0.3	307	25.7		7.9	7.9	26.3	26.3	56.0	56.0	3.9	9.3	4	89	<0.2	4.4											
IM1	Cloudy	Moderate	14:07	4.7	Surface	1.0	0.1	233	29.1	29.1	7.8	7.8	9.8	9.8	85.7	85.7	6.2	6.2	3.8	4.0	6	5	82	84	817923	807144	<0.2	<0.2	4.7	4.8			
						1.0	0.1	234	29.1		7.8	7.8	9.8	9.8	85.6	85.7	6.2	3.9	5		83		<0.2				4.8						
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.0	-	5	-	84	817923	807144	<0.2	<0.2	-	-
						-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-		-				-		-	
					Bottom	3.7	0.0	234	28.5	28.5	7.8	7.8	11.6	11.6	84.2	84.3	6.1	6.1	4.1	6.1	4	84	<0.2	4.8									
						3.7	0.0	256	28.5		7.8	7.8	11.6	11.6	84.4	84.3	6.1	4.2	4	85	<0.2	4.7											
IM2	Cloudy	Moderate	14:15	6.4	Surface	1.0	0.8	5	29.3	29.3	7.7	7.7	9.1	9.1	75.6	75.6	5.5	5.5	5.8	7.9	4	4	81	86	818142	806150	<0.2	<0.2	4.8	4.8			
						1.0	0.8	5	29.3		7.7	7.7	9.1	9.1	75.6	75.6	5.5	5.9	4		82		<0.2				5.0						
					Middle	3.2	0.6	351	27.8	27.8	7.9	7.9	14.1	14.1	63.8	63.8	4.6	4.6	7.1	5	86	<0.2	4.9										
						3.2	0.6	323	27.7		7.9	7.9	14.1	14.1	63.7	63.8	4.6	7.2	4	86	<0.2	4.9											
					Bottom	5.4	0.3	18	27.3	27.3	7.8	7.8	22.6	22.5	72.6	72.6	5.1	5.1	10.8	3	89	<0.2	4.7										
						5.4	0.3	19	27.3		7.8	7.8	22.5	22.5	72.6	72.6	5.1	10.7	5	90	<0.2	4.7											
IM3	Cloudy	Moderate	13:53	6.9	Surface	1.0	0.5	287	28.9	28.9	7.8	7.8	9.8	9.8	80.3	80.3	5.9	5.9	4.5	6.9	4	4	81	86	818774	805608	<0.2	<0.2	5.1	5.3			
						1.0	0.5	315	28.9		7.8	7.8	9.8	9.8	80.3	80.3	5.9	4.6	3		81		<0.2				5.2						
					Middle	3.5	0.5	296	28.5	28.5	7.8	7.8	11.7	11.7	76.0	76.0	5.5	5.1	4	85	<0.2	5.2											
						3.5	0.6	301	28.5		7.8	7.8	11.7	11.7	75.9	76.0	5.5	5.2	4	85	<0.2	5.3											
					Bottom	5.9	0.3	322	26.8	26.8	7.9	7.9	24.5	24.5	57.7	57.8	4.0	4.0	11.0	3	90	<0.2	5.6										
						5.9	0.3	347	26.8		7.9	7.9	24.5	24.5	57.9	57.8	4.0	11.2	3	91	<0.2	5.1											
IM4	Cloudy	Moderate	13:42	7.0	Surface	1.0	0.5	325	29.1	29.1	7.6	7.6	7.6	7.7	66.1	66.1	4.9	4.9	8.1	10.5	8	7	80	85	819752	804590	<0.2	<0.2	5.1	5.3			
						1.0	0.5	336	29.1		7.6	7.6	7.7	7.7	66.1	66.1	4.9	8.0	7		81		<0.2				5.4						
					Middle	3.5	0.3	334	27.7	27.7	7.7	7.7	16.8	16.8	58.6	58.6	4.2	8.5	8	85	<0.2	5.2											
						3.5	0.3	307	27.7		7.7	7.7	16.8	16.8	58.6	58.6	4.2	8.6	8	85	<0.2	5.3											
					Bottom	6.0	0.2	19	27.1	27.1	7.8	7.8	20.7	20.7	57.7	57.8	4.1	14.7	8	90	<0.2	5.1											
						6.0	0.2	19	27.1		7.8	7.8	20.7	20.7	57.9	57.8	4.1	14.8	6	90	<0.2	5.5											
IM5	Cloudy	Moderate	13:33	6.4	Surface	1.0	0.6	286	28.8	28.8	7.6	7.6	6.9	6.9	62.5	62.5	4.7	4.7	9.6	10.0	8	7	82	85	820709	804881	<0.2	<0.2	5.2	5.3			
						1.0	0.6	301	28.8		7.6	7.6	6.9	6.9	62.5	62.5	4.6	9.6	6		83		<0.2				5.2						
					Middle	3.2	0.4	285	27.7	27.7	7.7	7.7	16.7	16.7	62.7	62.8	4.5	10.0	7	86	<0.2	5.3											
						3.2	0.4	291	27.7		7.7	7.7	16.7	16.7	62.8	62.8	4.5	10.1	7	86	<0.2	5.3											
					Bottom	5.4	0.2	291	27.5	27.5	7.7	7.7	18.3	18.3	59.9	60.1	4.3	10.2	8	87	<0.2	5.3											
						5.4	0.2	311	27.5		7.7	7.7	18.3	18.3	60.2	60.1	4.3	10.2	8	87	<0.2	5.3											
IM6	Cloudy	Moderate	13:27	6.3	Surface	1.0	0.9	261	28.9	28.9	7.6	7.6	7.3	7.3	62.1	62.1	4.6	4.6	8.6	9.4	7	8	80	85	821087	805845	<0.2	<0.2	5.1	5.3			
						1.0	0.9	283	28.9		7.6	7.6	7.3	7.3	62.1	62.1	4.6	8.6	8		81		<0.2				5.3						
					Middle	3.2	0.6	274	28.0	28.0	7.6	7.6	14.3	14.3	63.3	63.4	4.7	9.2	7	86	<0.2	5.2											
						3.2	0.6	281	28.0		7.6	7.6	14.3	14.3	63.5	63.4	4.7	9.3	7	88	<0.2	5.2											
					Bottom	5.3	0.3	266	27.4	27.4	7.7	7.7	18.9	19.1	62.2	62.2	4.4	10.4	8	88	<0.2	5.4											
						5.3	0.3	267	27.4		7.7	7.7	19.2	19.1	62.2	62.2	4.4	10.4	8	89	<0.2	5.4											
IM7	Cloudy	Moderate	13:15	7.8	Surface	1.0	0.9	233	28.9	28.9	7.6	7.6	5.5	5.5	61.3	61.3	4.6	4.6	8.1	8.8	7	7	85	90	821344	806838	<0.2	<0.2	5.3	5.2			
						1.0	0.9	240	28.9		7.6	7.6	5.5	5.5	61.3	61.3	4.6	8.1	6		86		<0.2				5.4						
					Middle	3.9	0.7	242	28.5	28.5	7.6	7.6	9.5	9.5	59.9	59.9	4.4	7.2	8	90	<0.2	5.2											
						3.9	0.7	258	28.5		7.6	7.6	9.4	9.5	59.9	59.9	4.4	7.2	7	91	<0.2	5.0											
					Bottom	6.8	0.2	229	27.2	27.2	7.7	7.7	20.2	20.5	54.1	54.2	3.8	11.2	8	92	<0.2	5.0											
						6.8	0.3	235	27.2		7.7	7.7	20.9	20.5	54.2	54.2	3.8	11.2	8	94	<0.2	5.4											
IM8	Sunny	Moderate	13:37	7.0	Surface	1.0	0.2	231	29.4	29.4	7.5	7.5	5.7	5.7	65.1	65.1	4.8	4.8	13.0	15.5	8	8	83	87	821803	808158	<0.2	<0.2	5.9	6.0			
						1.0	0.3	231	29.4		7.5	7.5	5.7	5.7	65.1	65.1	4.8	13.0	7		83		<0.2				6.0						
					Middle	3.5	0.3	280	28.9	28.9	7.6	7.6	6.7	6.7	62.8	62.8	4.7	13.4	7	87	<0.2	6.2											
						3.5	0.3	292	28.9		7.6	7.6	6.7	6.7	62.7	62.8	4.7	13.4	8	87	<0.2	5.9											
					Bottom	6.0	0.3	240	27.8	27.8	7.7	7.7	15.4	15.4	59.6	59.8	4.3	20.6	7	91	<0.2	5.8											
						6.0	0.3	261	27.8		7.7	7.7	15.4	15.4	59.9	59.8	4.3	19.5	8	92	<0.2	6.2											

Water Quality Monitoring

	Weather	Sea	Sampling	Water		Current
--	---------	-----	----------	-------	--	---------

DA: Depth-Averaged
Calm: Small or no wave; Moderate: Between calm and rough; Rough : White capped or rougher
Value exceeding Action Level is underlined; Value exceeding Limit Level is bolded and underlined
Note: Due to safety reason, the monitoring at SR8 was slightly shifted to the closest safe and accessible location temporarily.

Water Quality Monitoring Results on 06 September 18 during Mid-Ebb Tide

DA: Depth-Averaged
Calm: Small or no wave; Moderate: Between calm and rough; Rough : White capped or rougher
Value exceeding Action Level is underlined; Value exceeding Limit Level is bolded and underlined

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 06 September 18 during Mid-Ebb Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity (NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)			Nickel (µg/L)	
																											Value	Average	DA	Value	DA
IM9	Sunny	Moderate	11:05	6.5	Surface	1.0	0.6	157	28.7	28.7	7.9	7.9	12.9	12.9	68.4	68.4	4.9	8.6	9.6	8.6	3	71	74	822089	808808	<0.2	<0.2	<0.2	5.0	5.0	
						1.0	0.6	166	28.7	28.7	7.9	7.9	12.9	12.9	68.4	68.4	4.9	8.6	9.6	8.6	3	70	74	822089	808808	<0.2	<0.2	<0.2	4.8	4.8	
					Middle	3.3	0.3	136	27.4	27.4	7.9	7.9	20.2	20.2	59.4	59.4	4.2	9.3	9.6	9.3	4	72	74	822089	808808	<0.2	<0.2	<0.2	5.2	5.2	
						3.3	0.3	148	27.4	27.4	7.9	7.9	20.2	20.2	59.4	59.4	4.2	9.3	9.6	9.3	4	74	74	822089	808808	<0.2	<0.2	<0.2	4.9	4.9	
					Bottom	5.5	0.1	66	27.0	27.0	7.9	7.9	22.1	22.1	66.2	66.2	4.7	11.0	11.0	11.0	5	77	77	822089	808808	<0.2	<0.2	<0.2	5.2	5.2	
						5.5	0.1	72	27.0	27.0	7.9	7.9	22.1	22.1	66.2	66.2	4.7	11.0	11.0	11.0	6	77	77	822089	808808	<0.2	<0.2	<0.2	5.0	5.0	
IM10	Sunny	Moderate	10:59	7.1	Surface	1.0	0.8	131	28.0	28.0	7.9	7.9	15.1	15.1	66.6	66.6	4.8	8.1	10.9	8.1	4	70	74	822370	809795	<0.2	<0.2	<0.2	4.9	4.9	
						1.0	0.8	135	28.0	28.0	7.9	7.9	15.1	15.1	66.6	66.6	4.8	8.1	10.9	8.1	4	72	74	822370	809795	<0.2	<0.2	<0.2	5.1	5.1	
					Middle	3.6	0.6	117	26.8	26.8	7.9	7.9	23.1	23.1	61.4	61.4	4.3	10.9	10.9	10.9	5	75	75	822370	809795	<0.2	<0.2	<0.2	5.5	5.5	
						3.6	0.6	128	26.8	26.8	7.9	7.9	23.1	23.1	61.4	61.4	4.3	10.9	10.9	10.9	5	75	75	822370	809795	<0.2	<0.2	<0.2	5.0	5.0	
					Bottom	6.1	0.5	108	26.6	26.6	7.9	7.9	24.5	24.5	53.0	53.0	3.7	13.7	13.7	13.7	6	76	76	822370	809795	<0.2	<0.2	<0.2	5.2	5.2	
						6.1	0.5	111	26.6	26.6	7.9	7.9	24.5	24.5	53.0	53.0	3.7	13.7	13.7	13.7	6	77	77	822370	809795	<0.2	<0.2	<0.2	5.2	5.2	
IM11	Sunny	Moderate	10:47	7.1	Surface	1.0	0.9	108	28.8	28.8	7.9	7.9	14.2	14.2	74.2	74.2	5.3	8.9	11.7	8.9	4	71	76	822051	811474	<0.2	<0.2	<0.2	4.9	4.9	
						1.0	0.9	116	28.8	28.8	7.9	7.9	14.2	14.2	74.2	74.2	5.3	8.9	11.7	8.9	4	72	76	822051	811474	<0.2	<0.2	<0.2	4.9	4.9	
					Middle	3.6	0.7	105	27.8	27.8	7.9	7.9	17.2	17.2	60.3	60.3	4.3	10.7	11.7	10.7	4	76	76	822051	811474	<0.2	<0.2	<0.2	4.9	4.9	
						3.6	0.7	115	27.8	27.8	7.9	7.9	17.2	17.2	60.3	60.3	4.3	10.7	11.7	10.7	4	75	76	822051	811474	<0.2	<0.2	<0.2	5.0	5.0	
					Bottom	6.1	0.4	83	26.5	26.5	7.9	7.9	24.3	24.3	57.1	57.1	4.0	15.4	15.4	15.4	6	80	80	822051	811474	<0.2	<0.2	<0.2	4.6	4.6	
						6.1	0.4	91	26.5	26.5	7.9	7.9	24.3	24.3	57.1	57.1	4.0	15.4	15.4	15.4	6	79	79	822051	811474	<0.2	<0.2	<0.2	4.8	4.8	
IM12	Sunny	Moderate	10:40	8.6	Surface	1.0	0.4	101	28.6	28.6	8.0	8.0	16.1	16.1	72.3	72.3	5.1	9.1	17.0	9.1	7	75	78	821462	812066	<0.2	<0.2	<0.2	4.9	4.9	
						1.0	0.4	107	28.6	28.6	8.0	8.0	16.1	16.1	72.3	72.3	5.1	9.1	17.0	9.1	6	74	78	821462	812066	<0.2	<0.2	<0.2	4.7	4.7	
					Middle	4.3	0.5	99	26.8	26.8	7.9	7.9	23.5	23.5	61.4	61.4	4.3	20.3	17.0	20.3	9	79	78	821462	812066	<0.2	<0.2	<0.2	4.9	4.9	
						4.3	0.5	100	26.8	26.8	7.9	7.9	23.5	23.5	61.4	61.4	4.3	20.3	17.0	20.3	9	78	78	821462	812066	<0.2	<0.2	<0.2	4.6	4.6	
					Bottom	7.6	0.4	95	26.7	26.7	7.9	7.9	24.2	24.2	51.1	51.1	3.6	21.5	17.0	21.5	10	82	82	821462	812066	<0.2	<0.2	<0.2	5.0	5.0	
						7.6	0.4	104	26.7	26.7	7.9	7.9	24.2	24.2	51.1	51.1	3.6	21.5	17.0	21.5	10	82	82	821462	812066	<0.2	<0.2	<0.2	4.7	4.7	
SR2	Sunny	Moderate	09:58	4.9	Surface	1.0	0.6	72	28.1	28.1	8.0	8.0	16.8	16.8	63.5	63.5	4.5	9.5	10.1	9.5	4	78	82	821460	814157	<0.2	<0.2	<0.2	4.7	4.7	
						1.0	0.6	75	28.1	28.1	8.0	8.0	16.8	16.8	63.5	63.5	4.5	9.5	10.1	9.5	5	79	82	821460	814157	<0.2	<0.2	<0.2	4.8	4.8	
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82	821460	814157	-	-	<0.2	-	-	
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82	821460	814157	-	-	<0.2	-	-	
					Bottom	3.9	0.4	72	26.9	26.9	7.9	7.9	22.4	22.4	69.5	69.5	4.9	10.7	10.1	10.7	6	85	82	821460	814157	<0.2	<0.2	<0.2	4.6	4.6	
						3.9	0.4	72	26.9	26.9	7.9	7.9	22.4	22.4	69.5	69.5	4.9	10.7	10.1	10.7	6	84	82	821460	814157	<0.2	<0.2	<0.2	4.8	4.8	
SR3	Sunny	Moderate	11:18	8.2	Surface	1.0	1.0	188	28.8	28.8	7.8	7.8	11.9	11.9	68.4	68.4	4.9	9.3	11.1	9.3	4	-	-	822124	807559	-	-	-	-	-	
						1.0	1.0	189	28.8	28.8	7.8	7.8	11.9	11.9	68.4	68.4	4.9	9.3	11.1	9.3	4	-	-	822124	807559	-	-	-	-	-	
					Middle	4.1	0.3	230	26.7	26.7	7.9	7.9	23.8	23.8	59.6	59.6	4.2	11.4	11.1	11.4	5	-	-	822124	807559	-	-	-	-	-	
						4.1	0.3	246	26.7	26.7	7.9	7.9	23.8	23.8	59.6	59.6	4.2	11.4	11.1	11.4	4	-	-	822124	807559	-	-	-	-	-	
					Bottom	7.2	0.2	246	26.6	26.6	7.9	7.9	24.5	24.5	52.6	52.6	3.7	12.5	11.1	12.5	5	-	-	822124	807559	-	-	-	-	-	
						7.2	0.2	263	26.6	26.6	7.9	7.9	24.5	24.5	52.6	52.6	3.7	12.5	11.1	12.5	5	-	-	822124	807559	-	-	-	-	-	
SR4A	Fine	Calm	09:47	8.8	Surface	1.0	0.3	258	28.7	28.7	7.9	7.9	16.2	16.3	73.8	73.9	5.2	5.1	9.5	5.1	4	-	-	817161	807810	-	-	-	-	-	
						1.0	0.3	277	28.7	28.7	7.9	7.9	16.3	16.3	73.8	73.8	5.2	5.1	9.5	5.1	4	-	-	817161	807810	-	-	-	-	-	
					Middle	4.4	0.3	248	26.2	26.2	7.9	7.9	27.7	27.7	64.2	64.2	4.4	10.7	9.5	10.7	5	-	-	817161	807810	-	-	-	-	-	
						4.4	0.3	265	26.2	26.2	7.9	7.9	27.7	27.7	64.2	64.2	4.4	10.7	9.5	10.7	5	-	-	817161	807810	-	-	-	-	-	
					Bottom	7.8	0.2	251	26.0	26.0	7.9	7.9	28.1	28.1	50.0	50.0	3.5	12.6	9.5	12.6	7	-	-	817161	807810	-	-	-	-	-	
						7.8	0.2	258	26.0	26.0	7.9	7.9	28.1	28.1	50.3	50.3	3.5	12.5	9.5	12.5	7	-	-	817161	807810	-	-	-	-	-	

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 06 September 18 during Mid-Flood Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity (NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)	
C1	Fine	Moderate	16:46	7.2	Surface	1.0	0.1	176	28.5	28.5	8.0	8.0	17.2	17.2	69.1	69.1	4.9	4.5	8.4	9.8	10	10	81	85	815615	804219	<0.2	<0.2	3.0	3.0
						1.0	0.1	180	28.5	28.5	8.0	8.0	17.2	17.2	69.1	69.1	4.9	4.5	8.4	9.8	10	10	81	85	815615	804219	<0.2	<0.2	3.0	3.0
					Middle	3.6	0.1	86	27.6	27.6	7.9	7.9	20.4	20.4	58.2	58.2	4.1	4.1	8.3	9.8	10	10	85	85	815615	804219	<0.2	<0.2	2.9	2.9
						3.6	0.1	87	27.6	27.6	7.9	7.9	20.4	20.4	58.1	58.2	4.1	4.1	8.4	9.8	11	10	86	86	815615	804219	<0.2	<0.2	3.0	3.0
					Bottom	6.2	0.2	61	26.8	26.8	7.9	7.9	24.3	24.3	49.3	49.3	3.4	3.4	12.5	9.8	10	10	88	88	815615	804219	<0.2	<0.2	3.0	3.0
						6.2	0.2	62	26.8	26.8	7.9	7.9	24.3	24.3	49.3	49.3	3.4	3.4	12.6	9.8	10	10	88	88	815615	804219	<0.2	<0.2	3.1	3.1
C2	Sunny	Moderate	15:48	10.5	Surface	1.0	1.4	174	29.0	29.0	7.7	7.7	10.2	10.2	60.9	60.9	4.4	3.9	10.9	12.7	6	7	70	74	825670	806941	<0.2	<0.2	5.1	5.0
						1.0	1.4	179	29.0	29.0	7.7	7.7	10.2	10.2	60.9	60.9	4.4	3.9	10.9	12.7	7	7	70	74	825670	806941	<0.2	<0.2	5.0	5.0
					Middle	5.3	0.7	168	26.6	26.6	7.9	7.9	22.4	22.4	46.9	46.9	3.3	3.3	13.2	12.7	7	7	73	73	825670	806941	<0.2	<0.2	4.8	4.8
						5.3	0.7	170	26.6	26.6	7.9	7.9	22.4	22.4	46.9	46.9	3.3	3.3	13.2	12.7	7	7	73	73	825670	806941	<0.2	<0.2	5.5	5.5
					Bottom	9.5	0.0	288	26.2	26.2	8.0	8.0	24.7	24.7	47.4	47.4	3.3	3.3	13.9	12.7	7	7	80	78	825670	806941	<0.2	<0.2	4.7	4.7
						9.5	0.0	307	26.2	26.2	8.0	8.0	24.7	24.7	47.4	47.4	3.3	3.3	13.9	12.7	7	7	78	78	825670	806941	<0.2	<0.2	4.7	4.7
C3	Cloudy	Moderate	17:29	12.2	Surface	1.0	0.4	270	29.0	29.0	8.1	8.1	17.0	17.0	80.9	80.9	5.7	5.0	8.9	9.4	6	7	77	82	822108	817799	<0.2	<0.2	5.0	5.2
						1.0	0.4	290	29.0	29.0	8.1	8.1	17.0	17.0	80.9	80.9	5.7	5.0	8.9	9.4	6	7	76	82	822108	817799	<0.2	<0.2	4.9	4.9
					Middle	6.1	0.4	236	26.0	26.0	7.9	7.9	25.4	25.4	59.4	59.4	4.2	4.2	9.7	9.4	6	7	81	81	822108	817799	<0.2	<0.2	5.3	5.3
						6.1	0.4	253	26.0	26.0	7.9	7.9	25.4	25.4	59.4	59.4	4.2	4.2	9.7	9.4	6	7	82	81	822108	817799	<0.2	<0.2	5.2	5.2
					Bottom	11.2	0.3	276	26.0	26.0	7.9	7.9	25.8	25.8	69.1	69.1	4.9	4.9	9.7	9.4	9	9	87	86	822108	817799	<0.2	<0.2	5.4	5.4
						11.2	0.3	292	26.0	26.0	7.9	7.9	25.7	25.7	69.1	69.1	4.9	4.9	9.6	9.4	9	9	86	86	822108	817799	<0.2	<0.2	5.2	5.2
IM1	Fine	Moderate	16:25	3.8	Surface	1.0	0.3	18	28.0	28.0	8.0	8.0	20.7	20.7	66.4	66.4	4.6	4.6	10.2	10.9	11	12	84	87	817936	807121	<0.2	<0.2	2.2	2.2
						1.0	0.3	19	28.0	28.0	8.0	8.0	20.7	20.7	66.4	66.4	4.6	4.6	10.3	10.9	12	13	84	87	817936	807121	<0.2	<0.2	2.4	2.4
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10.9	-	-	-	87	807121	807121	<0.2	<0.2	-	-
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	10.9	-	-	-	87	807121	807121	<0.2	<0.2	-	-
					Bottom	2.8	0.3	14	27.9	27.9	8.0	8.0	21.5	21.5	69.1	69.2	4.8	4.8	11.5	10.9	14	14	89	89	817936	807121	<0.2	<0.2	2.2	2.2
						2.8	0.3	14	27.9	27.9	8.0	8.0	21.5	21.5	69.2	69.2	4.8	4.8	11.6	10.9	14	14	89	89	817936	807121	<0.2	<0.2	2.1	2.1
IM2	Fine	Moderate	16:18	6.4	Surface	1.0	0.3	202	29.1	29.1	8.0	8.0	14.0	14.2	70.1	70.0	5.0	4.6	10.7	13.0	17	17	79	84	818188	806151	<0.2	<0.2	3.7	3.4
						1.0	0.3	208	29.1	29.1	8.0	8.0	14.3	14.2	69.8	70.0	5.0	4.6	10.8	13.0	17	17	79	84	818188	806151	<0.2	<0.2	3.4	3.4
					Middle	3.2	0.1	8	27.6	27.6	8.0	8.0	21.1	21.2	57.8	57.8	4.1	4.1	12.8	13.0	18	18	85	86	818188	806151	<0.2	<0.2	3.2	3.2
						3.2	0.1	8	27.6	27.6	8.0	8.0	21.2	21.2	57.8	57.8	4.1	4.1	12.8	13.0	18	18	86	86	818188	806151	<0.2	<0.2	4.0	4.0
					Bottom	5.4	0.2	5	27.3	27.3	8.0	8.0	22.3	22.3	55.3	55.3	3.9	3.9	15.3	13.0	18	18	87	87	818188	806151	<0.2	<0.2	3.5	3.5
						5.4	0.2	5	27.3	27.3	8.0	8.0	22.3	22.3	55.3	55.3	3.9	3.9	15.4	13.0	18	18	88	88	818188	806151	<0.2	<0.2	3.8	3.8
IM3	Fine	Moderate	16:11	6.9	Surface	1.0	0.6	226	29.2	29.2	7.8	7.8	12.8	12.8	74.2	74.2	5.3	4.7	13.8	16.9	24	25	77	84	818780	805592	<0.2	<0.2	3.8	3.6
						1.0	0.6	230	29.3	29.3	7.8	7.8	12.8	12.8	74.1	74.1	5.3	4.7	13.8	16.9	25	28	77	84	818780	805592	<0.2	<0.2	3.8	3.8
					Middle	3.5	0.3	251	27.7	27.7	7.9	7.9	19.8	19.8	57.8	57.8	4.1	4.1	16.3	16.9	28	27	84	84	818780	805592	<0.2	<0.2	3.4	3.4
						3.5	0.3	268	27.7	27.7	7.9	7.9	19.8	19.8	57.7	57.7	4.1	4.1	16.3	16.9	27	30	84	80	818780	805592	<0.2	<0.2	3.7	3.7
					Bottom	5.9	0.2	338	26.2	26.2	7.9	7.9	27.5	27.5	56.3	56.3	3.9	3.9	20.4	16.9	30	31	90	90	818780	805592	<0.2	<0.2	3.5	3.5
						5.9	0.3	311	26.2	26.2	7.9	7.9	27.5	27.5	56.3	56.3	3.9	3.9	20.7	16.9	31	31	90	90	818780	805592	<0.2	<0.2	3.5	3.5
IM4	Fine	Moderate	16:01	6.8	Surface	1.0	0.4	233	28.5	28.5	7.8	7.8	15.4	15.4	74.1	74.1	5.3	4.8	14.3	17.3	26	27	80	83	819698	804603	<0.2	<0.2	3.8	3.7
						1.0	0.4	243	28.5	28.5	7.8	7.8	15.4	15.4	74.1	74.1	5.3	4.8	14.6	17.3	27	27	81	81	819698	804603	<0.2	<0.2	3.7	3.7
					Middle	3.4	0.3	226	28.0	28.0	7.8	7.8	16.9	16.9	59.7	59.7	4.3	4.3	17.6	17.3	27	26	82	81	819698	804603	<0.2	<0.2	3.6	3.6
						3.4	0.3	234	28.0	28.0	7.8	7.8	16.9	16.9	59.6	59.7	4.3	4.3	17.3	17.3	26	27	81	85	819698	804603	<0.2	<0.2	3.7	3.7
					Bottom	5.8	0.5	213	27.4	27.4	7.8	7.8	20.1	20.1	55.6	55.7	3.9	3.9	20.3	17.3	27	28	85	86	819698	804603	<0.2	<0.2	3.6	3.6
						5.8	0.5	229	27.4	27.4																				

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 08 September 18 during Mid-Ebb Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)	
C1	Misty	Moderate	12:03	8.0	Surface	1.0	0.8	197	27.7	8.0	8.0	21.8	21.8	75.5	75.5	5.3	3.7	4	81	4	86	86	815641	804231	<0.2	2.1	2.0			
						1.0	0.8	215	27.7	8.0	8.0	21.7	21.8	75.4	75.5	5.3	3.7	4	82	4	86	86	815641	804231	<0.2	1.8	2.0			
					Middle	4.0	0.8	199	25.9	7.9	7.9	28.1	28.1	46.0	46.1	3.2	10.2	6	87	6	87	87	815641	804231	<0.2	2.1	2.0			
						4.0	0.8	209	25.9	7.9	7.9	28.1	28.1	46.1	46.1	3.2	10.3	6	87	6	87	87	815641	804231	<0.2	1.9	2.0			
					Bottom	7.0	0.5	206	25.6	7.9	7.9	29.1	29.1	51.3	51.5	3.6	18.6	8	90	8	91	91	815641	804231	<0.2	2.1	2.0			
						7.0	0.5	225	25.6	7.9	7.9	29.1	29.1	51.6	51.5	3.6	18.6	8	91	8	91	91	815641	804231	<0.2	1.9	2.0			
C2	Fine	Moderate	13:36	11.2	Surface	1.0	1.5	170	28.4	7.9	7.9	15.0	15.0	70.7	70.7	5.1	9.4	3	70	3	71	71	825691	806937	<0.2	3.0	3.1			
						1.0	1.6	180	28.4	7.9	7.9	15.0	15.0	70.7	70.7	5.1	9.4	3	71	3	71	71	825691	806937	<0.2	3.4	3.1			
					Middle	5.6	1.0	170	27.2	7.9	7.9	19.5	19.5	54.4	54.4	3.9	26.3	3	74	3	73	73	825691	806937	<0.2	3.1	3.0			
						5.6	1.0	178	27.1	7.9	7.9	19.5	19.5	54.3	54.4	3.9	26.6	3	73	3	73	73	825691	806937	<0.2	3.0	3.0			
					Bottom	10.2	0.3	188	26.5	7.9	7.9	24.8	24.8	54.5	54.5	3.8	32.5	3	84	3	84	84	825691	806937	<0.2	3.0	3.0			
						10.2	0.3	202	26.5	7.9	7.9	24.8	24.8	54.5	54.5	3.8	32.5	3	84	3	84	84	825691	806937	<0.2	2.8	2.8			
C3	Fine	Moderate	11:25	12.2	Surface	1.0	0.3	104	27.1	8.1	8.1	22.7	22.7	72.6	72.6	5.1	9.1	3	78	3	75	75	822125	817792	<0.2	2.9	3.0			
						1.0	0.3	111	27.1	8.1	8.1	22.7	22.7	72.6	72.6	5.1	9.1	3	75	3	75	75	822125	817792	<0.2	3.0	3.0			
					Middle	6.1	0.2	90	26.4	8.1	8.1	24.3	24.3	70.7	70.7	5.0	9.9	3	81	3	81	81	822125	817792	<0.2	3.2	3.0			
						6.1	0.2	98	26.4	8.1	8.1	24.3	24.3	70.7	70.7	5.0	9.9	3	81	3	81	81	822125	817792	<0.2	3.0	3.0			
					Bottom	11.2	0.3	52	26.1	8.1	8.1	25.7	25.7	77.1	77.1	5.4	10.0	3	88	3	88	88	822125	817792	<0.2	3.0	3.0			
						11.2	0.3	54	26.1	8.1	8.1	25.7	25.7	77.1	77.1	5.4	10.0	3	87	3	87	87	822125	817792	<0.2	2.9	2.9			
IM1	Misty	Moderate	12:28	5.4	Surface	1.0	0.1	165	26.6	7.9	7.9	26.4	26.4	65.2	65.2	4.6	10.8	12	86	12	87	86	817949	807137	<0.2	1.4	1.5			
						1.0	0.1	172	26.6	7.9	7.9	26.4	26.4	65.2	65.2	4.6	10.8	13	87	13	87	87	817949	807137	<0.2	1.6	1.5			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88	817949	807137	<0.2	-	-		
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88	817949	807137	<0.2	-	-		
					Bottom	4.4	0.1	173	26.0	7.9	7.9	27.8	27.8	51.0	51.1	3.5	15.8	15	89	15	89	89	817949	807137	<0.2	1.5	1.4			
						4.4	0.1	187	26.0	7.9	7.9	27.8	27.8	51.1	51.1	3.6	15.8	16	90	16	90	90	817949	807137	<0.2	1.4	1.4			
IM2	Misty	Moderate	12:35	6.8	Surface	1.0	0.7	167	28.0	8.0	8.0	21.2	21.2	78.2	78.2	5.4	6.9	12	83	12	83	83	818157	806176	<0.2	1.4	1.4			
						1.0	0.7	168	28.0	8.0	8.0	21.2	21.2	78.2	78.2	5.4	6.9	11	83	11	83	83	818157	806176	<0.2	1.6	1.4			
					Middle	3.4	0.5	166	26.4	7.9	7.9	26.2	26.2	55.1	55.2	3.8	18.0	14	86	14	86	86	818157	806176	<0.2	1.5	1.4			
						3.4	0.6	167	26.4	7.9	7.9	26.2	26.2	55.2	55.2	3.8	18.1	14	87	14	87	87	818157	806176	<0.2	1.4	1.4			
					Bottom	5.8	0.2	166	26.0	7.9	7.9	27.8	27.8	49.3	49.4	3.4	20.4	18	90	18	90	90	818157	806176	<0.2	1.4	1.4			
						5.8	0.2	171	26.0	7.9	7.9	27.8	27.8	49.4	49.4	3.4	20.3	19	91	19	91	91	818157	806176	<0.2	1.3	1.3			
IM3	Misty	Moderate	12:43	7.0	Surface	1.0	1.0	200	27.9	7.9	7.9	20.8	20.8	71.9	71.9	5.0	6.0	11	83	11	84	83	818773	805599	<0.2	1.8	1.9			
						1.0	1.0	205	27.9	7.9	7.9	20.8	20.8	71.9	71.9	5.0	6.1	11	84	11	84	84	818773	805599	<0.2	1.9	1.9			
					Middle	3.5	0.8	197	27.1	7.9	7.9	23.6	23.7	59.6	59.6	4.2	18.7	13	87	13	87	87	818773	805599	<0.2	1.9	1.9			
						3.5	0.8	209	27.1	7.9	7.9	23.7	23.7	59.6	59.6	4.2	18.2	13	89	13	89	89	818773	805599	<0.2	1.9	1.9			
					Bottom	6.0	0.5	171	26.4	7.9	7.9	26.4	26.3	51.9	52.0	3.6	20.4	13	93	13	93	93	818773	805599	<0.2	1.9	1.8			
						6.0	0.5	171	26.4	7.9	7.9	26.3	26.3	52.0	52.0	3.6	20.4	13	93	13	93	93	818773	805599	<0.2	1.8	1.8			
IM4	Misty	Moderate	12:54	7.1	Surface	1.0	1.3	177	27.8	7.9	7.9	20.3	20.3	71.4	71.4	5.0	4.9	7	85	7	85	85	819748	804599	<0.2	2.2	2.1			
						1.0	1.4	194	27.8	7.9	7.9	20.3	20.3	71.4	71.4	5.0	4.9	7	86	7	86	86	819748	804599	<0.2	2.3	2.1			
					Middle	3.6	1.2	184	27.5	7.9	7.9	21.4	21.4	65.2	65.2	4.6	9.6	8	89	8	89	89	819748	804599	<0.2	2.0	2.0			
						3.6	1.3	186	27.5	7.9	7.9	21.4	21.4	65.2	65.2	4.6	9.7	9	90	9	90	90	819748	804599	<0.2	2.0	2.0			
					Bottom	6.1	0.8	177	26.5	7.9	7.9	25.8	25.7	55.1	55.2	3.8	21.0	9	94	9	94	94	819748	804599	<0.2	2.0	2.0			
						6.1	0.9	190	26.5	7.9	7.9	25.7	25.7	55.2	55.2	3.8	21.0	8	95	8	95	95	819748	804599	<0.2	2.1	2.1			
IM5	Misty	Moderate	13:09	6.4	Surface	1.0	1.4	190	27.7	7.9	7.9	20.7	20.7	69.4	69.4	4.9	7.9	5	85	5	85	85	820745	804855	<0.2	1.9	2.1			
						1.0	1.5	206	27.7	7.9	7.9	20.7	20.7	69.4	69.4	4.9	7.9	6	84	6	84	84	820745	804855	<0.2	2.1	2.1			
					Middle	3.2	1.1	196	27.2	7.9	7.9	22.8	22.8	59.9	59.9	4.2	12.7	6	85	6	85	85	820745	804855	<0.2	2.0	2.1			
						3.2	1.2	196	27.2	7.9	7.9	22.8	22.8	59.8	59.9	4.2	12.9	6	86	6	86	86	820745	804855	<0.2	2.1	2.1			

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 08 September 18 during Mid-Ebb Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)	
IM9	Fine	Moderate	13:05	7.3	Surface	1.0	0.6	172	27.9	8.0	8.0	19.2	19.2	70.4	70.4	5.0	4.8	9.1	10.8	2	3	75	78	822090	808812	<0.2	<0.2	3.3	3.2	
						1.0	0.6	188	27.9	8.0	8.0	19.2	19.2	70.4	70.4	5.0	4.8	9.1	10.8	2	3	74	78	822090	808812	<0.2	<0.2	3.2	3.2	
					Middle	3.7	0.4	172	27.5	8.0	8.0	20.7	20.7	65.6	65.6	4.6	4.7	11.4	10.8	2	3	78	77	822090	808812	<0.2	<0.2	3.3	3.3	
						3.7	0.4	185	27.5	8.0	8.0	20.7	20.7	65.6	65.6	4.6	4.7	11.4	10.8	3	3	77	77	822090	808812	<0.2	<0.2	3.3	3.3	
					Bottom	6.3	0.2	178	27.4	8.0	8.0	21.0	21.0	66.2	66.2	4.7	4.7	11.8	10.8	4	3	81	81	822090	808812	<0.2	<0.2	3.1	3.1	
						6.3	0.2	187	27.4	8.0	8.0	21.0	21.0	66.2	66.2	4.7	4.7	11.8	10.8	4	3	81	81	822090	808812	<0.2	<0.2	3.0	3.0	
IM10	Fine	Moderate	12:52	7.2	Surface	1.0	0.9	140	27.7	8.0	8.0	20.0	20.0	67.0	67.0	4.7	4.6	11.3	16.9	3	3	74	78	822376	809767	<0.2	<0.2	3.4	3.1	
						1.0	0.9	146	27.7	8.0	8.0	20.0	20.0	67.0	67.0	4.7	4.6	11.3	16.9	3	3	76	79	822376	809767	<0.2	<0.2	3.0	3.0	
					Middle	3.6	0.7	124	27.2	8.0	8.0	22.3	22.3	62.0	62.0	4.4	4.4	19.6	16.9	3	3	79	79	822376	809767	<0.2	<0.2	3.3	3.3	
						3.6	0.7	128	27.2	8.0	8.0	22.3	22.3	62.0	62.0	4.4	4.4	19.6	16.9	3	3	79	79	822376	809767	<0.2	<0.2	2.9	2.9	
					Bottom	6.2	0.6	120	27.2	8.0	8.0	22.4	22.4	64.0	64.0	4.5	4.5	19.8	16.9	2	3	81	80	822376	809767	<0.2	<0.2	3.1	3.1	
						6.2	0.6	122	27.2	8.0	8.0	22.4	22.4	64.0	64.0	4.5	4.5	19.8	16.9	3	3	80	80	822376	809767	<0.2	<0.2	3.1	3.1	
IM11	Fine	Moderate	12:43	7.4	Surface	1.0	0.9	105	27.9	8.1	8.1	19.2	19.2	72.0	72.0	5.1	4.8	12.6	13.8	<2	3	74	77	822050	811432	<0.2	<0.2	3.1	3.0	
						1.0	0.9	107	27.9	8.1	8.1	19.2	19.2	72.0	72.0	5.1	4.8	12.6	13.8	<2	3	72	79	822050	811432	<0.2	<0.2	2.9	2.9	
					Middle	3.7	0.7	103	27.2	8.0	8.0	22.1	22.1	62.0	62.0	4.4	4.4	11.9	13.8	3	3	79	78	822050	811432	<0.2	<0.2	3.2	3.2	
						3.7	0.7	107	27.2	8.0	8.0	22.1	22.1	62.0	62.0	4.4	4.4	11.9	13.8	3	3	78	81	822050	811432	<0.2	<0.2	2.9	2.9	
					Bottom	6.4	0.4	103	27.1	8.0	8.0	22.6	22.6	66.4	66.4	4.7	4.7	16.8	13.8	3	3	81	80	822050	811432	<0.2	<0.2	2.8	2.8	
						6.4	0.4	105	27.1	8.0	8.0	22.6	22.6	66.4	66.4	4.7	4.7	16.8	13.8	4	3	80	80	822050	811432	<0.2	<0.2	2.8	2.8	
IM12	Fine	Moderate	12:36	8.8	Surface	1.0	0.8	102	27.8	8.0	8.0	19.8	19.8	71.5	71.5	5.0	4.8	10.4	16.3	2	3	79	82	821439	812025	<0.2	<0.2	2.8	2.8	
						1.0	0.8	109	27.8	8.0	8.0	19.8	19.8	71.5	71.5	5.0	4.8	10.4	16.3	3	3	78	82	821439	812025	<0.2	<0.2	3.0	3.0	
					Middle	4.4	0.6	102	27.4	8.0	8.0	21.1	21.1	63.2	63.2	4.5	4.5	16.2	16.3	3	3	82	83	821439	812025	<0.2	<0.2	2.6	2.6	
						4.4	0.6	109	27.4	8.0	8.0	21.1	21.1	63.2	63.2	4.5	4.5	16.2	16.3	3	3	82	83	821439	812025	<0.2	<0.2	2.9	2.9	
					Bottom	7.8	0.4	108	27.2	8.0	8.0	22.2	22.2	65.9	65.9	4.6	4.6	22.4	16.3	4	3	85	86	821439	812025	<0.2	<0.2	2.8	2.8	
						7.8	0.4	109	27.2	8.0	8.0	22.2	22.2	65.9	65.9	4.6	4.6	22.4	16.3	4	3	86	86	821439	812025	<0.2	<0.2	2.7	2.7	
SR2	Fine	Moderate	11:52	3.6	Surface	1.0	0.5	81	27.7	8.0	8.0	20.3	20.3	65.6	65.6	4.6	4.6	14.6	16.6	3	4	77	80	821459	814153	<0.2	<0.2	3.2	2.9	
						1.0	0.6	87	27.7	8.0	8.0	20.3	20.3	65.6	65.6	4.6	4.6	14.6	16.6	4	4	78	84	821459	814153	<0.2	<0.2	2.8	2.8	
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	16.6	16.6	-	4	-	80	821459	814153	<0.2	<0.2	-	-
						-	-	-	-	-	-	-	-	-	-	-	-	-	16.6	16.6	-	4	-	80	821459	814153	<0.2	<0.2	-	-
					Bottom	2.6	0.4	80	27.3	8.0	8.0	21.7	21.7	64.3	64.3	4.5	4.5	18.6	16.6	3	4	81	84	821459	814153	<0.2	<0.2	2.8	2.8	
						2.6	0.4	85	27.3	8.0	8.0	21.7	21.7	64.3	64.3	4.5	4.5	18.6	16.6	4	4	84	84	821459	814153	<0.2	<0.2	2.8	2.8	
SR3	Fine	Moderate	13:17	8.2	Surface	1.0	1.0	182	28.1	8.0	8.0	17.5	17.5	70.3	70.3	5.0	4.7	9.8	14.0	4	4	-	-	822148	807541	-	-	-	-	
						1.0	1.1	191	28.1	8.0	8.0	17.5	17.5	70.3	70.3	5.0	4.7	9.8	14.0	3	4	-	-	822148	807541	-	-	-	-	
					Middle	4.1	0.6	200	27.3	8.0	8.0	21.3	21.3	61.5	61.5	4.3	4.4	14.6	14.0	4	4	-	-	822148	807541	-	-	-	-	
						4.1	0.7	215	27.3	8.0	8.0	21.3	21.3	61.5	61.5	4.3	4.4	14.6	14.0	5	4	-	-	822148	807541	-	-	-	-	
					Bottom	7.2	0.5	229	27.1	8.0	8.0	22.4	22.4	62.2	62.2	4.4	4.4	17.6	14.0	5	4	-	-	822148	807541	-	-	-	-	
						7.2	0.5	238	27.1	8.0	8.0	22.4	22.4	62.2	62.2	4.4	4.4	17.6	14.0	5	4	-	-	822148	807541	-	-	-	-	
SR4A	Misty	Calm	11:45	9.6	Surface	1.0	0.1	113	27.8	8.0	8.0	21.3	21.2	74.3	74.3	5.2	4.9	6.6	16.0	5	8	-	-	817210	807815	-	-	-	-	
						1.0	0.1	113	27.8	8.0	8.0	21.2	21.2	74.2	74.2	5.2	4.9	6.7	16.0	5	8	-	-	817210	807815	-	-	-	-	
					Middle	4.8	0.3	52	26.0	7.9	7.9	27.9	27.9	66.2	66.2	4.6	4.6	18.8	16.0	7	8	-	-	817210	807815	-	-	-	-	
						4.8	0.3	56	26.0	7.9	7.9	27.9	27.9	66.2	66.2	4.6	4.6	18.7	16.0	7	8	-	-	817210	807815	-	-	-	-	
					Bottom	8.6	0.2	66	26.0	7.9	7.9	28.1	28.1	49.1	49.1	3.4	3.4	22.5	16.0	12	8	-	-	817210	807815	-	-	-	-	
						8.6	0.2	70	26.0	7.9	7.9	28.1	28.1	49.0	49.0	3.4	3.4	22.6	16.0	11	8	-	-	817210	807815	-	-	-	-	
SR5A	Misty	Calm	11:28	4.7	Surface	1.0	0.1	334	28.5	8.0	8.0	20.2	20.2	78.5	78.5	5.5	5.5	5.6	7.6	6	7	-	-	816621	810702	-	-	-	-	
						1.0	0.1	307	28.5	8.0	8.0	20.2	20.2	78.5	78.5	5.5	5.5													

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 08 September 18 during Mid-Flood Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)	
C1	Misty	Moderate	18:15	7.9	Surface	1.0	0.6	182	27.5	7.9	7.9	21.9	21.9	66.7	66.7	4.7	4.7	14.2	14.2	14	14	81	81	815604	804230	<0.2	<0.2	2.0	2.1	
						1.0	0.6	187	27.5	7.9	7.9	21.9	21.9	66.7	66.7	4.7	4.7	14.1	14.1	15	15	82	82							
					Middle	4.0	0.4	191	26.9	7.9	7.9	24.3	24.3	59.9	59.9	4.2	4.2	21.5	21.5	14	14	87	87							
						4.0	0.4	207	26.9	7.9	7.9	24.3	24.3	59.8	59.9	4.2	4.2	21.5	21.5	14	14	88	88							
					Bottom	6.9	0.2	231	26.5	7.9	7.9	26.2	26.2	55.4	55.4	3.9	3.9	20.9	20.9	15	15	90	90							
						6.9	0.2	231	26.5	7.9	7.9	26.2	26.2	55.6	55.5	3.9	3.9	20.8	20.8	15	15	90	90							
					Surface	1.0	1.6	178	28.3	7.8	7.8	14.2	14.2	66.1	66.1	4.8	4.8	10.0	10.0	4	4	73	73							
						1.0	1.7	192	28.3	7.8	7.8	14.2	14.2	66.1	66.1	4.8	4.8	10.0	10.0	4	4	74	74							
C2	Fine	Moderate	17:09	11.5	Surface	5.8	1.2	173	27.5	7.9	7.9	18.6	18.6	55.7	55.7	4.0	4.0	13.2	13.2	5	5	77	77	825674	806936	<0.2	<0.2	2.7	3.0	
						5.8	1.3	186	27.5	7.9	7.9	18.6	18.6	55.7	55.7	4.0	4.0	13.2	13.2	4	4	79	79							
					Middle	10.5	0.4	186	26.7	7.9	7.9	23.9	23.9	62.0	62.0	4.4	4.4	16.6	16.6	6	6	81	81							
						10.5	0.5	193	26.7	7.9	7.9	23.9	23.9	62.0	62.0	4.4	4.4	16.6	16.6	6	6	82	82							
					Surface	1.0	0.4	354	27.5	8.0	8.0	21.5	21.5	65.9	65.9	4.6	4.6	12.2	12.2	7	7	79	79							
						1.0	0.5	359	27.5	8.0	8.0	21.5	21.5	65.9	65.9	4.6	4.6	12.2	12.2	7	7	78	78							
					Middle	5.9	0.4	313	26.8	8.0	8.0	23.4	23.4	61.7	61.7	4.3	4.3	13.1	13.1	8	8	83	83							
						5.9	0.5	317	26.8	8.0	8.0	23.4	23.4	61.7	61.7	4.3	4.3	13.1	13.1	8	8	81	81							
C3	Fine	Moderate	18:44	11.8	Surface	10.8	0.3	258	26.1	8.0	8.0	25.9	25.9	67.2	67.2	4.7	4.7	12.5	12.5	10	10	88	88	822127	817821	<0.2	<0.2	3.3	3.1	
						10.8	0.3	266	26.1	8.0	8.0	25.9	25.9	67.2	67.2	4.7	4.7	12.5	12.5	9	9	87	87							
					Middle	1.0	0.1	137	27.4	8.0	8.0	22.7	22.7	69.3	69.3	4.9	4.9	17.8	17.8	10	10	83	83							
						1.0	0.1	142	27.4	8.0	8.0	22.7	22.7	69.3	69.3	4.9	4.9	17.8	17.8	10	10	84	84							
					Bottom	3.1	0.1	289	27.0	8.0	8.0	24.4	24.4	58.1	58.1	4.1	4.1	21.6	21.6	16	16	85	85							
						3.1	0.1	309	27.0	8.0	8.0	24.4	24.4	58.1	58.1	4.1	4.1	21.7	21.7	17	17	86	86							
					Surface	1.0	0.7	177	27.8	8.0	8.0	20.7	20.7	69.2	69.2	4.9	4.9	13.1	13.1	18	18	82	82							
						1.0	0.7	180	27.8	8.0	8.0	20.7	20.7	69.2	69.2	4.9	4.9	13.1	13.1	18	18	83	83							
IM1	Misty	Moderate	17:57	4.1	Surface	3.4	0.4	175	27.3	8.0	8.0	22.4	22.4	59.9	59.9	4.2	4.2	18.4	18.4	20	20	86	86	818165	806153	<0.2	<0.2	2.1	2.2	
						3.4	0.4	184	27.3	8.0	8.0	22.4	22.4	59.8	59.8	4.2	4.2	18.4	18.4	20	20	87	87							
					Middle	5.7	0.1	209	26.6	8.0	8.0	25.8	25.8	53.6	53.7	3.7	3.7	22.3	22.3	34	34	90	90							
						5.7	0.1	223	26.6	8.0	8.0	25.8	25.8	53.7	53.7	3.7	3.7	22.4	22.4	33	33	90	90							
					Bottom	1.0	0.5	192	27.9	7.9	7.9	19.2	19.2	72.4	72.4	5.1	5.1	12.0	12.0	21	21	82	82							
						1.0	0.6	211	27.9	7.9	7.9	19.3	19.3	72.3	72.3	5.1	5.1	12.2	12.2	20	20	82	82							
					Middle	3.5	0.4	200	27.7	7.9	7.9	20.2	20.2	70.3	70.3	4.9	4.9	14.5	14.5	24	24	85	85							
						3.5	0.5	204	27.7	7.9	7.9	20.2	20.2	70.3	70.3	4.9	4.9	14.5	14.5	23	23	86	86							
IM2	Misty	Moderate	17:42	7.0	Surface	6.0	0.3	190	27.6	7.9	7.9	20.7	20.7	70.0	70.1	4.9	4.9	22.8	22.8	31	31	91	91	818777	805614	<0.2	<0.2	1.8	2.0	
						6.0	0.4	193	27.6	7.9	7.9	20.8	20.8	70.1	70.1	4.9	4.9	22.8	22.8	30	30	92	92							
					Middle	1.0	0.9	190	27.6	7.9	7.9	20.5	20.5	67.1	67.1	4.7	4.7	10.6	10.6	20	20	81	81							
						1.0	1.0	194	27.6	7.9	7.9	20.5	20.5	67.1	67.1	4.7	4.7	10.6	10.6	20	20	81	81							
					Bottom	3.5	0.9	191	27.5	7.9	7.9	20.7	20.7	66.9	66.9	4.7	4.7	13.2	13.2	21	21	85	85							
						3.5	1.0	205	27.5	7.9	7.9	20.7	20.7	66.9	66.9	4.7	4.7	13.2	13.2	21	21	86	86							
					Middle	5.9	0.7	187	27.5	7.9	7.9	20.8	20.8	58.1	58.1	4.0	4.0	17.8	17.8	26	26	90	90							
						5.9	0.7	198	27.5	7.9	7.9	20.8	20.8	58.1	58.1	4.0	4.0	17.8	17.8	26	26	90	90							
IM3	Misty	Moderate	17:27	6.3	Surface	1.0	1.0	205	27.4	7.9	7.9	21.2	21.2	67.8	67.8	4.8	4.8	12.7	12.7	23	23	83	83	820720	804874	<0.2	<0.2	2.2	2.1	
						1.0	1.1	216	27.4	7.9	7.9	21.2	21.2	67.8	67.8	4.8	4.8	12.7	12.7	22	22	84	84							
					Middle	3.2	0.9	208	27.3	7																				

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 08 September 18 during Mid-Flood Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)	
IM9	Fine	Moderate	17:35	7.1	Surface	1.0	0.5	156	28.0	7.9	7.9	16.7	16.7	69.4	69.4	5.0	4.8	9.7	10.5	6	7	76	78	822073	808833	<0.2	<0.2	2.8	2.8	
						1.0	0.5	163	28.0	7.9	7.9	16.7	16.7	69.4	69.4	5.0	4.8	9.7	10.5	7	7	75	78	822073	808833	<0.2	<0.2	2.5	2.5	
					Middle	3.6	0.3	153	27.5	7.9	7.9	19.7	19.7	65.6	65.6	4.6	4.8	10.8	10.5	7	7	77	78	822073	808833	<0.2	<0.2	2.8	2.8	
						3.6	0.3	159	27.5	7.9	7.9	19.7	19.7	65.6	65.6	4.6	4.8	10.8	10.5	6	7	77	78	822073	808833	<0.2	<0.2	2.6	2.6	
					Bottom	6.1	0.2	136	27.5	7.9	7.9	20.0	20.0	67.4	67.4	4.8	4.8	10.9	10.5	7	7	81	78	822073	808833	<0.2	<0.2	3.0	3.0	
						6.1	0.2	142	27.5	7.9	7.9	20.0	20.0	67.4	67.4	4.8	4.8	10.9	10.5	7	7	83	78	822073	808833	<0.2	<0.2	2.8	2.8	
IM10	Fine	Moderate	17:42	6.9	Surface	1.0	0.7	130	28.0	8.0	8.0	18.1	18.1	66.0	66.0	4.7	4.6	10.1	11.6	7	7	73	78	822376	809822	<0.2	<0.2	2.8	2.7	
						1.0	0.7	134	28.0	8.0	8.0	18.1	18.1	66.0	66.0	4.7	4.6	10.1	11.6	7	7	75	78	822376	809822	<0.2	<0.2	2.7	2.7	
					Middle	3.5	0.5	108	27.3	8.0	8.0	20.9	20.9	60.8	60.8	4.5	4.5	12.3	11.6	7	7	77	78	822376	809822	<0.2	<0.2	2.9	2.9	
						3.5	0.5	115	27.3	8.0	8.0	20.9	20.9	60.8	60.8	4.5	4.5	12.3	11.6	7	7	79	78	822376	809822	<0.2	<0.2	2.7	2.7	
					Bottom	5.9	0.4	94	27.2	8.0	8.0	21.2	21.2	63.6	63.6	4.0	4.0	12.5	11.6	8	7	82	78	822376	809822	<0.2	<0.2	2.7	2.7	
						5.9	0.4	94	27.2	8.0	8.0	21.2	21.2	63.6	63.6	4.0	4.0	12.5	11.6	8	7	82	78	822376	809822	<0.2	<0.2	2.6	2.6	
IM11	Fine	Moderate	17:52	7.3	Surface	1.0	0.7	115	27.8	8.0	8.0	18.5	18.5	66.9	66.9	4.7	4.6	10.6	12.8	6	7	73	78	822071	811473	<0.2	<0.2	2.8	2.8	
						1.0	0.8	122	27.8	8.0	8.0	18.5	18.5	66.9	66.9	4.7	4.6	10.6	12.8	5	7	75	78	822071	811473	<0.2	<0.2	2.8	2.8	
					Middle	3.7	0.5	108	27.4	8.0	8.0	20.8	20.8	63.5	63.5	4.5	4.5	12.8	12.8	7	7	79	78	822071	811473	<0.2	<0.2	2.8	2.8	
						3.7	0.5	111	27.4	8.0	8.0	20.8	20.8	63.5	63.5	4.5	4.5	12.8	12.8	7	7	77	78	822071	811473	<0.2	<0.2	3.1	3.1	
					Bottom	6.3	0.3	98	27.3	8.0	8.0	21.1	21.1	64.4	64.4	4.5	4.5	14.9	12.8	8	7	83	78	822071	811473	<0.2	<0.2	2.7	2.7	
						6.3	0.3	106	27.3	8.0	8.0	21.1	21.1	64.4	64.4	4.5	4.5	14.9	12.8	8	7	82	78	822071	811473	<0.2	<0.2	2.7	2.7	
IM12	Fine	Moderate	17:58	7.8	Surface	1.0	0.4	109	27.8	8.0	8.0	18.9	18.9	69.4	69.4	4.9	4.8	9.9	11.5	8	7	73	78	821457	812038	<0.2	<0.2	2.9	2.8	
						1.0	0.4	117	27.8	8.0	8.0	18.9	18.9	69.4	69.4	4.9	4.8	9.9	11.5	7	7	74	78	821457	812038	<0.2	<0.2	2.7	2.7	
					Middle	3.9	0.3	71	27.5	8.0	8.0	20.4	20.4	66.2	66.2	4.7	4.7	12.0	11.5	8	8	79	78	821457	812038	<0.2	<0.2	2.7	2.7	
						3.9	0.3	76	27.5	8.0	8.0	20.4	20.4	66.2	66.2	4.7	4.7	12.0	11.5	7	8	79	78	821457	812038	<0.2	<0.2	2.8	2.8	
					Bottom	6.8	0.2	57	27.5	8.0	8.0	20.6	20.6	67.3	67.3	4.7	4.7	12.5	11.5	7	8	83	78	821457	812038	<0.2	<0.2	2.8	2.8	
						6.8	0.2	57	27.5	8.0	8.0	20.6	20.6	67.3	67.3	4.7	4.7	12.5	11.5	8	8	82	78	821457	812038	<0.2	<0.2	2.7	2.7	
SR2	Fine	Moderate	18:23	3.6	Surface	1.0	0.2	83	27.7	8.0	8.0	20.1	20.1	68.6	68.6	4.8	4.8	10.2	13.3	6	7	79	81	821470	814137	<0.2	<0.2	2.2	2.0	
						1.0	0.2	90	27.7	8.0	8.0	20.1	20.1	68.6	68.6	4.8	4.8	10.2	13.3	7	7	77	81	821470	814137	<0.2	<0.2	2.0	2.0	
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	13.3	-	-	-	81	821470	814137	<0.2	<0.2	-	-	
						-	-	-	-	-	-	-	-	-	-	-	-	-	13.3	-	-	-	81	821470	814137	<0.2	<0.2	-	-	
					Bottom	2.6	0.1	68	27.5	7.9	7.9	20.8	20.8	68.6	68.6	4.8	4.8	16.3	13.3	7	7	85	81	821470	814137	<0.2	<0.2	1.9	1.9	
						2.6	0.1	73	27.5	7.9	7.9	20.8	20.8	68.6	68.6	4.8	4.8	16.3	13.3	7	7	84	81	821470	814137	<0.2	<0.2	2.0	2.0	
SR3	Fine	Moderate	17:23	8.0	Surface	1.0	0.9	198	27.9	7.9	7.9	17.5	17.5	65.9	65.9	4.7	4.6	11.8	14.4	6	7	-	-	822146	807545	-	-	-	-	
						1.0	1.0	215	27.9	7.9	7.9	17.5	17.5	65.9	65.9	4.7	4.6	11.8	14.4	6	7	-	-	822146	807545	-	-	-	-	
					Middle	4.0	0.6	204	27.4	7.9	7.9	20.4	20.4	63.2	63.2	4.5	4.5	15.4	14.4	7	7	-	-	822146	807545	-	-	-	-	
						4.0	0.7	222	27.4	7.9	7.9	20.4	20.4	63.2	63.2	4.5	4.5	15.4	14.4	7	7	-	-	822146	807545	-	-	-	-	
					Bottom	7.0	0.6	240	27.3	7.9	7.9	21.4	21.4	68.2	68.2	4.8	4.8	15.9	14.4	7	7	-	-	822146	807545	-	-	-	-	
						7.0	0.6	246	27.3	7.9	7.9	21.4	21.4	68.2	68.2	4.8	4.8	15.9	14.4	7	7	-	-	822146	807545	-	-	-	-	
SR4A	Fine	Calm	18:49	8.6	Surface	1.0	0.8	231	28.3	8.0	8.0	21.3	21.3	81.7	81.7	5.7	5.6	10.2	17.3	8	10	-	-	817175	807797	-	-	-	-	
						1.0	0.9	233	28.3	8.0	8.0	21.3	21.3	81.7	81.7	5.7	5.6	10.2	17.3	8	10	-	-	817175	807797	-	-	-	-	
					Middle	4.3	0.7	234	28.1	8.0	8.0	21.6	21.6	79.2	79.2	5.5	5.5	19.7	17.3	9	10	-	-	817175	807797	-	-	-	-	
						4.3	0.7	239	28.1	8.0	8.0	21.6	21.6	79.2	79.2	5.5	5.5	19.7	17.3	10	10	-	-	817175	807797	-	-	-	-	
					Bottom	7.6	0.5	237	28.0	8.0	8.0	21.9	21.9	79.7	79.7	5.5	5.5	22.1	17.3	12	10	-	-	817175	807797	-	-	-	-	
						7.6	0.5	255	28.0	8.0	8.0	21.9	21.9	79.8	79.8	5.5	5.5	22.1	17.3	12	10	-	-	817175	807797	-	-	-	-	
SR5A	Fine	Calm	19:13	4.2	Surface	1.0	0.2	279	28.4	8.1	8.1	20.8	20.8	89.3	89.4	6.2	6.2	13.9	18.7	12	12	-	-	816570	810704	-	-	-	-	
						1.0	0.2	291	28.4	8.1	8.1	20.8	20.8	89.4	89.4	6.2	6.2	13.9	18.7	12	12	-								

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 11 September 18 during Mid-Ebb Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity (NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)	
C1	Fine	Moderate	14:05	8.4	Surface	1.0	0.1	29	27.3																					
						1.0	0.1	29	27.3	27.3	8.0	8.0	22.0	22.0	70.0	70.0	4.9	4.7	6.1	10.8	6	7	80	83	815624	804275	<0.2	<0.2	2.1	1.9
					Middle	4.2	0.1	261	26.6	26.6	8.0	8.0	24.6	24.6	63.9	63.9	4.5	4.5	11.8		6		79	83			<0.2	<0.2	1.9	
						4.2	0.1	286	26.6		8.0	8.0	24.6	24.6	63.9	63.9	4.5	4.5	11.8		7		84	86			<0.2	<0.2	1.7	
					Bottom	7.4	0.2	196	26.3	26.3	8.0	8.0	26.8	26.8	64.9	64.9	4.5	4.5	14.6		8		86	87			<0.2	<0.2	1.9	
						7.4	0.2	207	26.3		8.0	8.0	26.8	26.8	64.9	64.9	4.5	4.5	14.6		8		87	87			<0.2	<0.2	1.8	
C2	Sunny	Moderate	12:25	12.9	Surface	1.0	0.4	43	27.2	27.2	7.9	7.9	22.1	22.1	72.4	72.4	5.1	5.0	15.7		7		81	86	825695	806948	<0.2	<0.2	1.9	1.9
						1.0	0.5	44	27.2		7.9	7.9	22.1	22.1	72.4	72.4	5.1	5.0	16.0		8		80	85			<0.2	<0.2	2.0	
					Middle	6.5	0.5	51	26.9	26.9	7.9	7.9	23.3	23.3	70.3	70.3	4.9	4.9	19.9	19.3	8	8	85	86			<0.2	<0.2	1.8	
						6.5	0.5	53	26.9		7.9	7.9	23.3	23.3	70.2	70.3	4.9	4.9	20.1		8		86	91			<0.2	<0.2	1.8	
					Bottom	11.9	0.3	30	26.5	26.5	7.9	7.9	24.6	24.6	59.3	59.3	4.2	4.2	21.8		8		87	90			<0.2	<0.2	1.9	
						11.9	0.3	30	26.5		7.9	7.9	24.6	24.6	59.4	59.4	4.2	4.2	22.0		9		90	90			<0.2	<0.2	1.7	
C3	Sunny	Moderate	14:12	13.3	Surface	1.0	0.6	82	26.9	26.9	8.0	8.0	24.7	24.7	74.7	74.6	5.2	5.0	9.3		8		83	87	822092	817774	<0.2	<0.2	2.1	2.2
						1.0	0.6	82	26.9		8.0	8.0	24.7	24.7	74.5	74.6	5.2	5.0	9.3		9		83	87			<0.2	<0.2	2.2	
					Middle	6.7	0.4	90	26.1	26.1	8.0	8.0	26.0	26.0	68.4	68.5	4.8	4.8	9.5	11.2	10	10	87	92			<0.2	<0.2	2.3	
						6.7	0.4	96	26.1		8.0	8.0	26.0	26.0	68.5	68.5	4.8	4.8	9.5		11		87	92			<0.2	<0.2	2.2	
					Bottom	12.3	0.3	97	25.8	25.8	8.0	8.0	26.8	26.8	60.5	60.5	4.2	4.2	14.7		12		92	92			<0.2	<0.2	2.0	
						12.3	0.3	98	25.8		8.0	8.0	26.8	26.8	60.5	60.5	4.2	4.2	14.7		11		92	92			<0.2	<0.2	2.2	
IM1	Fine	Moderate	13:45	5.6	Surface	1.0	0.1	189	27.4	27.4	7.9	7.9	22.5	22.5	69.3	69.3	4.8	4.8	5.1		6		81	82	817956	807109	<0.2	<0.2	1.8	1.9
						1.0	0.1	202	27.4		7.9	7.9	22.5	22.5	69.3	69.3	4.8	4.8	5.1		6		82	86			<0.2	<0.2	2.0	
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	5.5		-	6	-	-	84		<0.2	<0.2	-	
						-	-	-	-	-	-	-	-	-	-	-	-	-		-		-	-			<0.2	<0.2	-		
					Bottom	4.6	0.2	262	27.2	27.2	7.9	7.9	23.2	23.2	67.9	67.9	4.7	4.7	5.8		6		86	85			<0.2	<0.2	1.9	
						4.6	0.2	285	27.2		7.9	7.9	23.2	23.2	67.9	67.9	4.7	4.7	5.8		7		85	85			<0.2	<0.2	1.8	
IM2	Fine	Moderate	13:38	8.1	Surface	1.0	0.2	60	27.3	27.3	7.9	7.9	21.9	21.9	71.2	71.2	5.0	4.7	7.1		8		81	83	818143	806158	<0.2	<0.2	1.7	1.7
						1.0	0.2	60	27.3		7.9	7.9	21.9	21.9	71.2	71.2	5.0	4.7	7.1		9		83	85			<0.2	<0.2	1.6	
					Middle	4.1	0.1	69	26.7	26.7	7.9	7.9	24.0	24.0	61.3	61.3	4.3	4.3	14.2	11.8	9	9	85	88			<0.2	<0.2	1.8	
						4.1	0.1	74	26.7		7.9	7.9	24.0	24.0	61.3	61.3	4.3	4.3	14.2		9		88	91			<0.2	<0.2	1.7	
					Bottom	7.1	0.2	90	26.6	26.6	7.9	7.9	25.2	25.2	62.4	62.4	4.4	4.4	14.1		10		88	91			<0.2	<0.2	1.7	
						7.1	0.2	92	26.6		7.9	7.9	25.2	25.2	62.4	62.4	4.4	4.4	14.1		10		91	91			<0.2	<0.2	1.7	
IM3	Fine	Moderate	13:31	8.6	Surface	1.0	0.5	49	27.0	27.0	8.0	8.0	22.8	22.8	68.8	68.8	4.8	4.6	8.9		9		80	83	818761	805598	<0.2	<0.2	1.6	1.8
						1.0	0.5	52	27.0		8.0	8.0	22.8	22.8	68.8	68.8	4.8	4.6	8.9		8		79	83			<0.2	<0.2	1.8	
					Middle	4.3	0.3	45	26.5	26.5	8.0	8.0	25.3	25.3	61.7	61.7	4.3	4.3	17.3		10		83	83			<0.2	<0.2	1.9	
						4.3	0.3	46	26.5		8.0	8.0	25.3	25.3	61.7	61.7	4.3	4.3	17.3		10		83	83			<0.2	<0.2	1.8	
					Bottom	7.6	0.2	43	26.5	26.5	8.0	8.0	25.5	25.5	62.3	62.3	4.3	4.3	19.2		10		87	88			<0.2	<0.2	1.8	
						7.6	0.2	45	26.5		8.0	8.0	25.5	25.5	62.3	62.3	4.3	4.3	19.2		9		88	88			<0.2	<0.2	1.8	
IM4	Fine	Moderate	13:16	8.4	Surface	1.0	0.3	84	27.2	27.2	8.0	8.0	24.5	24.5	68.8	68.8	4.8	4.6	9.5		7		83	81	819695	804591	<0.2	<0.2	1.7	1.8
						1.0	0.3	90	27.2		8.0	8.0	24.5	24.5	68.8	68.8	4.8	4.6	9.5		8		81	86			<0.2	<0.2	1.6	
					Middle	4.2	0.2	97	26.8	26.8	8.0	8.0	24.8	24.8	62.8	62.8	4.4	4.4	17.1		7	9	86	86			<0.2	<0.2	1.7	
						4.2	0.2	102	26.8		8.0	8.0	24.8	24.8	62.8	62.8	4.4	4.4	17.1		8		86	88			<0.2	<0.2	1.7	
					Bottom	7.4	0.1	19	26.5	26.5	8.0	8.0	26.1	26.1	63.5	63.5	4.4	4.4	15.5		11		88	87			<0.2	<0.2	2.0	
						7.4	0.1	20	26.5		8.0	8.0	26.1	26.1	63.5	63.5	4.4	4.4	15.5		11		87	87			<0.2	<0.2	1.7	
IM5	Fine	Moderate	13:07	8.1	Surface	1.0	0.3	4	27.1	27.1	8.0	8.0	24.6	24.6	71.2	71.2	4.9	4.6	10.9		10		83	84	820752	804892	<0.2	<0.2	1.8	1.8
						1.0	0.3	4	27.1		8.0	8.0	24.6	24.6	71.2	71.2	4.9	4.6	10.9		11		84	86			<0.2	<0.2	1.8	
					Middle	4.1	0.3	0	26.6	26.6	8.0	8.0	25.2	25.2	62.4	62.4	4.3	4.3	17.9	14.6	11	11	86	88			<0.2	<0.2	1.6	
						4.1	0.4	0	26.6		8.0	8.0	25.2	25.2	62.4	62.4	4.3													

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 11 September 18 during Mid-Ebb Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)		
IM9	Sunny	Moderate	12:56	8.4	Surface	1.0	0.4	82	27.3	27.3	7.9	7.9	21.0	21.0	78.7	78.7	5.5	5.4	11.7	14.6	4	6	82	86	822116	808820	<0.2	<0.2	3.3	3.5	
						1.0	0.4	83	27.3	27.3	7.9	7.9	21.0	21.0	78.7	78.7	5.5	5.4	11.7	14.6	5	6	82	86	822116	808820	<0.2	<0.2	3.3	3.5	
					Middle	4.2	0.4	81	26.9	26.9	7.9	7.9	23.2	23.2	74.0	74.0	5.2	4.5	13.9	14.6	6	6	86	86	822116	808820	<0.2	<0.2	4.1	4.1	
						4.2	0.4	81	26.9	26.9	7.9	7.9	23.2	23.2	74.0	74.0	5.2	4.5	14.2	14.6	7	6	86	86	822116	808820	<0.2	<0.2	3.6	3.6	
					Bottom	7.4	0.4	84	26.8	26.8	7.9	7.9	23.5	23.5	64.6	64.7	4.5	4.5	17.9	14.6	6	6	90	90	822116	808820	<0.2	<0.2	3.0	3.0	
						7.4	0.5	89	26.8	26.8	7.9	7.9	23.5	23.5	64.7	64.7	4.5	4.5	17.9	14.6	7	6	90	90	822116	808820	<0.2	<0.2	3.0	3.0	
IM10	Sunny	Moderate	13:03	8.2	Surface	1.0	0.5	86	27.3	27.3	7.9	7.9	21.4	21.4	68.1	68.1	4.8	4.7	11.7	14.6	5	6	81	87	822401	809800	<0.2	<0.2	2.6	2.8	
						1.0	0.5	90	27.3	27.3	7.9	7.9	21.4	21.4	68.1	68.1	4.8	4.7	11.8	14.6	6	6	81	88	822401	809800	<0.2	<0.2	2.7	2.8	
					Middle	4.1	0.5	105	26.9	26.9	7.9	7.9	23.1	23.1	64.3	64.3	4.5	4.5	14.2	14.6	6	6	88	88	822401	809800	<0.2	<0.2	3.1	3.1	
						4.1	0.5	108	26.9	26.9	7.9	7.9	23.1	23.1	64.3	64.3	4.5	4.5	14.3	14.6	6	6	88	88	822401	809800	<0.2	<0.2	3.0	3.0	
					Bottom	7.2	0.4	99	26.7	26.7	7.9	7.9	23.8	23.8	60.2	60.2	4.2	4.2	17.9	14.6	6	6	91	91	822401	809800	<0.2	<0.2	2.8	2.8	
						7.2	0.4	101	26.7	26.7	7.9	7.9	23.8	23.8	60.2	60.2	4.2	4.2	17.9	14.6	6	6	91	91	822401	809800	<0.2	<0.2	2.8	2.8	
IM11	Sunny	Moderate	13:12	8.3	Surface	1.0	0.5	103	27.3	27.3	8.0	8.0	22.3	22.3	72.3	72.2	5.1	4.8	11.5	12.6	5	6	83	87	822044	811480	<0.2	<0.2	2.9	3.1	
						1.0	0.6	109	27.3	27.3	8.0	8.0	22.3	22.3	72.1	72.2	5.0	4.8	11.5	12.6	5	6	82	87	822044	811480	<0.2	<0.2	3.0	3.2	
					Middle	4.2	0.5	98	26.9	26.9	8.0	8.0	23.4	23.4	66.2	66.2	4.6	4.6	12.6	12.6	6	6	87	88	822044	811480	<0.2	<0.2	3.2	3.2	
						4.2	0.5	99	26.9	26.9	8.0	8.0	23.4	23.4	66.2	66.2	4.6	4.6	12.6	12.6	6	6	88	88	822044	811480	<0.2	<0.2	3.1	3.1	
					Bottom	7.3	0.3	111	26.4	26.4	8.0	8.0	24.7	24.7	61.4	61.5	4.3	4.3	13.7	12.6	6	6	90	90	822044	811480	<0.2	<0.2	3.3	3.3	
						7.3	0.3	115	26.4	26.4	8.0	8.0	24.7	24.7	61.6	61.5	4.3	4.3	13.7	12.6	6	6	90	90	822044	811480	<0.2	<0.2	3.2	3.2	
IM12	Sunny	Moderate	13:20	11.1	Surface	1.0	0.5	84	27.2	27.2	8.0	8.0	23.1	23.1	70.8	70.8	4.9	4.7	12.9	16.1	5	6	83	87	821449	812036	<0.2	<0.2	2.5	2.7	
						1.0	0.5	88	27.2	27.2	8.0	8.0	23.1	23.1	70.7	70.8	4.9	4.7	12.9	16.1	6	6	83	88	821449	812036	<0.2	<0.2	2.7	2.7	
					Middle	5.6	0.5	91	26.4	26.4	7.9	7.9	24.7	24.7	64.1	64.1	4.5	4.5	16.2	16.1	7	6	88	88	821449	812036	<0.2	<0.2	2.9	2.9	
						5.6	0.5	93	26.4	26.4	7.9	7.9	24.7	24.7	64.1	64.1	4.5	4.5	16.3	16.1	6	6	88	88	821449	812036	<0.2	<0.2	2.8	2.8	
					Bottom	10.1	0.2	135	26.0	26.0	8.0	8.0	26.1	26.1	56.4	56.5	4.0	4.0	19.2	16.1	7	6	91	91	821449	812036	<0.2	<0.2	2.7	2.7	
						10.1	0.3	146	26.0	26.0	8.0	8.0	26.1	26.1	56.5	56.5	4.0	4.0	19.2	16.1	7	6	91	91	821449	812036	<0.2	<0.2	2.8	2.8	
SR2	Sunny	Moderate	13:53	5.5	Surface	1.0	0.6	98	27.5	27.5	8.0	8.0	22.9	22.9	65.4	65.4	4.6	4.6	11.1	13.1	6	6	85	85	821481	814143	<0.2	<0.2	2.6	2.8	
						1.0	0.6	100	27.5	27.5	8.0	8.0	22.9	22.9	65.4	65.4	4.6	4.6	11.2	13.1	6	6	85	85	821481	814143	<0.2	<0.2	2.8	2.8	
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13.1	-	6	6	-	-	821481	814143	<0.2	<0.2	-	-
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	13.1	-	6	6	-	-	821481	814143	<0.2	<0.2	-	-
					Bottom	4.5	0.2	84	26.7	26.7	8.0	8.0	24.0	24.0	59.6	59.6	4.2	4.2	15.0	13.1	5	6	91	91	821481	814143	<0.2	<0.2	2.7	2.7	
						4.5	0.3	87	26.7	26.7	8.0	8.0	24.0	24.0	59.6	59.6	4.2	4.2	15.0	13.1	6	6	91	91	821481	814143	<0.2	<0.2	2.7	2.7	
SR3	Sunny	Moderate	12:44	10.5	Surface	1.0	0.2	128	27.3	27.3	7.9	7.9	21.9	21.8	70.4	70.4	4.9	4.8	12.3	15.6	6	7	-	-	822160	807586	-	-	-	-	
						1.0	0.3	139	27.3	27.3	7.9	7.9	21.8	21.8	70.4	70.4	4.9	4.8	12.4	15.6	6	7	-	-	822160	807586	-	-	-	-	
					Middle	5.3	0.4	117	27.0	27.0	7.9	7.9	22.9	22.9	65.3	65.3	4.6	4.6	15.7	15.6	7	7	-	-	822160	807586	-	-	-	-	
						5.3	0.4	123	27.0	27.0	7.9	7.9	22.9	22.9	65.3	65.3	4.6	4.6	15.7	15.6	6	7	-	-	822160	807586	-	-	-	-	
					Bottom	9.5	0.5	87	26.8	26.8	7.9	7.9	23.4	23.4	62.7	62.8	4.4	4.4	18.8	15.6	7	7	-	-	822160	807586	-	-	-	-	
						9.5	0.5	88	26.8	26.8	7.9	7.9	23.4	23.4	62.8	62.8	4.4	4.4	18.7	15.6	7	7	-	-	822160	807586	-	-	-	-	
SR4A	Fine	Moderate	14:25	8.8	Surface	1.0	0.4	51	27.7	27.7	7.9	7.9	22.4	22.4	69.8	69.8	4.8	4.6	7.7	13.7	5	6	-	-	817204	807809	-	-	-	-	
						1.0	0.4	55	27.7	27.7	7.9	7.9	22.4	22.4	69.8	69.8	4.8	4.6	7.7	13.7	5	6	-	-	817204	807809	-	-	-	-	
					Middle	4.4	0.3	48	26.9	26.9	7.9	7.9	23.6	23.6	62.4	62.4	4.4	4.4	17.0	13.7	6	6	-	-	817204	807809	-	-	-	-	
						4.4	0.4	50	26.9	26.9	7.9	7.9	23.6	23.6	62.4	62.4	4.4	4.4	17.0	13.7	6	6	-	-	817204	807809	-	-	-	-	
					Bottom	7.8	0.2	56	26.8	26.8	7.9	7.9	23.8	23.8	64.9	64.9	4.5	4.5	16.4	13.7	7	6	-	-	817204	807809	-	-	-	-	
						7.8	0.2	57	26.8	26.8	7.9	7.9	23.8	23.8	64.9	64.9	4.5	4.5	16.4	13.7	7	6	-	-	817204	807809	-	-	-	-	
SR5A	Fine	Moderate	14:42	4.6	Surface	1.0	0.4																								

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 11 September 18 during Mid-Flood Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)	
C1	Fine	Moderate	07:42	9.6	Surface	1.0	0.8	32	26.9	26.9	7.9	7.9	22.0	22.0	64.1	64.1	4.5	4.5	15.4	4.4	6	9	81	85	815615	804226	<0.2	1.3	1.4	
						1.0	0.8	34	26.9	26.9	7.9	7.9	22.0	22.0	64.1	64.1	4.5	4.5	15.4	4.4	7	9	82	85						
					Middle	4.8	0.7	33	26.5	26.5	8.0	8.0	25.6	25.6	61.8	61.8	4.3	4.3	16.9	4.4	9	9	84	85						
						4.8	0.7	33	26.5	26.5	8.0	8.0	25.6	25.6	61.8	61.8	4.3	4.3	16.9	4.4	8	9	85	85						
					Bottom	8.6	0.7	35	26.5	26.5	8.0	8.0	26.1	26.1	64.5	64.5	4.5	4.5	15.3	4.5	11	9	89	90						
						8.6	0.7	35	26.5	26.5	8.0	8.0	26.1	26.1	64.5	64.5	4.5	4.5	15.3	4.5	12	9	90	90						
C2	Fine	Moderate	09:21	12.6	Surface	1.0	0.3	21	27.0	27.0	7.8	7.8	21.2	21.2	66.3	66.3	4.7	4.7	11.8	4.7	6	6	77	77	825652	806954	<0.2	2.4	2.2	
						1.0	0.3	22	27.0	27.0	7.8	7.8	21.2	21.2	66.2	66.3	4.7	4.7	11.9	4.7	6	6	77	77						
					Middle	6.3	0.4	27	26.8	26.8	7.8	7.8	21.9	21.9	65.3	65.3	4.6	4.6	15.5	4.6	6	6	81	80						
						6.3	0.4	29	26.8	26.8	7.8	7.8	21.9	21.9	65.3	65.3	4.6	4.6	15.8	4.6	5	6	80	87						
					Bottom	11.6	0.4	331	26.4	26.4	7.9	7.9	24.6	24.6	55.6	55.6	3.9	3.9	20.4	3.9	6	6	87	87						
						11.6	0.5	352	26.4	26.4	7.9	7.9	24.6	24.6	55.6	55.6	3.9	3.9	20.3	3.9	6	6	87	87						
C3	Fine	Moderate	07:28	12.1	Surface	1.0	0.7	262	26.6	26.6	8.0	8.0	23.8	23.8	69.1	69.1	4.9	4.9	12.2	4.7	4	6	82	82	822126	817811	<0.2	2.0	2.2	
						1.0	0.7	275	26.6	26.6	8.0	8.0	23.8	23.8	69.0	69.1	4.8	4.8	12.2	4.7	5	6	82	88						
					Middle	6.1	0.7	260	26.0	26.0	8.0	8.0	26.0	26.0	63.7	63.7	4.5	4.5	17.8	4.5	6	6	88	87						
						6.1	0.7	260	26.0	26.0	8.0	8.0	26.0	26.0	63.6	63.7	4.5	4.5	18.0	4.5	6	6	87	89						
					Bottom	11.1	0.5	264	25.9	25.9	7.9	7.9	26.3	26.3	56.9	56.9	4.0	4.0	30.4	4.0	8	6	89	90						
						11.1	0.5	280	25.9	25.9	7.9	7.9	26.3	26.3	56.9	56.9	4.0	4.0	30.3	4.0	8	6	90	90						
IM1	Fine	Moderate	07:59	5.4	Surface	1.0	0.1	5	26.8	26.8	7.9	7.9	24.0	24.0	66.1	66.1	4.6	4.6	13.4	4.6	29	29	83	84	817970	807111	<0.2	1.3	1.3	
						1.0	0.1	5	26.8	26.8	7.9	7.9	24.0	24.0	66.1	66.1	4.6	4.6	13.4	4.6	28	29	84	85						
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29	85							
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	86	86							
					Bottom	4.4	0.1	31	26.8	26.8	7.9	7.9	24.0	24.0	73.1	73.1	5.1	5.1	18.0	5.1	29	29	85	86						
						4.4	0.1	32	26.8	26.8	7.9	7.9	24.0	24.0	73.1	73.1	5.1	5.1	18.0	5.1	28	29	86	86						
IM2	Fine	Moderate	08:07	8.3	Surface	1.0	0.7	2	26.8	26.8	7.9	7.9	23.3	23.3	72.2	72.2	5.1	5.1	14.6	4.7	18	20	81	83	818136	806143	<0.2	1.5	1.6	
						1.0	0.7	2	26.8	26.8	7.9	7.9	23.3	23.3	72.2	72.2	5.1	5.1	14.6	4.7	19	20	83	86						
					Middle	4.2	0.5	5	26.7	26.7	7.9	7.9	24.2	24.2	59.8	59.8	4.2	4.2	18.1	4.2	19	20	86	88						
						4.2	0.5	5	26.7	26.7	7.9	7.9	24.2	24.2	59.8	59.8	4.2	4.2	18.1	4.2	20	20	88	88						
					Bottom	7.3	0.4	355	26.7	26.7	7.9	7.9	24.3	24.3	62.5	62.5	4.4	4.4	20.7	4.4	21	20	91	90						
						7.3	0.4	327	26.7	26.7	7.9	7.9	24.3	24.3	62.5	62.5	4.4	4.4	20.7	4.4	22	20	90	90						
IM3	Fine	Moderate	08:15	8.5	Surface	1.0	0.7	7	26.8	26.8	7.9	7.9	23.1	23.1	64.2	64.2	4.5	4.5	12.7	4.6	12	14	83	84	818775	805598	<0.2	1.6	1.8	
						1.0	0.8	7	26.8	26.8	7.9	7.9	23.1	23.1	64.2	64.2	4.5	4.5	12.7	4.6	14	14	84	88						
					Middle	4.3	0.6	357	26.7	26.7	7.9	7.9	24.6	24.6	66.7	66.7	4.7	4.7	11.0	4.7	14	14	86	88						
						4.3	0.6	328	26.7	26.7	7.9	7.9	24.6	24.6	66.7	66.7	4.7	4.7	11.0	4.7	15	14	88	89						
					Bottom	7.5	0.6	2	26.7	26.7	7.9	7.9	24.6	24.6	72.1	72.1	5.0	5.0	14.9	5.0	15	14	89	88						
						7.5	0.6	2	26.7	26.7	7.9	7.9	24.6	24.6	72.1	72.1	5.0	5.0	14.9	5.0	15	14	88	88						
IM4	Fine	Moderate	08:27	8.5	Surface	1.0	0.5	353	26.7	26.7	7.9	7.9	24.6	24.6	67.8	67.8	4.7	4.7	11.9	4.6	14	16	81	82	819709	804619	<0.2	1.7	1.8	
						1.0	0.5	325	26.7	26.7	7.9	7.9	24.6	24.6	67.8	67.8	4.7	4.7	11.9	4.6	15	16	82	84						
					Middle	4.3	0.5	357	26.7	26.7	7.9	7.9	24.8	24.8	63.2	63.2	4.4	4.4	12.9	4.4	16	16	87	88						
						4.3	0.6	359	26.7	26.7	7.9	7.9	24.8	24.8	63.2	63.2	4.4	4.4	12.9	4.4	17	16	84	88						
					Bottom	7.5	0.4	358	26.6	26.6	7.9	7.9	24.9	24.9	67.1	67.1	4.7	4.7	15.8	4.7	17	16	88	89						
						7.5	0.4	329	26.6	26.6	7.9	7.9	24.9	24.9	67.1	67.1	4.7	4.7	15.8	4.7	18	16	89	89						

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 11 September 18 during Mid-Flood Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)	
IM9	Fine	Moderate	08:45	8.0	Surface	1.0	0.3	85	27.0	7.9	7.9	19.8	19.8	69.2	69.2	4.9	4.9	14.5	4.9	11	13	78	82	822107	808813	<0.2	<0.2	2.5	2.5	
						1.0	0.4	85	27.0	7.9	7.9	19.8	19.8	69.2	69.2	4.9	4.9	14.6	4.9	10	13	79	82	822107	808813	<0.2	<0.2	2.7	2.7	
					Middle	4.0	0.3	63	26.9	7.9	7.9	21.6	21.6	67.3	67.3	4.8	4.8	17.0	4.8	12	13	81	82	822107	808813	<0.2	<0.2	2.5	2.5	
						4.0	0.3	68	26.9	7.9	7.9	21.6	21.6	67.3	67.3	4.8	4.8	17.1	4.8	11	13	81	82	822107	808813	<0.2	<0.2	2.7	2.7	
					Bottom	7.0	0.4	14	26.9	7.9	7.9	22.7	22.7	60.3	60.3	4.2	4.2	19.9	4.2	16	13	86	82	822107	808813	<0.2	<0.2	2.5	2.5	
						7.0	0.4	15	26.9	7.9	7.9	22.7	22.7	60.3	60.3	4.2	4.2	20.0	4.2	16	13	86	82	822107	808813	<0.2	<0.2	2.2	2.2	
IM10	Fine	Moderate	08:35	7.7	Surface	1.0	0.4	350	26.9	7.9	7.9	22.0	22.0	71.3	71.2	5.0	5.0	12.5	5.0	10	11	80	83	822363	809765	<0.2	<0.2	2.4	2.6	
						1.0	0.5	351	26.9	7.9	7.9	22.0	22.0	71.1	71.2	5.0	5.0	12.9	5.0	10	11	80	83	822363	809765	<0.2	<0.2	2.5	2.6	
					Middle	3.9	0.5	329	26.8	7.9	7.9	23.0	23.0	70.4	70.4	4.9	4.9	17.7	4.9	12	11	84	83	822363	809765	<0.2	<0.2	2.5	2.6	
						3.9	0.5	338	26.8	7.9	7.9	23.0	23.0	70.3	70.4	4.9	4.9	17.9	4.9	11	11	84	83	822363	809765	<0.2	<0.2	2.4	2.6	
					Bottom	6.7	0.6	322	26.6	7.9	7.9	23.8	23.8	59.0	59.0	4.1	4.1	21.0	4.1	12	11	86	83	822363	809765	<0.2	<0.2	2.8	2.8	
						6.7	0.6	350	26.6	7.9	7.9	23.8	23.8	59.0	59.0	4.1	4.1	20.8	4.1	11	11	86	83	822363	809765	<0.2	<0.2	2.8	2.8	
IM11	Fine	Moderate	08:25	8.8	Surface	1.0	0.7	301	26.7	8.0	8.0	23.4	23.4	70.0	70.0	4.9	4.9	18.7	4.9	10	12	81	85	822080	811468	<0.2	<0.2	2.3	2.3	
						1.0	0.7	323	26.7	8.0	8.0	23.4	23.4	70.0	70.0	4.9	4.9	18.8	4.9	10	12	82	85	822080	811468	<0.2	<0.2	2.5	2.3	
					Middle	4.4	0.5	306	26.5	8.0	8.0	24.0	24.0	66.0	66.0	4.6	4.6	20.2	4.6	11	12	86	85	822080	811468	<0.2	<0.2	1.9	2.3	
						4.4	0.5	321	26.5	8.0	8.0	24.0	24.0	66.0	66.0	4.6	4.6	20.2	4.6	12	12	86	85	822080	811468	<0.2	<0.2	2.1	2.3	
					Bottom	7.8	0.2	308	26.3	8.0	8.0	24.8	24.8	57.8	57.8	4.1	4.1	22.0	4.1	15	12	89	85	822080	811468	<0.2	<0.2	2.4	2.3	
						7.8	0.2	333	26.3	8.0	8.0	24.8	24.8	57.8	57.8	4.1	4.1	22.0	4.1	16	12	88	85	822080	811468	<0.2	<0.2	2.4	2.3	
IM12	Fine	Moderate	08:17	8.4	Surface	1.0	0.9	274	26.7	8.0	8.0	23.6	23.6	69.7	69.7	4.9	4.9	16.9	4.9	8	10	81	84	821446	812023	<0.2	<0.2	2.0	2.6	
						1.0	0.9	280	26.7	8.0	8.0	23.6	23.6	69.6	69.7	4.9	4.9	17.1	4.9	8	10	82	84	821446	812023	<0.2	<0.2	2.4	2.6	
					Middle	4.2	0.8	277	26.6	8.0	8.0	23.8	23.8	68.9	68.9	4.8	4.8	19.1	4.8	9	10	85	84	821446	812023	<0.2	<0.2	2.8	2.6	
						4.2	0.8	285	26.6	8.0	8.0	23.8	23.8	68.9	68.9	4.8	4.8	19.1	4.8	9	10	84	84	821446	812023	<0.2	<0.2	2.4	2.6	
					Bottom	7.4	0.5	279	26.6	7.9	7.9	24.0	24.0	59.2	59.2	4.2	4.2	21.7	4.2	11	10	87	84	821446	812023	<0.2	<0.2	2.8	2.6	
						7.4	0.5	294	26.6	7.9	7.9	24.0	24.0	59.1	59.2	4.2	4.2	21.7	4.2	12	10	87	84	821446	812023	<0.2	<0.2	3.1	2.6	
SR2	Fine	Moderate	07:49	5.1	Surface	1.0	0.1	322	26.7	7.9	7.9	23.4	23.4	69.8	69.8	4.9	4.9	17.3	4.9	17	19	81	83	821487	814192	<0.2	<0.2	2.6	2.4	
						1.0	0.1	323	26.7	7.9	7.9	23.4	23.4	69.8	69.8	4.9	4.9	17.4	4.9	18	19	81	83	821487	814192	<0.2	<0.2	2.4	2.4	
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83	821487	814192	<0.2	<0.2	-	2.4	
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83	821487	814192	<0.2	<0.2	-	2.4	
					Bottom	4.1	0.1	120	26.6	7.9	7.9	23.6	23.6	60.7	60.7	4.3	4.3	20.5	4.3	20	19	84	83	821487	814192	<0.2	<0.2	2.3	2.4	
						4.1	0.1	127	26.6	7.9	7.9	23.6	23.6	60.7	60.7	4.3	4.3	20.2	4.3	21	19	84	83	821487	814192	<0.2	<0.2	2.4	2.4	
SR3	Fine	Moderate	09:03	9.8	Surface	1.0	0.3	45	27.0	7.9	7.9	20.6	20.6	69.2	69.3	4.9	4.9	19.2	4.9	7	8	-	-	822161	807591	-	-	-	-	
						1.0	0.3	48	27.0	7.9	7.9	20.6	20.6	69.3	69.3	4.9	4.9	19.6	4.9	8	8	-	-	822161	807591	-	-	-	-	
					Middle	4.9	0.4	80	26.8	7.9	7.9	23.4	23.4	64.7	64.7	4.5	4.5	20.4	4.5	8	8	-	-	822161	807591	-	-	-	-	
						4.9	0.5	80	26.8	7.9	7.9	23.4	23.4	64.7	64.7	4.5	4.5	20.4	4.5	8	8	-	-	822161	807591	-	-	-	-	
					Bottom	8.8	0.4	69	26.8	7.9	7.9	23.5	23.5	60.5	60.6	4.2	4.3	21.1	4.2	8	8	-	-	822161	807591	-	-	-	-	
						8.8	0.4	70	26.8	7.9	7.9	23.5	23.5	60.6	60.6	4.3	4.3	21.2	4.3	9	8	-	-	822161	807591	-	-	-	-	
SR4A	Fine	Moderate	07:18	9.8	Surface	1.0	0.2	86	26.8	7.9	7.9	23.8	23.8	68.8	68.8	4.8	4.8	8.1	4.8	12	12	-	-	817196	807808	-	-	-	-	
						1.0	0.2	87	26.8	7.9	7.9	23.8	23.8	68.8	68.8	4.8	4.8	8.1	4.8	12	12	-	-	817196	807808	-	-	-	-	
					Middle	4.9	0.0	102	26.8	7.9	7.9	23.9	23.9	62.1	62.1	4.3	4.3	9.9	4.3	11	12	-	-	817196	807808	-	-	-	-	
						4.9	0.0	106	26.8	7.9	7.9	23.9	23.9	62.1	62.1	4.3	4.3	9.9	4.3	12	12	-	-	817196	807808	-	-	-	-	
					Bottom	8.8	0.0	70	26.8	7.9	7.9	24.0	24.0	64.6	64.6	4.5	4.5	11.1	4.5	11	12	-	-	817196	807808	-	-	-	-	
						8.8	0.0	74	26.8	7.9	7.9	24.0	24.0	64.6	64.6	4.5	4.5	11.1	4.5	12	12	-	-	817196	807808	-	-	-	-	
SR5A	Fine	Moderate	07:01	4.3	Surface	1.0	0.2	290	26.8	7.8	7.8	24.1	24.1	64.9	64.9	4.5	4.5	9.1	4.5	12	13	-	-	816571	810684	-	-	-	-	
						1.0	0.2	318	26.8	7.8	7.8	24.1	24.1	64.9	64.9	4.5	4.5	9.1												

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 13 September 18 during Mid-Ebb Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)	
C1	Cloudy	Moderate	15:03	9.3	Surface	1.0	0.1	127	27.3	8.0	8.0	23.2	23.2	77.5	77.4	5.4	4.9	5.1	4.9	8.7	6	87	90	815627	804270	<0.2	<0.2	1.7	1.6	
						1.0	0.1	128	27.3	8.0	8.0	23.2	23.2	77.3	77.4	5.4	4.9	5.1	4.9	8.7	6	88	90	815627	804270	<0.2	<0.2	1.6	1.5	
					Middle	4.7	0.0	356	26.5	26.5	8.0	8.0	26.6	26.6	69.9	69.9	4.8	10.3	8.7	6	90	91	815627	804270	<0.2	<0.2	1.6	1.5		
						4.7	0.0	357	26.5	26.5	8.0	8.0	26.6	26.6	69.9	69.9	4.9	10.3	8.7	6	91	92	815627	804270	<0.2	<0.2	1.6	1.5		
					Bottom	8.3	0.0	330	26.4	26.4	8.0	8.0	26.8	26.8	71.8	71.9	5.0	11.0	5.0	7	92	93	815627	804270	<0.2	<0.2	1.7	1.6		
						8.3	0.0	339	26.4	26.4	8.0	8.0	26.8	26.8	72.0	71.9	5.0	11.0	5.0	7	93	94	815627	804270	<0.2	<0.2	2.3	2.2		
C2	Fine	Moderate	13:46	11.4	Surface	1.0	0.1	35	27.1	27.1	7.9	7.9	22.3	22.3	70.8	70.8	5.0	16.0	17.8	9	82	86	825685	806956	<0.2	<0.2	2.1	2.0		
						1.0	0.2	37	27.1	27.1	7.9	7.9	22.3	22.3	70.8	70.8	5.0	16.1	17.8	9	82	86	825685	806956	<0.2	<0.2	2.6	2.0		
					Middle	5.7	0.3	48	27.2	27.2	7.9	7.9	22.6	22.6	72.1	72.1	5.0	17.5	17.8	9	86	90	825685	806956	<0.2	<0.2	2.0	1.9		
						5.7	0.3	49	27.2	27.2	7.9	7.9	22.6	22.6	72.1	72.1	5.0	17.7	17.8	9	86	90	825685	806956	<0.2	<0.2	2.0	1.9		
					Bottom	10.4	0.2	49	27.0	27.0	8.0	8.0	23.5	23.5	72.7	72.7	5.1	19.8	19.8	9	90	90	825685	806956	<0.2	<0.2	2.0	2.0		
						10.4	0.2	49	27.0	27.0	8.0	8.0	23.5	23.5	72.6	72.7	5.1	19.6	19.6	9	90	90	825685	806956	<0.2	<0.2	2.0	2.0		
C3	Fine	Moderate	15:46	12.6	Surface	1.0	0.4	49	27.5	27.5	8.0	8.0	23.5	23.5	76.3	76.3	5.3	8.3	8.4	5	82	83	822087	817781	<0.2	<0.2	1.8	1.9		
						1.0	0.4	50	27.5	27.5	8.0	8.0	23.5	23.5	76.2	76.3	5.3	8.3	8.4	4	83	86	822087	817781	<0.2	<0.2	2.2	2.0		
					Middle	6.3	0.3	91	26.8	26.8	8.0	8.0	24.7	24.7	69.0	69.0	4.8	8.7	8.4	5	86	87	822087	817781	<0.2	<0.2	1.9	1.9		
						6.3	0.3	91	26.8	26.8	8.0	8.0	24.7	24.7	69.0	69.0	4.8	8.7	8.4	5	86	87	822087	817781	<0.2	<0.2	2.0	1.9		
					Bottom	11.6	0.2	96	26.5	26.5	8.0	8.0	25.4	25.4	68.3	68.3	4.8	8.2	8.2	6	90	91	822087	817781	<0.2	<0.2	1.8	1.7		
						11.6	0.3	97	26.5	26.5	8.0	8.0	25.4	25.4	68.3	68.3	4.8	8.2	8.2	5	91	91	822087	817781	<0.2	<0.2	1.7	1.7		
IM1	Cloudy	Moderate	14:42	5.0	Surface	1.0	0.1	163	27.1	27.1	8.0	8.0	25.1	25.1	79.9	79.9	5.5	5.3	5.3	9	85	86	817975	807153	<0.2	<0.2	1.5	1.6		
						1.0	0.1	164	27.1	27.1	8.0	8.0	25.1	25.1	79.9	79.9	5.5	5.4	5.3	9	86	86	817975	807153	<0.2	<0.2	1.5	1.5		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87	807153	<0.2	<0.2	-	-		
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87	807153	<0.2	<0.2	-	-		
					Bottom	4.0	0.1	198	27.0	27.0	8.0	8.0	25.1	25.1	82.5	82.6	5.7	5.2	5.2	12	89	89	817975	807153	<0.2	<0.2	1.6	1.6		
						4.0	0.1	212	27.0	27.0	8.0	8.0	25.1	25.1	82.6	82.6	5.7	5.2	5.2	12	89	89	817975	807153	<0.2	<0.2	1.6	1.6		
IM2	Cloudy	Moderate	14:35	7.9	Surface	1.0	0.2	47	27.2	27.2	8.0	8.0	23.8	23.8	75.2	75.2	5.2	6.5	11.9	7	85	85	818142	806183	<0.2	<0.2	1.5	1.5		
						1.0	0.2	51	27.2	27.2	8.0	8.0	23.8	23.8	75.1	75.2	5.2	6.5	11.9	8	85	89	818142	806183	<0.2	<0.2	1.6	1.5		
					Middle	4.0	0.1	27	26.5	26.5	8.0	8.0	25.7	25.7	70.0	70.0	4.9	13.2	11.9	8	89	90	818142	806183	<0.2	<0.2	1.6	1.6		
						4.0	0.1	27	26.5	26.5	8.0	8.0	25.7	25.7	70.0	70.0	4.9	13.3	11.9	9	89	93	818142	806183	<0.2	<0.2	1.4	1.4		
					Bottom	6.9	0.1	69	26.5	26.5	8.0	8.0	25.8	25.8	74.9	75.1	5.2	16.1	16.0	10	93	92	818142	806183	<0.2	<0.2	1.6	1.6		
						6.9	0.1	75	26.5	26.5	8.0	8.0	25.8	25.8	75.2	75.1	5.2	16.0	16.0	10	92	92	818142	806183	<0.2	<0.2	1.6	1.6		
IM3	Cloudy	Moderate	14:24	7.5	Surface	1.0	0.2	39	27.0	27.0	8.0	8.0	24.1	24.1	72.2	72.2	5.0	7.6	14.7	7	87	87	818796	805610	<0.2	<0.2	1.6	1.5		
						1.0	0.2	42	27.0	27.0	8.0	8.0	24.1	24.1	72.2	72.2	5.0	7.6	14.7	7	87	87	818796	805610	<0.2	<0.2	1.5	1.5		
					Middle	3.8	0.1	37	26.5	26.5	8.0	8.0	25.9	25.9	68.4	68.5	4.8	15.4	14.7	8	89	90	818796	805610	<0.2	<0.2	1.5	1.5		
						3.8	0.1	39	26.5	26.5	8.0	8.0	25.9	25.9	68.5	68.5	4.8	15.4	14.7	8	89	90	818796	805610	<0.2	<0.2	1.5	1.5		
					Bottom	6.5	0.2	30	26.4	26.4	8.0	8.0	26.1	26.1	72.1	72.2	5.0	21.0	12.7	9	92	93	818796	805610	<0.2	<0.2	1.5	1.5		
						6.5	0.2	31	26.4	26.4	8.0	8.0	26.1	26.1	72.3	72.3	5.0	20.9	12.7	10	93	93	818796	805610	<0.2	<0.2	1.5	1.5		
IM4	Cloudy	Moderate	14:14	8.2	Surface	1.0	0.3	27	27.0	27.0	8.0	8.0	24.7	24.7	73.8	73.7	5.1	6.8	12.7	10	86	87	819740	804588	<0.2	<0.2	1.4	1.4		
						1.0	0.3	29	27.0	27.0	8.0	8.0	24.7	24.7	73.6	73.7	5.1	7.0	12.7	10	87	87	819740	804588	<0.2	<0.2	1.5	1.4		
					Middle	4.1	0.2	21	26.7	26.7	8.0	8.0	25.7	25.7	70.3	70.3	4.9	11.5	12.7	10	90	91	819740	804588	<0.2	<0.2	1.4	1.5		
						4.1	0.2	21	26.8	26.8	8.0	8.0	25.7	25.7	70.3	70.3	4.9	11.5	12.7	10	91	91	819740	804588	<0.2	<0.2	1.5	1.4		
					Bottom	7.2	0.1	354	26.4	26.4	8.0	8.0	26.3	26.3	69.6	69.7	4.8	19.6	12.7	14	93	93	819740	804588	<0.2	<0.2	1.4	1.4		
						7.2	0.1	326	26.4	26.4	8.0	8.0	26.3	26.3	69.7	69.7	4.8	19.6	12.7	13	93	93	819740	804588	<0.2	<0.2	1.4	1.4		
IM5	Cloudy	Moderate	14:06	7.6	Surface	1.0	0.2	13	27.2	27.2	8.0	8.0	24.5	24.4	74.8	74.8	5.2	10.4	11.3	9	85	87	820705	804857	<0.2	<0.2	2.2	2.2		
						1.0	0.2	13	27.2	27.2	8.0	8.0	24.4	24.4	74.7	74.8	5.2	10.5	11.3											

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 13 September 18 during Mid-Ebb Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)	
IM9	Fine	Moderate	14:23	7.7	Surface	1.0	0.3	89	27.4	7.9	7.9	22.2	22.2	73.9	73.9	5.2	5.1	9.9	13.1	7	8	83	86	822114	808804	<0.2	<0.2	1.9	1.8	
						1.0	0.3	95	27.4	7.9	7.9	22.2	22.2	73.9	73.9	5.2	5.1	10.0	13.1	6	8	82	86	822114	808804	<0.2	<0.2	1.9	1.8	
					Middle	3.9	0.4	74	27.2	7.9	7.9	22.8	22.8	71.6	71.6	5.0	5.0	10.9	13.1	7	8	86	87	822114	808804	<0.2	<0.2	1.8	1.8	
						3.9	0.4	74	27.2	7.9	7.9	22.8	22.8	71.5	71.6	5.0	5.0	10.9	13.1	8	8	87	90	822114	808804	<0.2	<0.2	1.8	1.8	
					Bottom	6.7	0.3	61	26.7	8.0	8.0	24.9	24.9	69.8	69.8	4.9	4.9	18.4	13.1	8	8	90	91	822114	808804	<0.2	<0.2	1.8	1.8	
						6.7	0.3	64	26.7	8.0	8.0	24.9	24.9	69.8	69.8	4.9	4.9	18.4	13.1	9	8	90	91	822114	808804	<0.2	<0.2	1.8	1.8	
IM10	Fine	Moderate	14:34	7.4	Surface	1.0	0.3	99	27.3	7.9	7.9	22.4	22.4	73.0	73.0	5.1	5.1	11.0	15.7	10	10	83	87	822407	809782	<0.2	<0.2	1.8	1.8	
						1.0	0.4	107	27.3	7.9	7.9	22.4	22.4	73.0	73.0	5.1	5.1	11.0	15.7	10	10	82	87	822407	809782	<0.2	<0.2	1.9	1.8	
					Middle	3.7	0.3	80	27.1	8.0	8.0	22.9	22.9	71.9	72.0	5.0	5.0	14.9	15.7	10	10	87	91	822407	809782	<0.2	<0.2	1.8	1.8	
						3.7	0.4	87	27.1	8.0	8.0	22.9	22.9	72.0	72.0	5.0	5.0	15.1	15.7	10	10	87	91	822407	809782	<0.2	<0.2	1.8	1.8	
					Bottom	6.4	0.3	87	26.8	8.0	8.0	24.7	24.7	71.0	71.0	4.9	4.9	21.0	15.7	10	10	91	90	822407	809782	<0.2	<0.2	1.8	1.8	
						6.4	0.4	87	26.8	8.0	8.0	24.7	24.7	70.9	71.0	4.9	4.9	21.0	15.7	10	10	90	90	822407	809782	<0.2	<0.2	1.7	1.7	
IM11	Fine	Moderate	14:46	7.8	Surface	1.0	0.3	112	27.1	7.9	7.9	23.0	23.0	72.1	72.1	5.0	5.0	11.1	15.8	9	8	83	86	822034	811455	<0.2	<0.2	1.8	1.8	
						1.0	0.4	112	27.1	7.9	7.9	23.0	23.0	72.1	72.1	5.0	5.0	11.1	15.8	9	8	82	86	822034	811455	<0.2	<0.2	1.9	1.8	
					Middle	3.9	0.3	95	26.9	8.0	8.0	23.5	23.5	68.6	68.6	4.8	4.8	14.6	15.8	9	10	86	87	822034	811455	<0.2	<0.2	1.9	1.8	
						3.9	0.3	99	26.9	8.0	8.0	23.5	23.5	68.6	68.6	4.8	4.8	14.7	15.8	10	10	87	91	822034	811455	<0.2	<0.2	1.7	1.8	
					Bottom	6.8	0.2	89	26.6	8.0	8.0	24.4	24.4	68.5	68.5	4.8	4.8	21.6	15.8	11	10	91	91	822034	811455	<0.2	<0.2	1.8	2.0	
						6.8	0.2	89	26.6	8.0	8.0	24.4	24.4	68.5	68.5	4.8	4.8	21.7	15.8	11	10	91	91	822034	811455	<0.2	<0.2	2.0	2.0	
IM12	Fine	Moderate	14:54	8.7	Surface	1.0	0.4	80	27.3	8.0	8.0	22.7	22.7	73.5	73.5	5.1	5.1	10.8	13.6	6	7	82	83	821454	812054	<0.2	<0.2	1.8	1.8	
						1.0	0.5	85	27.3	8.0	8.0	22.7	22.7	73.4	73.4	5.1	5.1	10.8	13.6	6	7	83	85	821454	812054	<0.2	<0.2	1.9	1.8	
					Middle	4.4	0.4	83	27.0	8.0	8.0	23.7	23.7	71.2	71.3	5.0	5.0	13.7	13.6	7	7	85	86	821454	812054	<0.2	<0.2	1.9	1.8	
						4.4	0.4	87	27.0	8.0	8.0	23.7	23.7	71.3	71.3	5.0	5.0	13.7	13.6	7	7	86	90	821454	812054	<0.2	<0.2	1.8	1.8	
					Bottom	7.7	0.3	93	27.0	8.0	8.0	23.9	23.9	72.1	72.1	5.0	5.0	16.5	13.6	7	7	90	90	821454	812054	<0.2	<0.2	1.8	1.8	
						7.7	0.3	96	27.0	8.0	8.0	23.9	23.9	72.1	72.1	5.0	5.0	16.3	13.6	8	7	90	90	821454	812054	<0.2	<0.2	1.8	1.8	
SR2	Fine	Moderate	15:24	4.8	Surface	1.0	0.4	79	27.5	8.0	8.0	22.3	22.3	76.0	76.0	5.3	5.3	9.6	15.5	6	7	82	83	821488	814173	<0.2	<0.2	1.8	1.9	
						1.0	0.4	79	27.5	8.0	8.0	22.3	22.3	75.9	76.0	5.3	5.3	9.7	15.5	5	7	83	86	821488	814173	<0.2	<0.2	1.9	1.9	
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	15.5	-	7	-	-	-	821488	814173	<0.2	<0.2	-	-
						-	-	-	-	-	-	-	-	-	-	-	-	-	15.5	-	7	-	-	-	821488	814173	<0.2	<0.2	-	-
					Bottom	3.8	0.2	96	26.5	8.0	8.0	24.7	24.7	66.8	66.8	4.7	4.7	21.3	15.5	8	7	86	86	821488	814173	<0.2	<0.2	1.9	1.9	
						3.8	0.2	104	26.5	8.0	8.0	24.7	24.7	66.8	66.8	4.7	4.7	21.5	15.5	7	7	86	86	821488	814173	<0.2	<0.2	1.8	1.8	
SR3	Fine	Moderate	14:09	9.7	Surface	1.0	0.3	157	27.4	7.9	7.9	21.3	21.3	72.1	72.1	5.1	5.1	9.5	14.0	6	7	-	-	822142	807562	-	-	-	-	
						1.0	0.3	158	27.4	7.9	7.9	21.3	21.3	72.1	72.1	5.1	5.1	9.6	14.0	6	7	-	-	822142	807562	-	-	-	-	
					Middle	4.9	0.3	109	27.2	7.9	7.9	22.4	22.4	71.8	71.8	5.0	5.0	13.4	14.0	7	7	-	-	822142	807562	-	-	-	-	
						4.9	0.4	114	27.2	7.9	7.9	22.4	22.4	71.8	71.8	5.0	5.0	13.5	14.0	7	7	-	-	822142	807562	-	-	-	-	
					Bottom	8.7	0.4	75	26.9	8.0	8.0	24.5	24.5	72.0	72.0	5.0	5.0	18.9	14.0	8	7	-	-	822142	807562	-	-	-	-	
						8.7	0.4	81	26.9	8.0	8.0	24.5	24.5	72.0	72.0	5.0	5.0	18.9	14.0	9	7	-	-	822142	807562	-	-	-	-	
SR4A	Cloudy	Moderate	15:26	9.2	Surface	1.0	0.2	68	27.1	8.0	8.0	24.6	24.6	75.8	75.8	5.3	5.3	7.2	9.7	6	7	-	-	817210	807806	-	-	-	-	
						1.0	0.2	73	27.1	8.0	8.0	24.6	24.6	75.7	75.7	5.3	5.3	7.3	9.7	6	7	-	-	817210	807806	-	-	-	-	
					Middle	4.6	0.1	78	26.7	8.0	8.0	25.5	25.5	74.4	74.4	5.2	5.2	10.6	9.7	8	7	-	-	817210	807806	-	-	-	-	
						4.6	0.1	78	26.7	8.0	8.0	25.5	25.5	74.4	74.4	5.2	5.2	10.7	9.7	8	7	-	-	817210	807806	-	-	-	-	
					Bottom	8.2	0.1	61	26.7	7.9	7.9	25.6	25.6	76.6	76.7	5.3	5.3	11.1	9.7	8	7	-	-	817210	807806	-	-	-	-	
						8.2	0.1	62	26.7	7.9	7.9	25.6	25.6	76.7	76.7	5.3	5.3	11.1	9.7	8	7	-	-	817210	807806	-	-	-	-	
SR5A	Cloudy	Moderate	15:43	5.3	Surface	1.0	0.1	43	27.2	7.9	7.9	24.0	24.0	75.9	75.9	5.3	5.3	6.5	7.8	6	7	-	-	816621	810706	-	-	-	-	
						1.0	0.1	43	27.2	7.9	7.9	24.0	24.0	75.9	75.9	5.3	5.3	6.7	7.8	7	7	-</								

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 13 September 18 during Mid-Flood Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)	
C1	Cloudy	Moderate	08:51	9.1	Surface	1.0	0.6	45	27.0	7.9	7.9	23.1	23.1	73.0	73.0	5.1	5.1	7.7	5.0	8	9	86	90	815645	804257	<0.2	<0.2	2.5	2.1	
						1.0	0.6	46	27.0	7.9	7.9	23.1	23.1	73.0	73.0	5.1	5.1	7.8	5.0	8	9	87	90			<0.2	<0.2	2.4		
					Middle	4.6	0.5	40	26.5	8.0	8.0	25.7	25.6	68.9	69.0	4.8	4.8	12.2	5.0	9	10	90	90			<0.2	<0.2	2.3		
						4.6	0.5	41	26.6	8.0	8.0	25.6	25.6	69.1	69.0	4.8	4.8	12.7	5.0	10	9	90	90			<0.2	<0.2	1.8		
					Bottom	8.1	0.5	40	26.4	8.0	8.0	26.4	26.4	72.3	72.3	5.0	5.0	17.3	5.1	11	9	93	94			<0.2	<0.2	1.7		
						8.1	0.5	43	26.4	8.0	8.0	26.4	26.4	73.6	73.0	5.1	5.1	17.7	5.1	10	9	94	94			<0.2	<0.2	1.7		
C2	Fine	Moderate	10:11	11.3	Surface	1.0	0.2	351	27.5	7.8	7.8	20.1	20.1	71.1	71.2	5.0	5.0	9.8	4.9	3	4	86	90	825695	806923	<0.2	<0.2	2.1	2.2	
						1.0	0.2	323	27.5	7.8	7.8	20.1	20.1	71.2	71.2	5.0	5.0	9.8	4.9	3	4	85	89			<0.2	<0.2	2.2		
					Middle	5.7	0.4	28	27.1	7.9	7.9	21.3	21.3	68.4	68.5	4.8	4.8	17.4	4.9	4	5	89	94			<0.2	<0.2	2.1		
						5.7	0.4	30	27.1	7.9	7.9	21.3	21.3	68.5	68.5	4.8	4.8	17.4	4.9	4	5	90	94			<0.2	<0.2	2.3		
					Bottom	10.3	0.3	16	27.0	7.9	7.9	21.9	21.9	69.1	69.1	4.9	4.9	26.5	4.9	5	6	94	93			<0.2	<0.2	2.3		
						10.3	0.4	16	27.0	7.9	7.9	21.9	21.9	69.1	69.1	4.9	4.9	26.7	4.9	6	6	93	94			<0.2	<0.2	2.2		
C3	Fine	Moderate	08:16	10.6	Surface	1.0	0.7	259	26.7	8.0	8.0	24.0	24.0	67.6	67.6	4.7	4.7	10.0	4.6	4	4	84	88	822128	817795	<0.2	<0.2	1.7	1.7	
						1.0	0.7	274	26.7	8.0	8.0	24.0	24.0	67.6	67.6	4.7	4.7	10.0	4.6	4	4	84	88			<0.2	<0.2	1.8		
					Middle	5.3	0.8	256	26.5	8.0	8.0	24.8	24.8	64.8	64.8	4.5	4.5	10.6	4.5	7	7	88	92			<0.2	<0.2	1.7		
						5.3	0.8	273	26.5	8.0	8.0	24.8	24.8	64.8	64.8	4.5	4.5	10.6	4.5	8	9	88	92			<0.2	<0.2	1.6		
					Bottom	9.6	0.4	261	26.3	8.0	8.0	25.5	25.5	64.1	64.1	4.5	4.5	20.6	4.5	9	9	92	92			<0.2	<0.2	1.7		
						9.6	0.5	263	26.3	8.0	8.0	25.5	25.5	64.1	64.1	4.5	4.5	20.5	4.5	9	9	92	92			<0.2	<0.2	1.6		
IM1	Cloudy	Moderate	09:13	4.6	Surface	1.0	0.2	317	26.6	8.0	8.0	26.1	26.1	69.9	69.9	4.8	4.8	10.6	4.9	16	18	86	87	817954	807119	<0.2	<0.2	2.4	2.3	
						1.0	0.2	345	26.6	8.0	8.0	26.1	26.1	69.9	69.9	4.9	4.9	10.6	4.9	16	18	87	87			<0.2	<0.2	2.3		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88		<0.2	<0.2	-		
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			<0.2	<0.2	-		
					Bottom	3.6	0.2	13	26.5	8.0	8.0	26.2	26.2	73.2	73.4	5.1	5.1	8.4	5.1	19	18	90	90			<0.2	<0.2	2.3		
						3.6	0.2	13	26.5	8.0	8.0	26.2	26.2	73.4	73.3	5.1	5.1	8.4	5.1	20	18	90	90			<0.2	<0.2	2.2		
IM2	Cloudy	Moderate	09:20	8.1	Surface	1.0	0.4	27	27.0	8.0	8.0	24.2	24.2	73.0	73.0	5.1	5.1	11.9	5.1	8	9	87	87	818185	806193	<0.2	<0.2	1.4	1.5	
						1.0	0.5	29	27.0	8.0	8.0	24.2	24.2	72.9	73.0	5.1	5.1	11.1	5.1	8	9	87	89			<0.2	<0.2	1.5		
					Middle	4.1	0.3	13	26.5	8.0	8.0	25.7	25.7	71.5	71.6	5.0	5.0	10.3	5.0	9	9	89	90			<0.2	<0.2	1.8		
						4.1	0.3	13	26.5	8.0	8.0	25.7	25.7	71.6	71.6	5.0	5.0	10.3	5.0	9	9	90	94			<0.2	<0.2	1.4		
					Bottom	7.1	0.3	7	26.5	8.0	8.0	25.9	25.8	74.3	74.4	5.2	5.2	15.0	5.2	11	10	94	94			<0.2	<0.2	1.6		
						7.1	0.3	7	26.5	8.0	8.0	25.8	25.8	74.5	74.5	5.2	5.2	15.1	5.2	11	10	94	94			<0.2	<0.2	1.4		
IM3	Cloudy	Moderate	09:41	8.4	Surface	1.0	0.4	19	27.2	8.0	8.0	24.0	24.0	75.7	75.7	5.3	5.3	8.3	5.1	8	10	87	87	818806	805578	<0.2	<0.2	1.8	1.8	
						1.0	0.4	19	27.2	8.0	8.0	24.0	24.0	75.7	75.7	5.3	5.3	8.4	5.1	9	10	87	89			<0.2	<0.2	1.8		
					Middle	4.2	0.3	18	26.4	8.0	8.0	25.9	25.9	70.5	70.6	4.9	4.9	10.7	4.9	9	9	89	90			<0.2	<0.2	1.7		
						4.2	0.3	18	26.4	8.0	8.0	25.9	25.9	70.6	70.6	4.9	4.9	10.9	4.9	9	9	90	94			<0.2	<0.2	1.7		
					Bottom	7.4	0.2	0	26.5	8.0	8.0	25.9	25.9	75.1	75.3	5.2	5.3	15.1	5.2	12	13	94	94			<0.2	<0.2	1.8		
						7.4	0.2	0	26.5	8.0	8.0	25.9	25.9	75.4	75.3	5.3	5.3	15.6	5.3	12	13	94	94			<0.2	<0.2	1.6		
IM4	Cloudy	Moderate	09:55	8.5	Surface	1.0	0.4	17	27.2	8.0	8.0	24.3	24.3	75.3	75.3	5.2	5.2	7.8	5.0	12	13	85	86	819741	804615	<0.2	<0.2	2.0	2.0	
						1.0	0.4	17	27.2	8.0	8.0	24.3	24.3	75.2	75.3	5.2	5.2	7.9	5.0	12	13	86	89			<0.2	<0.2	2.4		
					Middle	4.3	0.3	9	26.4	8.0	8.0	26.2	26.2	68.2	68.2	4.7	4.7	10.8	4.7	13	13	89	90			<0.2	<0.2	2.0		
						4.3	0.4	9	26.4	8.0	8.0	26.2	26.2	68.2	68.2	4.7	4.7	10.3	4.9	13	13	90	91			<0.2	<0.2	2.0		
					Bottom	7.5	0.3	18	26.4	8.0	8.0	26.2	26.2	71.2	71.3	4.9	4.9	16.4	5.0	13	13	91	92			<0.2	<0.2	1.8		
						7.5	0.3	18	26.4	8.0	8.0	26.2	26.2	71.3	71.3	5.0	5.0	16.3	5.0	13	13	92	92			<0.2	<0.2	2.0		
IM5	Cloudy	Moderate	10:04	7.8	Surface	1.0	0.4	13	27.1	8.0	8.0	24.4	24.4	75.5	75.5	5.2	5.2	11.0	5.0	12	13	84	84	820729	804893	<0.2	<0.2	1.6	1.6	
						1.0	0.4	13	27.1	8.0	8.0	24.4	24.4	75.4	75.5	5.2	5.2	11.2	5.0	13	13	84	85			<0.2	<0.2	1.7		
					Middle	3.9	0.3	6	26.5	8.0	8.0	25.9	25.9	68.9	69.0	4.8	4.8	12.4	4.8	13	13	85	86			<0.2	<0.2	1.6		
						3.9	0.4	6	26.5	8.0	8.0	25.9	25.9	6																

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 13 September 18 during Mid-Flood Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)	
IM9	Fine	Moderate	09:31	7.6	Surface	1.0	0.4	40	27.3	7.9	7.9	21.1	21.1	72.6	72.7	5.1	5.1	13.9	13.9	13	13	86	86	822075	808812	<0.2	2.0	2.0		
						1.0	0.4	43	27.3	7.9	7.9	21.1	21.1	72.7	72.7	5.1	5.1	13.9	13.9	13	13	85	85							
					Middle	3.8	0.4	42	27.1	7.9	7.9	21.8	21.8	71.5	71.5	5.0	5.0	16.4	16.4	15	15	89	89							
						3.8	0.4	42	27.1	7.9	7.9	21.8	21.8	71.5	71.5	5.0	5.0	16.5	16.5	15	15	89	89							
					Bottom	6.6	0.5	9	27.0	7.9	7.9	22.8	22.8	72.7	72.7	5.1	5.1	22.4	22.4	17	17	93	93							
						6.6	0.5	9	27.0	7.9	7.9	22.9	22.9	72.7	72.7	5.1	5.1	22.4	22.4	17	17	94	94							
IM10	Fine	Moderate	09:22	8.1	Surface	1.0	0.4	317	27.1	7.9	7.9	22.7	22.7	73.1	73.1	5.1	5.1	19.7	19.7	14	14	85	85	822381	809817	<0.2	1.7	1.7		
						1.0	0.5	342	27.1	7.9	7.9	22.7	22.7	73.0	73.1	5.1	5.1	19.8	19.8	14	14	86	86							
					Middle	4.1	0.4	336	27.0	7.9	7.9	22.7	22.7	72.3	72.3	5.1	5.1	21.3	21.3	14	14	89	89							
						4.1	0.4	345	27.0	7.9	7.9	22.7	22.7	72.3	72.3	5.1	5.1	21.3	21.3	14	14	89	89							
					Bottom	7.1	0.4	333	27.0	7.9	7.9	22.8	22.8	73.5	73.5	5.2	5.2	26.1	26.1	15	15	93	93							
						7.1	0.4	349	27.0	7.9	7.9	22.8	22.8	73.5	73.5	5.2	5.2	26.0	26.0	15	15	93	93							
IM11	Fine	Moderate	09:11	7.8	Surface	1.0	0.2	303	27.0	7.9	7.9	23.3	23.3	72.1	72.1	5.0	5.0	15.2	15.2	13	13	85	85	822029	811443	<0.2	1.6	1.6		
						1.0	0.2	315	27.0	7.9	7.9	23.3	23.3	72.0	72.1	5.0	5.0	15.2	15.2	13	13	86	86							
					Middle	3.9	0.3	44	26.9	7.9	7.9	23.5	23.5	70.6	70.6	4.9	4.9	18.6	18.6	14	14	89	89							
						3.9	0.4	47	26.9	7.9	7.9	23.5	23.5	70.6	70.6	4.9	4.9	18.6	18.6	13	13	89	89							
					Bottom	6.8	0.4	95	26.8	7.9	7.9	23.6	23.6	70.4	70.4	4.9	4.9	26.1	26.1	15	15	93	93							
						6.8	0.4	95	26.8	7.9	7.9	23.6	23.6	70.4	70.4	4.9	4.9	26.1	26.1	14	14	93	93							
IM12	Fine	Moderate	09:03	8.9	Surface	1.0	0.7	279	26.9	7.9	7.9	23.5	23.5	70.4	70.4	4.9	4.9	15.4	15.4	21	21	85	85	821449	812059	<0.2	1.6	1.6		
						1.0	0.8	304	26.9	7.9	7.9	23.5	23.5	70.3	70.4	4.9	4.9	15.4	15.4	21	21	85	85							
					Middle	4.5	0.6	276	26.8	7.9	7.9	23.6	23.6	69.7	69.7	4.9	4.9	18.8	18.8	21	21	90	90							
						4.5	0.7	297	26.8	7.9	7.9	23.6	23.6	69.6	69.7	4.9	4.9	18.8	18.8	22	22	89	89							
					Bottom	7.9	0.5	270	26.8	7.9	7.9	23.6	23.6	70.6	70.6	4.9	4.9	21.4	21.4	23	23	94	94							
						7.9	0.5	292	26.8	7.9	7.9	23.6	23.6	70.6	70.6	4.9	4.9	21.4	21.4	22	22	93	93							
SR2	Fine	Moderate	08:36	4.8	Surface	1.0	0.3	51	26.9	8.0	8.0	23.3	23.3	71.6	71.6	5.0	5.0	16.4	16.4	9	9	85	85	821457	814138	<0.2	1.6	1.6		
						1.0	0.3	51	26.9	8.0	8.0	23.3	23.3	71.6	71.6	5.0	5.0	16.5	16.5	10	10	85	85							
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
					Bottom	3.8	0.3	42	26.9	8.0	8.0	23.4	23.4	73.0	73.1	5.1	5.1	19.2	19.2	14	14	90	90							
						3.8	0.3	45	26.9	8.0	8.0	23.4	23.4	73.1	73.1	5.1	5.1	19.1	19.1	14	14	89	89							
SR3	Fine	Moderate	09:49	8.2	Surface	1.0	0.2	37	27.3	7.9	7.9	20.8	20.8	71.8	71.8	5.1	5.1	9.7	9.7	5	5	-	-	822169	807588	-	-	-		
						1.0	0.2	38	27.3	7.9	7.9	20.8	20.8	71.7	71.8	5.1	5.1	9.8	9.8	4	4	-	-							
					Middle	4.1	0.6	65	26.8	8.0	8.0	24.0	24.0	68.7	68.7	4.8	4.8	14.9	14.9	7	7	-	-							
						4.1	0.6	69	26.8	8.0	8.0	24.0	24.0	68.7	68.7	4.8	4.8	14.7	14.7	6	6	-	-							
					Bottom	7.2	0.5	65	26.7	8.0	8.0	24.8	24.8	68.9	68.9	4.8	4.8	25.4	25.4	7	7	-	-							
						7.2	0.5	66	26.7	8.0	8.0	24.8	24.8	68.8	68.8	4.8	4.8	25.4	25.4	7	7	-	-							
SR4A	Cloudy	Moderate	08:28	9.2	Surface	1.0	0.1	79	26.9	7.9	7.9	24.1	24.1	71.7	71.7	5.0	5.0	7.2	7.2	9	9	-	-	817176	807837	-	-	-		
						1.0	0.1	86	26.9	7.9	7.9	24.1	24.1	71.7	71.7	5.0	5.0	7.2	7.2	10	10	-	-							
					Middle	4.6	0.2	90	26.7	7.9	7.9	24.8	24.8	69.8	69.9	4.9	4.9	9.7	9.7	10	10	-	-							
						4.6	0.3	97	26.7	7.9	7.9	24.8	24.8	69.9	69.9	4.9	4.9	9.9	9.9	10	10	-	-							
					Bottom	8.2	0.3	78	26.5	8.0	8.0	25.9	25.9	71.5	71.6	5.0	5.0	12.6	12.6	12	12	-	-							
						8.2	0.3	78	26.5	8.0	8.0	25.9	25.9	71.6	71.6	5.0	5.0	12.4	12.4	11	11	-	-							
SR5A	Cloudy	Calm	08:10	3.8	Surface	1.0	0.1	243	26.9	7.9	7.9	23.6	23.6	74.9	74.9	5.2	5.2	8.8	8.8	11	11	-	-	816567	810724	-	-			

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 15 September 18 during Mid-Flood Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)	
C1	Fine	Moderate	11:32	8.9	Surface	1.0	0.7	46	27.7	27.7	8.0	8.0	21.1	21.0	78.8	78.8	5.5	5.5	13.5	15.8	4	4	85	89	815610	804251	<0.2	<0.2	2.0	2.0
						1.0	0.7	48	27.7	27.7	8.0	8.0	20.9	20.9	78.8	78.8	5.5	5.5	13.4	15.8	5	4	86	89			<0.2	<0.2	2.0	2.0
					Middle	4.5	0.3	35	26.9	26.9	8.1	8.1	27.6	27.6	78.3	78.5	5.4	5.4	15.6	15.4	4	4	89	90			<0.2	<0.2	2.0	2.0
						4.5	0.3	35	26.9	26.9	8.1	8.1	27.6	27.6	78.7	78.7	5.4	5.4	15.4	15.4	4	4	90	93			<0.2	<0.2	2.0	2.0
					Bottom	7.9	0.4	31	26.9	26.9	8.1	8.1	28.0	28.0	80.9	80.9	5.5	5.5	18.5	18.5	5	4	93	98			<0.2	<0.2	1.9	1.9
						7.9	0.4	33	26.9	26.9	8.1	8.1	28.0	28.0	81.1	81.0	5.5	5.5	18.6	18.6	4	4	93	98			<0.2	<0.2	2.2	2.2
C2	Fine	Moderate	12:30	12.0	Surface	1.0	0.3	27	28.3	28.3	7.9	7.9	16.9	16.9	71.3	71.3	5.1	4.9	8.9	14.7	4	4	79	83	825662	806966	<0.2	<0.2	3.1	2.8
						1.0	0.3	28	28.3	28.3	7.9	7.9	16.9	16.9	71.3	71.3	5.1	4.9	8.9	14.7	3	4	79	82			<0.2	<0.2	2.7	2.9
					Middle	6.0	0.2	358	27.4	27.4	7.9	7.9	22.6	22.6	67.0	67.1	4.7	4.7	15.0	15.1	4	4	82	87			<0.2	<0.2	2.6	2.5
						6.0	0.2	329	27.4	27.4	7.9	7.9	22.6	22.6	67.1	67.1	4.7	4.7	15.1	15.1	4	4	82	87			<0.2	<0.2	2.6	2.5
					Bottom	11.0	0.3	322	26.9	26.9	7.9	7.9	24.4	24.4	66.8	66.8	4.7	4.7	20.2	20.1	4	4	87	91			<0.2	<0.2	2.7	2.7
						11.0	0.3	330	26.9	26.9	7.9	7.9	24.4	24.4	66.8	66.8	4.7	4.7	20.1	20.1	4	4	87	91			<0.2	<0.2	2.7	2.7
C3	Fine	Moderate	10:39	11.8	Surface	1.0	0.4	218	27.7	27.7	7.9	7.9	22.5	22.5	74.0	74.0	5.1	5.0	7.7	9.2	4	5	82	87	822121	817826	<0.2	<0.2	2.4	2.5
						1.0	0.5	230	27.7	27.7	7.9	7.9	22.5	22.5	74.0	74.0	5.1	5.0	7.7	9.2	5	5	82	88			<0.2	<0.2	2.4	2.3
					Middle	5.9	0.4	233	27.2	27.2	7.9	7.9	23.8	23.9	70.2	70.1	4.9	4.9	7.9	7.9	6	6	88	91			<0.2	<0.2	2.6	2.7
						5.9	0.4	255	27.2	27.2	7.9	7.9	23.9	23.9	70.0	70.0	4.9	4.9	7.9	7.9	6	6	88	91			<0.2	<0.2	2.6	2.7
					Bottom	10.8	0.6	269	26.7	26.7	8.0	8.0	25.7	25.7	70.6	70.7	4.9	4.9	12.0	11.9	4	4	91	96			<0.2	<0.2	2.7	2.6
						10.8	0.6	278	26.7	26.7	8.0	8.0	25.7	25.7	70.7	70.7	4.9	4.9	11.9	11.9	4	4	91	96			<0.2	<0.2	2.6	2.6
IM1	Fine	Moderate	11:51	5.6	Surface	1.0	0.1	310	28.0	28.0	7.9	7.9	18.6	18.6	83.9	84.0	5.9	5.9	7.9	8.0	5	5	86	88	817967	807132	<0.2	<0.2	1.7	1.8
						1.0	0.1	313	28.0	28.0	7.9	7.9	18.6	18.6	84.1	84.1	5.9	5.9	8.0	8.0	5	5	86	88			<0.2	<0.2	1.8	1.8
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	87	-		<0.2	<0.2	-	-
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87	-		<0.2	<0.2	-	-
					Bottom	4.6	0.0	303	27.9	27.9	7.9	7.9	18.8	18.8	88.3	88.5	6.2	6.3	8.1	8.1	4	4	88	89	<0.2		<0.2	1.8	1.7	
						4.6	0.0	330	27.9	27.9	7.9	7.9	18.8	18.8	88.7	88.7	6.3	6.3	7.9	7.9	6	6	89	90	<0.2		<0.2	1.7	1.7	
IM2	Fine	Moderate	11:59	7.7	Surface	1.0	0.3	324	28.1	28.1	7.9	7.9	18.9	18.9	79.1	79.1	5.6	5.4	9.2	12.9	3	4	84	89	818170	806168	<0.2	<0.2	1.8	1.9
						1.0	0.4	350	28.1	28.1	7.9	7.9	18.9	18.9	79.0	79.1	5.6	5.4	9.4	12.9	4	4	85	89			<0.2	<0.2	2.0	2.0
					Middle	3.9	0.5	346	27.2	27.2	8.0	8.0	24.6	24.6	74.5	74.6	5.2	5.2	11.6	11.4	3	3	89	90			<0.2	<0.2	1.8	1.8
						3.9	0.5	354	27.2	27.2	8.0	8.0	24.6	24.6	74.7	74.7	5.2	5.2	11.4	11.4	5	5	90	93			<0.2	<0.2	1.8	1.7
					Bottom	6.7	0.4	12	27.2	27.2	7.9	7.9	24.7	24.7	79.7	79.9	5.5	5.5	17.8	17.9	3	3	93	94			<0.2	<0.2	1.7	2.1
						6.7	0.4	12	27.2	27.2	7.9	7.9	24.7	24.7	80.1	80.1	5.5	5.5	17.9	17.9	5	5	94	94			<0.2	<0.2	2.1	2.1
IM3	Fine	Moderate	12:05	7.9	Surface	1.0	0.4	352	28.1	28.1	7.9	7.9	18.8	18.8	77.5	77.5	5.5	5.4	12.6	14.0	6	6	86	87	818767	805587	<0.2	<0.2	2.5	2.3
						1.0	0.4	324	28.0	28.0	7.9	7.9	18.8	18.8	77.4	77.4	5.5	5.4	12.3	14.0	4	4	87	89			<0.2	<0.2	2.3	2.3
					Middle	4.0	0.4	8	27.1	27.1	8.0	8.0	25.0	25.0	74.7	74.8	5.2	5.2	13.7	13.5	5	6	90	90			<0.2	<0.2	1.8	2.5
						4.0	0.4	8	27.1	27.1	8.0	8.0	25.0	25.0	74.9	74.8	5.2	5.2	13.5	13.5	6	6	90	90			<0.2	<0.2	2.5	2.5
					Bottom	6.9	0.3	17	27.1	27.1	8.0	8.0	25.4	25.3	80.6	80.8	5.6	5.6	16.1	15.7	5	7	94	95			<0.2	<0.2	2.5	2.4
						6.9	0.3	18	27.1	27.1	8.0	8.0	25.3	25.3	80.9	80.8	5.6	5.6	15.7	15.7	7	7	95	95			<0.2	<0.2	2.4	2.4
IM4	Fine	Moderate	12:14	8.0	Surface	1.0	0.5	5	27.8	27.8	7.9	7.9	20.3	20.3	76.4	76.4	5.4	5.3	11.9	12.9	5	7	86	87	819725	804626	<0.2	<0.2	2.5	2.3
						1.0	0.5	5	27.8	27.8	7.9	7.9	20.3	20.3	76.4	76.4	5.4	5.3	12.0	12.9	7	7	87	89			<0.2	<0.2	2.3	2.6
					Middle	4.0	0.4	357	27.2	27.2	8.0	8.0	24.9	24.9	75.6	75.7	5.2	5.2	12.8	12.9	7	7	89	91			<0.2	<0.2	2.6	2.5
						4.0	0.4	328	27.2	27.2	8.0	8.0	24.9	24.9	75.8	75.8	5.2	5.2	12.9	12.9	8	6	91	93			<0.2	<0.2	2.5	2.6
					Bottom	7.0	0.4	358	27.2	27.2	8.0	8.0	24.9	24.8	80.0	80.2	5.5	5.6	14.1	13.7	6	7	93	94						

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 15 September 18 during Mid-Flood Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)			
									Value	Average	Value	Average	Value	Average	Value	Average	Value	DA	Value	DA	Value	DA	Value	DA			Value	DA	Value	DA		
IM9	Fine	Moderate	11:54	7.6	Surface	1.0	0.2	48	28.7	28.7	7.9	7.9	14.7	14.7	75.1	75.1	5.4		9.2		4		78		83	822067	808832	<0.2		2.4		
						1.0	0.2	52	28.7	28.7	7.9	7.9	14.7	14.7	75.0	75.1	5.3	5.2	9.2		5		78					<0.2		2.5		
					Middle	3.8	0.3	40	27.9	27.9	7.9	7.9	18.6	18.6	70.9	71.0	5.0		10.7		5		82					<0.2		2.5		
						3.8	0.3	41	27.9	27.9	7.9	7.9	18.6	18.6	71.0	71.0	5.0		10.8		6		82					<0.2		2.3		
					Bottom	6.6	0.3	78	27.6	27.6	7.9	7.9	21.3	21.3	69.9	69.9	4.9	4.9	14.4		7		88					<0.2		2.7		
						6.6	0.3	84	27.6	27.6	7.9	7.9	21.3	21.3	69.9	69.9	4.9	4.9	14.4		5		88					<0.2		2.5		
IM10	Fine	Moderate	11:45	7.8	Surface	1.0	0.3	35	28.8	28.8	7.9	7.9	13.9	13.9	77.1	77.1	5.5		10.8		6		78		83	822359	809808	<0.2		2.1		
						1.0	0.3	38	28.8	28.8	7.9	7.9	13.9	13.9	77.1	77.1	5.5	5.3	10.9		6		78					<0.2		1.9		
					Middle	3.9	0.4	339	27.9	27.9	7.9	7.9	20.4	20.4	72.6	72.6	5.1		15.9		6		83					<0.2		1.7		
						3.9	0.4	312	27.9	27.9	7.9	7.9	20.3	20.4	72.5	72.6	5.1		16.4		4		83					<0.2		1.9		
					Bottom	6.8	0.5	316	27.4	27.4	7.9	7.9	23.0	23.0	71.5	71.5	5.0	5.0	20.6		7		88					<0.2		1.9		
						6.8	0.5	346	27.4	27.4	7.9	7.9	23.0	23.0	71.5	71.5	5.0	5.0	20.5		6		88					<0.2		1.8		
IM11	Fine	Moderate	11:34	8.6	Surface	1.0	0.3	325	28.1	28.1	7.9	7.9	20.6	20.6	75.9	75.8	5.3		8.4		6		81		86	822081	811468	<0.2		2.0		
						1.0	0.4	327	28.1	28.1	7.9	7.9	20.6	20.6	75.7	75.8	5.3	5.1	8.5		4		81					<0.2		1.9		
					Middle	4.3	0.4	299	27.4	27.4	7.9	7.9	23.1	23.1	69.8	69.8	4.9		12.6		4		87					<0.2		2.2		
						4.3	0.4	304	27.4	27.4	7.9	7.9	23.1	23.1	69.8	69.8	4.9		12.6		4		88					<0.2		1.9		
					Bottom	7.6	0.2	297	27.1	27.1	7.9	7.9	24.1	24.1	68.5	68.5	4.8	4.8	15.1		5		90					<0.2		1.7		
						7.6	0.2	323	27.1	27.1	7.9	7.9	24.1	24.1	68.5	68.5	4.8	4.8	15.1		6		90					<0.2		1.8		
IM12	Fine	Moderate	11:27	8.9	Surface	1.0	0.5	282	27.9	27.9	7.9	7.9	21.5	21.5	74.1	74.0	5.2		10.0		8		81		86	821466	812022	<0.2		1.7		
						1.0	0.5	304	27.9	27.9	7.9	7.9	21.5	21.5	73.9	74.0	5.1	5.0	10.2		7		82					<0.2		1.7		
					Middle	4.5	0.5	287	27.4	27.4	7.9	7.9	23.2	23.2	70.6	70.6	4.9		15.2		7		87					<0.2		1.7		
						4.5	0.6	289	27.4	27.4	7.9	7.9	23.2	23.2	70.5	70.6	4.9		15.2		8		88					<0.2		1.8		
					Bottom	7.9	0.4	285	27.2	27.2	7.9	7.9	23.7	23.7	70.4	70.4	4.9	4.9	19.4		6		90					<0.2		2.0		
						7.9	0.4	293	27.2	27.2	7.9	7.9	23.7	23.7	70.4	70.4	4.9	4.9	19.5		5		89					<0.2		1.8		
SR2	Fine	Moderate	11:01	4.3	Surface	1.0	0.2	320	27.7	27.7	7.9	7.9	22.4	22.4	73.7	73.6	5.1		9.5		10		82		85	821449	814142	<0.2		1.8		
						1.0	0.2	320	27.7	27.7	7.9	7.9	22.4	22.4	73.5	73.6	5.1	5.1	9.5		8		82					<0.2		1.8		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-					-		-				<0.2		-		
						-	-	-	-	-	-	-	-	-	-	-	-					-		-				<0.2		-		
					Bottom	3.3	0.0	328	27.2	27.2	7.9	7.9	23.8	23.8	71.0	71.1	4.9	5.0	13.7		6		87		<0.2				1.7			
						3.3	0.0	344	27.2	27.2	7.9	7.9	23.8	23.8	71.2	71.1	5.0	5.0	13.7		6		87		<0.2				1.7			
SR3	Fine	Moderate	12:09	9.2	Surface	1.0	0.2	22	28.5	28.5	7.9	7.9	15.3	15.3	73.6	73.6	5.3		12.6		4		-		82	822126	807587	-		-		
						1.0	0.2	23	28.5	28.5	7.9	7.9	15.3	15.3	73.5	73.6	5.2	5.1	12.8		5		-					-		-		
					Middle	4.6	0.2	77	27.8	27.8	7.9	7.9	20.0	20.0	71.5	71.6	5.0		14.8		3		-					-		-		
						4.6	0.2	78	27.8	27.8	7.9	7.9	20.0	20.0	71.6	71.6	5.0		15.3		5		-					-		-		
					Bottom	8.2	0.2	76	27.6	27.6	8.0	8.0	21.9	21.9	71.5	71.6	5.0	5.0	17.7		3		-					-		-		
						8.2	0.2	83	27.6	27.6	8.0	8.0	21.9	21.9	71.6	71.6	5.0	5.0	17.5		3		-					-		-		
SR4A	Fine	Moderate	11:09	8.6	Surface	1.0	0.1	35	28.2	28.2	7.9	7.9	19.7	19.7	79.1	79.1	5.5		5.8		5		-		81	817197	807821	-		-		
						1.0	0.1	36	28.3	28.3	7.9	7.9	19.7	19.7	79.1	79.1	5.5	5.4	5.8		6		-					-		-		
					Middle	4.3	0.1	246	27.8	27.8	7.9	7.9	23.3	23.3	76.8	76.8	5.3		5.8		5		-					-		-		
						4.3	0.1	254	27.8	27.8	7.9	7.9	23.3	23.3	76.8	76.8	5.3		5.8		7		-					-		-		
					Bottom	7.6	0.1	234	27.7	27.7	7.9	7.9	23.4	23.4	78.2	78.3	5.4	5.4	6.2		5		-					-		-		
						7.6	0.2	244	27.7	27.7	7.9	7.9	23.4	23.4	78.4	78.3	5.4	5.4	6.1		4		-					-		-		
SR5A	Fine	Moderate	10:52	4.3	Surface	1.0	0.2	254	27.7	27.7	7.9	7.9	23.3	23.3	78.6	78.6	5.4		4.													

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 18 September 18 during Mid-Ebb Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)	
C1	Fine	Moderate	07:44	8.8	Surface	1.0	0.1	162	26.9	26.9	8.0	8.0	23.2	23.2	93.4	93.4	6.6	6.5	5.1	8.1	7	8	82	86	815609	804230	<0.2	1.7		
						1.0	0.1	171	26.9		8.0	8.0	23.2	23.2	93.4	93.4	6.6	6.5	5.1	8.1	6	8	83	86						
					Middle	4.4	0.1	54	26.8	26.8	8.0	8.0	23.4	23.4	91.7	91.7	6.4	6.4	6.5	8.1	7	8	85	86						
						4.4	0.1	59	26.8		8.0	8.0	23.4	23.4	91.7	91.7	6.4	6.4	6.6	8.1	6	8	86	86						
					Bottom	7.8	0.1	10	26.6	26.6	8.1	8.1	26.6	26.6	88.4	88.4	6.1	6.1	12.6	8.1	9	8	91	91						
						7.8	0.1	10	26.6		8.1	8.1	26.6	26.6	88.4	88.4	6.1	6.1	12.5	8.1	10	8	91	91						
C2	Fine	Rough	09:18	10.1	Surface	1.0	0.8	173	27.5	27.5	7.9	7.9	12.1	12.1	87.9	87.9	6.5	6.3	10.6	11.1	4	4	78	82	825686	806973	<0.2	4.4		
						1.0	0.9	181	27.5		7.9	7.9	12.1	12.1	87.7	87.7	6.5	6.3	10.9	11.1	4	4	79	82						
					Middle	5.1	0.5	161	26.8	26.8	8.0	8.0	23.6	23.6	86.2	86.2	6.0	6.0	11.1	11.0	3	4	81	82						
						5.1	0.5	164	26.8		8.0	8.0	23.7	23.6	86.2	86.2	6.0	6.0	11.0	11.0	3	4	82	87						
					Bottom	9.1	0.2	171	26.8	26.8	8.0	8.0	24.2	24.2	86.6	86.6	6.1	6.1	11.5	11.5	4	4	87	87						
						9.1	0.2	176	26.8		8.0	8.0	24.2	24.2	86.6	86.6	6.1	6.1	11.5	11.5	4	4	87	87						
C3	Cloudy	Moderate	07:32	12.3	Surface	1.0	0.2	301	26.6	26.6	8.1	8.1	25.4	25.4	92.5	92.5	6.4	6.4	10.4	9.9	6	7	75	82	822118	817808	<0.2	4.3		
						1.0	0.2	305	26.6		8.1	8.1	25.4	25.4	92.4	92.4	6.4	6.4	10.4	9.9	6	7	75	82						
					Middle	6.2	0.2	277	26.6	26.6	8.1	8.1	25.8	25.8	91.8	91.8	6.4	6.4	9.6	9.9	8	7	82	83						
						6.2	0.2	292	26.6		8.1	8.1	25.8	25.8	91.7	91.7	6.4	6.4	9.6	9.9	8	7	83	88						
					Bottom	11.3	0.2	263	26.6	26.6	8.1	8.1	26.2	26.2	91.9	91.9	6.4	6.4	9.6	9.9	8	7	88	87						
						11.3	0.2	281	26.6		8.1	8.1	26.2	26.2	91.9	91.9	6.4	6.4	9.6	9.9	8	7	87	87						
IM1	Fine	Moderate	08:09	5.0	Surface	1.0	0.1	90	26.8	26.8	8.0	8.0	24.6	24.6	91.7	91.7	6.4	6.4	7.2	9.5	9	9	87	87	817947	807120	<0.2	1.4		
						1.0	0.1	90	26.8		8.0	8.0	24.6	24.6	91.7	91.7	6.4	6.4	7.2	9.5	9	9	87	87						
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9.5	-	9	89	-						
						-	-	-	-		-	-	-	-	-	-	-	-	-	9.5	-	9	89	-						
					Bottom	4.0	0.1	45	26.7	26.7	8.0	8.0	25.7	25.7	89.5	89.5	6.2	6.2	11.7	10.0	9	7	90	90						
						4.0	0.1	45	26.7		8.0	8.0	25.7	25.7	89.5	89.5	6.2	6.2	11.8	10.0	8	7	90	90						
IM2	Fine	Moderate	08:16	7.2	Surface	1.0	0.3	200	26.8	26.8	8.0	8.0	24.2	24.2	91.5	91.6	6.4	6.3	5.6	10.0	6	7	83	87	818178	806175	<0.2	1.6		
						1.0	0.3	216	26.8		8.0	8.0	24.2	24.2	91.6	91.6	6.4	6.3	5.6	10.0	6	7	83	86						
					Middle	3.6	0.1	314	26.7	26.7	8.0	8.0	25.0	25.0	89.5	89.5	6.2	6.2	8.5	10.0	8	7	86	86						
						3.6	0.1	342	26.7		8.0	8.0	24.9	25.0	89.4	89.5	6.2	6.2	8.5	10.0	8	7	86	86						
					Bottom	6.2	0.2	343	26.6	26.6	8.0	8.0	26.7	26.7	87.7	87.7	6.1	6.1	15.7	10.0	8	7	91	90						
						6.2	0.2	353	26.6		8.0	8.0	26.7	26.7	87.7	87.7	6.1	6.1	15.8	10.0	7	7	90	90						
IM3	Fine	Moderate	08:24	7.4	Surface	1.0	0.5	228	26.9	26.9	8.0	8.0	23.3	23.3	92.1	92.1	6.5	6.4	6.3	10.0	9	9	81	85	818764	805594	<0.2	1.6		
						1.0	0.5	232	26.9		8.0	8.0	23.3	23.3	92.1	92.1	6.5	6.4	6.4	10.0	8	9	81	85						
					Middle	3.7	0.3	227	26.8	26.8	8.0	8.0	24.2	24.2	90.1	90.1	6.3	6.3	8.4	10.0	9	9	85	85						
						3.7	0.3	235	26.8		8.0	8.0	24.2	24.2	90.1	90.1	6.3	6.3	8.4	10.0	9	9	85	85						
					Bottom	6.4	0.1	320	26.7	26.7	8.0	8.0	25.5	25.6	88.6	88.6	6.2	6.2	15.2	10.0	9	9	90	89						
						6.4	0.1	322	26.7		8.0	8.0	25.6	25.6	88.6	88.6	6.2	6.2	15.4	10.0	8	9	89	89						
IM4	Fine	Moderate	08:35	7.5	Surface	1.0	0.5	223	27.5	27.5	7.9	7.9	14.1	14.1	92.5	92.5	6.8	6.7	4.8	8.4	5	6	78	82	819697	804612	<0.2	3.6		
						1.0	0.5	243	27.5		7.9	7.9	14.1	14.1	92.5	92.5	6.8	6.7	4.9	8.4	5	6	78	81						
					Middle	3.8	0.4	206	26.9	26.9	7.9	7.9	21.0	21.0	92.0	92.0	6.5	6.5	7.2	8.4	5	6	82	81						
						3.8	0.4	216	26.9		7.9	7.9	21.0	21.0	92.0	92.0	6.5	6.5	7.3	8.4	6	6	81	86						
					Bottom	6.5	0.2	230	26.7	26.7	8.0	8.0	24.2	24.2	87.4	87.4	6.1	6.1	13.1	8.4	7	6	86	87						
						6.5	0.2	230	26.7		8.0	8.0	24.3	24.2	87.4	87.														

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 18 September 18 during Mid-Ebb Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)	
IM9	Fine	Rough	08:44	7.0	Surface	1.0	0.5	196	27.2	7.9	7.9	15.7	15.4	91.8	91.8	6.7	6.6	9.6	9.9	4	5	78	84	822080	808812	<0.2	<0.2	3.8	4.4	
						1.0	0.5	197	27.2	7.9	7.9	15.1	15.4	91.8	91.8	6.7	6.6	9.6	9.9	4	5	79	84	822080	808812	<0.2	<0.2	4.7	4.4	
					Middle	3.5	0.2	191	26.9	26.9	8.0	8.0	20.7	20.7	91.5	91.5	6.5	6.5	10.1	9.9	4	5	84	84	822080	808812	<0.2	<0.2	4.3	4.4
						3.5	0.2	198	26.9	26.9	8.0	8.0	20.8	20.7	91.5	91.5	6.5	6.5	10.0	9.9	5	5	84	84	822080	808812	<0.2	<0.2	4.3	4.4
					Bottom	6.0	0.2	207	26.9	26.9	8.0	8.0	21.1	21.1	91.7	91.7	6.5	6.5	10.0	9.9	5	5	88	88	822080	808812	<0.2	<0.2	4.6	4.4
						6.0	0.2	208	26.9	26.9	8.0	8.0	21.1	21.1	91.8	91.8	6.5	6.5	10.0	9.9	6	5	89	88	822080	808812	<0.2	<0.2	4.4	4.4
IM10	Fine	Rough	08:38	7.6	Surface	1.0	0.4	150	27.0	27.0	8.0	8.0	17.4	17.9	90.5	90.6	6.5	6.5	10.6	14.1	6	6	76	82	822378	809792	<0.2	<0.2	4.7	4.2
						1.0	0.4	154	27.0	27.0	8.0	8.0	18.3	17.9	90.7	90.6	6.5	6.5	10.8	14.1	5	6	76	82	822378	809792	<0.2	<0.2	4.5	4.2
					Middle	3.8	0.3	128	26.9	26.9	8.0	8.0	22.1	22.1	91.0	91.0	6.4	6.4	13.3	14.1	6	6	81	81	822378	809792	<0.2	<0.2	3.8	4.2
						3.8	0.3	128	26.9	26.9	8.0	8.0	22.1	22.1	91.0	91.0	6.4	6.4	13.5	14.1	7	6	81	81	822378	809792	<0.2	<0.2	4.9	4.2
					Bottom	6.6	0.2	137	26.8	26.8	8.0	8.0	23.1	23.1	91.0	91.0	6.4	6.4	18.4	14.1	7	6	88	88	822378	809792	<0.2	<0.2	3.6	4.2
						6.6	0.2	143	26.8	26.8	8.0	8.0	23.1	23.1	91.1	91.1	6.4	6.4	18.2	14.1	7	6	88	88	822378	809792	<0.2	<0.2	3.7	4.2
IM11	Fine	Rough	08:28	8.0	Surface	1.0	0.2	101	26.9	26.9	8.0	8.0	20.7	20.7	91.4	91.4	6.5	6.5	11.2	16.9	6	8	76	81	822028	811458	<0.2	<0.2	3.9	4.2
						1.0	0.2	103	26.9	26.9	8.0	8.0	20.7	20.7	91.4	91.4	6.5	6.5	11.5	16.9	6	8	76	81	822028	811458	<0.2	<0.2	3.8	4.2
					Middle	4.0	0.1	108	26.9	26.9	8.0	8.0	22.6	22.6	91.8	91.8	6.5	6.5	19.2	16.9	8	8	81	81	822028	811458	<0.2	<0.2	3.8	4.2
						4.0	0.1	111	26.9	26.9	8.0	8.0	22.7	22.6	91.8	91.8	6.5	6.5	19.6	16.9	9	8	82	84	822028	811458	<0.2	<0.2	4.6	4.2
					Bottom	7.0	0.1	133	26.9	26.9	8.0	8.0	24.0	24.0	92.2	92.3	6.4	6.4	20.2	16.9	9	8	84	85	822028	811458	<0.2	<0.2	4.6	4.2
						7.0	0.1	141	26.9	26.9	8.0	8.0	24.0	24.0	92.3	92.3	6.4	6.4	19.9	16.9	8	8	85	85	822028	811458	<0.2	<0.2	4.8	4.2
IM12	Fine	Rough	08:20	8.1	Surface	1.0	0.2	106	26.8	26.8	8.0	8.0	22.5	22.6	93.2	93.1	6.6	6.6	11.3	13.3	5	6	76	82	821460	812055	<0.2	<0.2	3.9	4.1
						1.0	0.2	110	26.8	26.8	8.0	8.0	22.6	22.6	93.0	93.1	6.6	6.6	11.5	13.3	5	6	76	82	821460	812055	<0.2	<0.2	3.9	4.1
					Middle	4.1	0.2	117	26.8	26.8	8.0	8.0	23.1	23.1	92.0	91.9	6.5	6.5	13.8	13.3	6	6	82	82	821460	812055	<0.2	<0.2	4.1	4.1
						4.1	0.2	127	26.8	26.8	8.0	8.0	23.0	23.1	91.8	91.9	6.5	6.5	14.1	13.3	6	6	82	82	821460	812055	<0.2	<0.2	4.4	4.1
					Bottom	7.1	0.1	303	26.8	26.8	8.0	8.0	24.3	24.3	90.5	90.5	6.3	6.3	14.4	13.3	8	6	87	87	821460	812055	<0.2	<0.2	4.3	4.1
						7.1	0.1	323	26.8	26.8	8.0	8.0	24.3	24.3	90.5	90.5	6.3	6.3	14.6	13.3	8	6	87	87	821460	812055	<0.2	<0.2	4.2	4.1
SR2	Cloudy	Moderate	07:53	5.0	Surface	1.0	0.2	90	26.8	26.8	8.0	8.0	23.7	23.7	90.3	90.3	6.3	6.3	14.9	16.6	4	5	77	81	821443	814167	<0.2	<0.2	4.0	4.0
						1.0	0.2	90	26.8	26.8	8.0	8.0	23.7	23.7	90.2	90.3	6.3	6.3	15.0	16.6	5	5	78	81	821443	814167	<0.2	<0.2	4.1	4.0
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16.6	-	5	-	81	814167	<0.2	<0.2	-	4.0	
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	16.6	-	5	-	81	814167	<0.2	<0.2	-	4.0	
					Bottom	4.0	0.1	66	26.7	26.7	8.0	8.0	24.6	24.6	90.7	90.8	6.3	6.3	18.3	16.6	5	5	84	84	821443	814167	<0.2	<0.2	4.0	4.0
						4.0	0.1	72	26.7	26.7	8.0	8.0	24.6	24.6	90.9	90.8	6.3	6.3	18.0	16.6	6	5	84	84	821443	814167	<0.2	<0.2	4.0	4.0
SR3	Fine	Rough	08:56	8.7	Surface	1.0	0.7	193	27.2	27.2	8.0	8.0	15.1	14.9	91.9	91.9	6.7	6.5	9.5	11.5	4	4	-	-	822151	807569	-	-	-	-
						1.0	0.7	201	27.2	27.2	8.0	8.0	14.8	14.9	91.8	91.9	6.7	6.5	9.5	11.5	3	4	-	-	822151	807569	-	-	-	-
					Middle	4.4	0.5	217	26.8	26.8	8.0	8.0	22.7	22.7	90.2	90.1	6.4	6.2	10.6	11.5	3	4	-	-	822151	807569	-	-	-	-
						4.4	0.5	237	26.8	26.8	8.0	8.0	22.7	22.7	89.9	90.1	6.3	6.2	10.7	11.5	4	4	-	-	822151	807569	-	-	-	-
					Bottom	7.7	0.4	228	26.8	26.8	8.0	8.0	24.5	24.5	89.1	89.2	6.2	6.2	14.5	11.5	4	4	-	-	822151	807569	-	-	-	-
						7.7	0.4	237	26.8	26.8	8.0	8.0	24.5	24.5	89.3	89.3	6.2	6.2	14.3	11.5	4	4	-	-	822151	807569	-	-	-	-
SR4A	Cloudy	Calm	07:22	9.3	Surface	1.0	0.4	252	26.7	26.7	8.0	8.0	25.1	25.1	90.2	90.2	6.3	6.3	6.2	9.6	8	8	-	-	817190	807799	-	-	-	-
						1.0	0.4	274	26.7	26.7	8.0	8.0	25.1	25.1	90.2	90.2	6.3	6.3	6.2	9.6	8	8	-	-	817190	807799	-	-	-	-
					Middle	4.7	0.4	247	26.7	26.7	8.0	8.0	26.1	26.1	88.8	88.8	6.2	6.2	9.5	9.6	8	8	-	-	817190	807799	-	-	-	-
						4.7	0.4	259	26.7	26.7	8.0	8.0	26.1	26.1	88.8	88.8	6.2	6.2	9.5	9.6	7	8	-	-	817190	807799	-	-	-	-
					Bottom	8.3	0.3	249	26.7	26.7	8.0	8.0	26.2	26.2	88.6	88.6	6.1	6.1	13.1	9.6	8	8	-	-	817190	807799	-	-	-	-
						8.3	0.3	268	26.7	26.7	8.0	8.0	26.2	26.2	88.6	88.6	6.1	6.1	13.1	9.6	8	8	-	-	817190	807799	-	-	-	-
SR5A	Cloudy	Calm	07:04	3.8	Surface	1.0	0.2	284	26.7																					

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 18 September 18 during Mid-Flood Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)	
C1	Fine	Moderate	19:52	8.2	Surface	1.0	0.4	203	27.7	27.7	8.0	8.0	19.9	19.9	95.0	6.7	6.6	3.9	8.8	5	6	81	86	86	815601	804271	<0.2	2.2	2.2	
						1.0	0.5	204	27.7		8.0	8.0	19.9	19.9	94.9	6.7	6.6	4.1		6	81	86	86				<0.2	2.2		
					Middle	4.1	0.5	196	27.0	27.0	8.0	8.0	22.4	22.4	92.1	6.5	6.0	5.6	8.8	6	86	86	86	86	815601	804271	<0.2	2.0		
						4.1	0.5	202	27.0		8.0	8.0	22.4	22.4	92.0	6.5	6.0	5.7		7	86	86	86				<0.2	2.2		
					Bottom	7.2	0.4	226	26.6	26.7	8.1	8.0	26.8	26.6	86.6	6.0	6.0	16.8	8.8	6	92	86	86	86	815601	804271	<0.2	2.2		
						7.2	0.4	244	26.7		8.0	8.0	26.4	26.6	87.9	6.1	6.1	16.7		7	91	86	86				<0.2	2.3		
C2	Fine	Rough	18:46	10.2	Surface	1.0	1.0	170	27.9	27.8	8.0	8.0	10.4	10.4	86.5	6.4	6.2	11.8	15.8	4	78	84	84	83	825693	806957	<0.2	4.0	4.6	
						1.0	1.1	171	27.7		8.0	8.0	10.5	10.4	86.3	6.4	6.2	12.3		5	79	84	84				<0.2	4.6		
					Middle	5.1	0.6	153	26.9	26.9	8.0	8.0	21.5	21.5	85.1	6.0	6.0	16.5	15.8	5	84	84	84	83	825693	806957	<0.2	4.9		
						5.1	0.6	155	26.9		8.0	8.0	21.6	21.5	85.2	6.0	6.0	17.2		5	84	84	84				<0.2	5.0		
					Bottom	9.2	0.4	140	26.9	26.9	8.0	8.0	23.0	23.0	85.3	6.0	6.0	18.6	15.8	6	87	87	87	83	825693	806957	<0.2	4.4		
						9.2	0.4	152	26.9		8.0	8.0	23.0	23.0	85.4	6.0	6.0	18.4		5	88	87	87				<0.2	4.9		
C3	Fine	Moderate	20:33	11.0	Surface	1.0	0.1	51	27.0	27.0	8.1	8.1	23.4	23.4	89.8	6.3	6.2	11.3	12.1	6	80	85	85	85	822132	817788	<0.2	5.1	5.3	
						1.0	0.2	51	26.9		8.1	8.1	23.4	23.4	89.2	6.2	6.2	11.4		5	81	85	85				<0.2	5.3		
					Middle	5.5	0.2	105	26.7	26.7	8.1	8.1	24.8	24.8	87.7	6.1	6.1	12.2	12.1	9	85	86	86	85	822132	817788	<0.2	5.6		
						5.5	0.2	107	26.7		8.1	8.1	24.8	24.8	87.7	6.1	6.1	12.2		9	85	86	86				<0.2	4.9		
					Bottom	10.0	0.2	79	26.7	26.7	8.1	8.1	26.1	26.1	88.1	6.1	6.1	12.7	12.1	8	89	89	89	85	822132	817788	<0.2	5.7		
						10.0	0.2	82	26.7		8.1	8.1	26.1	26.1	88.3	6.1	6.1	12.7		9	90	89	89				<0.2	5.0		
IM1	Fine	Moderate	19:33	4.4	Surface	1.0	0.1	234	27.2	27.2	8.0	8.0	25.7	25.7	90.1	6.2	6.2	7.3	9.0	10	87	88	88	89	817948	807126	<0.2	1.5	1.4	
						1.0	0.2	245	27.2		8.0	8.0	25.7	25.7	90.0	6.2	6.2	7.3		11	88	88	88				<0.2	1.4		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	9.0	-	-	-	-	89	817948	807126	<0.2	-		
						-	-	-	-		-	-	-	-	-	-	-	-		-	-	-	-				<0.2	-		
					Bottom	3.4	0.1	201	26.8	26.7	8.0	8.0	26.2	26.2	87.0	6.0	6.0	10.6	9.0	10	91	91	91	89	817948	807126	<0.2	1.3		
						3.4	0.1	205	26.7		8.0	8.0	26.2	26.2	86.8	6.0	6.0	10.8		11	91	91	91				<0.2	1.3		
IM2	Fine	Moderate	19:22	6.7	Surface	1.0	0.6	214	27.4	27.4	8.0	8.0	20.8	20.8	92.2	6.5	6.4	17.0	13.8	18	81	87	87	86	818152	806161	<0.2	2.2	2.2	
						1.0	0.6	221	27.4		8.0	8.0	20.8	20.8	92.2	6.5	6.4	17.0		17	81	87	87				<0.2	2.3		
					Middle	3.4	0.4	211	26.9	26.9	8.0	8.0	24.6	24.7	90.0	6.3	6.3	13.1	13.8	20	87	86	86	86	818152	806161	<0.2	2.4		
						3.4	0.4	213	26.9		8.0	8.0	24.7	24.7	90.0	6.3	6.3	13.0		18	86	86	86				<0.2	2.1		
					Bottom	5.7	0.3	214	27.0	26.9	8.0	8.0	25.2	25.2	90.2	6.3	6.3	11.1	13.8	19	89	89	89	86	818152	806161	<0.2	2.1		
						5.7	0.4	222	26.9		8.0	8.0	25.2	25.2	90.1	6.2	6.2	11.3		20	90	89	89				<0.2	2.2		
IM3	Fine	Moderate	19:14	6.8	Surface	1.0	0.7	227	27.5	27.5	7.9	7.9	19.1	19.1	92.1	6.5	6.5	8.2	8.4	11	80	86	86	85	818777	805584	<0.2	2.8	3.0	
						1.0	0.8	243	27.5		7.9	7.9	19.1	19.1	92.1	6.5	6.5	8.2		11	80	86	86				<0.2	2.9		
					Middle	3.4	0.5	216	27.0	27.0	8.0	8.0	21.1	21.1	91.2	6.5	6.5	8.2	8.4	11	80	86	86	85	818777	805584	<0.2	3.3		
						3.4	0.5	217	27.0		8.0	8.0	21.1	21.1	91.2	6.5	6.5	8.3		12	86	86	86				<0.2	3.0		
					Bottom	5.8	0.4	206	26.8	26.8	8.0	8.0	23.7	23.7	90.3	6.3	6.3	8.5	8.4	12	88	88	88	85	818777	805584	<0.2	3.0		
						5.8	0.4	221	26.8		8.0	8.0	23.8	23.7	90.2	6.3	6.3	8.9		11	89	88	88				<0.2	3.1		
IM4	Fine	Moderate	19:03	7.0	Surface	1.0	0.8	203	27.8	27.8	7.9	7.9	14.8	14.8	91.5	6.6	6.6	7.0	12.1	10	78	80	80	82	819695	804597	<0.2	3.5	3.4	
						1.0	0.8	217	27.8		7.9	7.9	14.9	14.8	91.6	6.6	6.6	7.2		10	78	80	80				<0.2	3.8		
					Middle	3.5	0.7	208	27.2	27.2	7.9	7.9	18.8	18.8	91.1	6.5	6.5	9.9	12.1	12	80	81	81	82	819695	804597	<0.2	3.4		
						3.5	0.7	213	27.2		7.9	7.9	18.8	18.8	91.0	6.5	6.5	9.8												

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 18 September 18 during Mid-Flood Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)	
IM9	Fine	Rough	19:16	6.7	Surface	1.0	0.5	164	27.7	7.9	7.9	13.5	13.5	87.2	87.1	6.4	6.4	12.0	6.3	5	5	77	82	822111	808817	<0.2	<0.2	5.0	5.4	
						1.0	0.5	167	27.6	7.9	7.9	13.6	13.5	87.0	87.1	6.4	6.4	12.5	6.3	4	5	76	82	822111	808817	<0.2	<0.2	5.0	5.4	
					Middle	3.4	0.3	143	27.2	7.9	7.9	18.5	18.5	85.9	85.9	6.2	6.2	15.7	6.2	5	5	81	82	822111	808817	<0.2	<0.2	5.5	5.4	
						3.4	0.3	154	27.2	7.9	7.9	18.5	18.5	85.9	85.9	6.2	6.2	16.2	6.2	5	5	82	82	822111	808817	<0.2	<0.2	5.5	5.4	
					Bottom	5.7	0.1	132	27.2	8.0	8.0	19.0	19.0	87.0	87.1	6.2	6.2	19.2	6.2	6	5	87	82	822111	808817	<0.2	<0.2	5.7	5.4	
						5.7	0.1	134	27.2	8.0	8.0	19.0	19.0	87.1	87.1	6.2	6.2	19.0	6.2	5	5	87	82	822111	808817	<0.2	<0.2	5.7	5.4	
IM10	Fine	Rough	19:24	6.2	Surface	1.0	0.6	149	27.7	8.0	8.0	13.8	13.9	88.2	88.1	6.4	6.4	9.5	6.3	4	5	77	83	822379	809793	<0.2	<0.2	5.1	5.4	
						1.0	0.7	151	27.6	8.0	8.0	14.0	13.9	88.0	88.1	6.4	6.4	9.6	6.3	4	5	78	83	822379	809793	<0.2	<0.2	5.2	5.4	
					Middle	3.1	0.5	132	27.2	8.0	8.0	19.9	19.9	87.3	87.3	6.2	6.2	10.7	6.2	4	5	83	83	822379	809793	<0.2	<0.2	5.5	5.4	
						3.1	0.5	134	27.2	8.0	8.0	19.9	19.9	87.2	87.3	6.2	6.2	10.7	6.2	4	5	84	83	822379	809793	<0.2	<0.2	5.5	5.4	
					Bottom	5.2	0.4	113	27.2	8.0	8.0	20.2	20.2	88.1	88.1	6.3	6.3	10.1	6.3	5	5	88	83	822379	809793	<0.2	<0.2	5.5	5.4	
						5.2	0.4	114	27.2	8.0	8.0	20.2	20.2	88.2	88.2	6.3	6.3	9.9	6.3	6	5	89	83	822379	809793	<0.2	<0.2	5.4	5.4	
IM11	Fine	Rough	19:35	6.1	Surface	1.0	0.5	123	27.5	8.0	8.0	17.8	17.8	88.9	88.9	6.4	6.4	10.6	6.3	4	4	76	84	822059	811433	<0.2	<0.2	4.8	5.2	
						1.0	0.6	130	27.5	8.0	8.0	17.7	17.8	88.8	88.9	6.4	6.4	10.7	6.3	4	4	77	84	822059	811433	<0.2	<0.2	5.5	5.2	
					Middle	3.1	0.5	121	27.1	8.0	8.0	20.7	20.7	88.0	88.0	6.2	6.2	12.8	6.2	4	4	86	84	822059	811433	<0.2	<0.2	5.5	5.2	
						3.1	0.5	126	27.1	8.0	8.0	20.7	20.7	88.0	88.0	6.2	6.2	12.4	6.2	4	4	85	84	822059	811433	<0.2	<0.2	4.9	5.2	
					Bottom	5.1	0.3	100	27.0	8.0	8.0	21.0	21.0	88.2	88.2	6.3	6.3	13.0	6.3	4	4	89	84	822059	811433	<0.2	<0.2	5.1	5.2	
						5.1	0.3	106	27.0	8.0	8.0	21.0	21.0	88.1	88.1	6.2	6.2	13.1	6.3	4	4	89	84	822059	811433	<0.2	<0.2	5.3	5.2	
IM12	Fine	Rough	19:44	9.6	Surface	1.0	0.6	106	27.8	8.0	8.0	16.1	16.1	90.5	90.5	6.5	6.5	12.2	6.4	4	4	76	80	821471	812039	<0.2	<0.2	5.4	5.4	
						1.0	0.6	114	27.7	8.0	8.0	16.2	16.1	90.4	90.5	6.5	6.5	12.4	6.4	4	4	76	80	821471	812039	<0.2	<0.2	5.3	5.4	
					Middle	4.8	0.4	95	27.0	8.0	8.0	20.4	20.4	88.8	88.8	6.3	6.3	16.8	6.3	4	4	79	80	821471	812039	<0.2	<0.2	5.8	5.4	
						4.8	0.5	95	27.0	8.0	8.0	20.3	20.4	88.8	88.8	6.3	6.3	17.5	6.3	4	4	79	80	821471	812039	<0.2	<0.2	5.5	5.4	
					Bottom	8.6	0.3	85	26.8	8.1	8.1	24.0	24.0	88.3	88.2	6.2	6.2	17.4	6.2	4	4	85	80	821471	812039	<0.2	<0.2	5.1	5.4	
						8.6	0.3	92	26.8	8.1	8.1	24.0	24.0	88.1	88.2	6.2	6.2	17.4	6.2	4	4	85	80	821471	812039	<0.2	<0.2	5.5	5.4	
SR2	Fine	Moderate	20:11	4.0	Surface	1.0	0.4	86	27.4	8.0	8.0	18.2	18.2	90.0	90.0	6.4	6.4	10.9	6.4	6	5	75	79	821483	814143	<0.2	<0.2	5.0	5.3	
						1.0	0.5	93	27.4	8.0	8.0	18.2	18.2	89.9	90.0	6.4	6.4	11.0	6.4	4	5	75	79	821483	814143	<0.2	<0.2	5.0	5.3	
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79	821483	814143	<0.2	<0.2	-	5.3	
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79	821483	814143	<0.2	<0.2	-	5.3	
					Bottom	3.0	0.3	71	27.2	8.0	8.0	20.5	20.4	89.2	89.3	6.3	6.3	9.1	6.3	5	5	83	79	821483	814143	<0.2	<0.2	5.7	5.3	
						3.0	0.3	71	27.2	8.0	8.0	20.3	20.4	89.3	89.3	6.3	6.3	9.1	6.3	5	5	84	79	821483	814143	<0.2	<0.2	5.5	5.3	
SR3	Fine	Rough	19:02	8.3	Surface	1.0	0.3	175	27.7	8.0	8.0	12.4	12.4	87.2	87.3	6.4	6.4	10.9	6.3	5	5	-	-	822173	807599	-	-	-	-	
						1.0	0.3	177	27.6	8.0	8.0	12.4	12.4	87.3	87.3	6.4	6.4	11.0	6.3	6	5	-	-	822173	807599	-	-	-	-	
					Middle	4.2	0.1	342	27.0	8.0	8.0	21.4	21.4	86.6	86.6	6.1	6.1	13.1	6.1	6	5	-	-	822173	807599	-	-	-	-	
						4.2	0.1	315	27.0	8.0	8.0	21.4	21.4	86.6	86.6	6.1	6.1	13.3	6.1	5	5	-	-	822173	807599	-	-	-	-	
					Bottom	7.3	0.1	12	27.0	8.0	8.0	21.7	21.7	86.6	86.7	6.1	6.1	15.4	6.1	5	5	-	-	822173	807599	-	-	-	-	
						7.3	0.1	13	27.0	8.0	8.0	21.7	21.7	86.7	86.7	6.1	6.1	13.9	6.1	5	5	-	-	822173	807599	-	-	-	-	
SR4A	Fine	Calm	20:16	7.8	Surface	1.0	0.2	83	27.4	8.0	8.0	24.3	24.3	90.9	90.9	6.3	6.3	6.8	6.3	11	11	-	-	817214	807795	-	-	-	-	
						1.0	0.2	84	27.4	8.0	8.0	24.3	24.3	90.9	90.9	6.3	6.3	6.8	6.3	11	11	-	-	817214	807795	-	-	-	-	
					Middle	3.9	0.2	58	27.3	8.0	8.0	24.4	24.4	90.2	90.2	6.2	6.2	7.4	6.2	10	11	-	-	817214	807795	-	-	-	-	
						3.9	0.2	58	27.3	8.0	8.0	24.4	24.4	90.1	90.1	6.2	6.2	7.3	6.2	11	11	-	-	817214	807795	-	-	-	-	
					Bottom	6.8	0.2	93	26.8	8.0	8.0	25.6	25.6	88.0	88.1	6.1	6.1	9.1	6.1	12	11	-	-	817214	807795	-	-	-	-	
						6.8	0.2	102	26.8	8.0	8.0	25.6	25.6	88.1	88.1	6.1	6.1	9.0	6.1	12	11	-	-	817214	807795	-	-	-	-	
SR5A	Fine	Calm	20:36	3.4	Surface	1.0	0.0	307	27.6	8.0	8.0	24.8	24.8	93.0	93.0	6.4	6.4	9.4	6.4	13	28	-	-	816571	810711	-	-	-	-	
						1.0	0.0	335	27.6	8.0	8.0	24.8	24.8	93.0	93.0	6.4	6.4	9.5	6.4	14	28	-	-	816571	810711	-				

Water Quality Monitoring Results on 20 September 18 during Mid-Ebb Tide

Value exceeding Action Level is underlined; Value exceeding Limit Level is bolded and underlined

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 20 September 18 during Mid-Ebb Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)		
IM9	Cloudy	Moderate	11:15	7.0	Surface	1.0	0.4	152	28.5	28.5	7.9	7.9	9.2	9.2	87.0	87.0	6.4	6.3	9.5	8.7	4	5	82	86	822074	808804	<0.2	<0.2	3.8	3.8	
						1.0	0.4	152	28.5	28.5	7.9	7.9	9.3	9.2	87.0	87.0	6.4	6.3	9.4	8.7	4	5	82	86	822074	808804	<0.2	<0.2	3.8	3.8	
					Middle	3.5	0.2	126	28.1	28.1	7.9	7.9	16.2	16.2	86.4	86.4	6.2	6.2	8.4	8.7	5	5	86	87	822074	808804	<0.2	<0.2	3.7	3.8	
						3.5	0.2	128	28.1	28.1	7.9	7.9	16.2	16.2	86.4	86.4	6.2	6.2	8.4	8.7	5	5	87	89	822074	808804	<0.2	<0.2	3.7	3.8	
					Bottom	6.0	0.1	78	27.9	27.9	7.9	7.9	17.3	17.4	86.4	86.4	6.2	6.2	8.3	8.3	6	6	89	90	822074	808804	<0.2	<0.2	3.9	3.9	
						6.0	0.1	83	27.9	27.9	7.9	7.9	17.4	17.4	86.3	86.4	6.1	6.2	8.3	8.3	7	7	90	91	822074	808804	<0.2	<0.2	3.9	3.9	
IM10	Cloudy	Moderate	10:56	6.5	Surface	1.0	0.4	122	28.2	28.2	7.9	7.9	14.6	14.6	86.1	86.2	6.2	6.1	9.3	11.8	3	4	88	91	822367	809790	<0.2	<0.2	4.1	3.9	
						1.0	0.4	126	28.2	28.2	7.9	7.9	14.6	14.6	86.2	86.2	6.2	6.1	9.3	11.8	4	4	88	91	822367	809790	<0.2	<0.2	3.5	3.9	
					Middle	3.3	0.4	92	27.9	27.9	7.9	7.9	17.8	17.8	84.1	84.1	6.0	6.0	10.9	11.8	4	4	91	92	822367	809790	<0.2	<0.2	4.2	3.9	
						3.3	0.4	96	27.9	27.9	7.9	7.9	17.8	17.8	84.0	84.1	6.0	6.0	11.0	11.8	4	4	92	94	822367	809790	<0.2	<0.2	3.9	3.9	
					Bottom	5.5	0.2	112	27.2	27.2	7.9	7.9	23.4	23.4	82.5	82.5	5.7	5.7	15.1	15.1	5	5	94	95	822367	809790	<0.2	<0.2	3.7	3.7	
						5.5	0.3	121	27.2	27.2	7.9	7.9	23.5	23.4	82.6	82.6	5.8	5.8	15.3	15.3	5	5	95	96	822367	809790	<0.2	<0.2	3.7	3.7	
IM11	Cloudy	Moderate	10:38	6.7	Surface	1.0	0.6	103	28.4	28.4	7.9	7.9	12.2	12.2	87.0	87.0	6.3	6.2	9.8	10.2	3	4	86	87	822035	811442	<0.2	<0.2	4.0	3.9	
						1.0	0.6	108	28.4	28.4	7.9	7.9	12.2	12.2	87.0	87.0	6.3	6.2	9.8	10.2	4	4	87	89	822035	811442	<0.2	<0.2	3.7	3.9	
					Middle	3.4	0.5	102	27.7	27.7	7.9	7.9	20.5	20.5	85.4	85.4	6.0	6.0	10.0	10.2	4	4	89	91	822035	811442	<0.2	<0.2	3.7	3.9	
						3.4	0.5	106	27.7	27.7	7.9	7.9	20.5	20.5	85.4	85.4	6.0	6.0	10.0	10.2	3	4	91	94	822035	811442	<0.2	<0.2	3.8	3.9	
					Bottom	5.7	0.3	107	27.3	27.3	7.9	7.9	24.1	24.1	87.5	87.7	6.1	6.1	10.8	10.8	4	4	94	95	822035	811442	<0.2	<0.2	3.8	3.9	
						5.7	0.3	116	27.3	27.3	7.9	7.9	24.1	24.1	87.8	87.7	6.1	6.1	10.8	10.8	4	4	95	96	822035	811442	<0.2	<0.2	3.9	3.9	
IM12	Cloudy	Moderate	10:28	7.8	Surface	1.0	0.6	90	28.5	28.5	7.9	7.9	11.7	11.7	87.7	87.7	6.4	6.2	10.3	12.5	3	4	86	87	821483	812018	<0.2	<0.2	4.2	3.9	
						1.0	0.6	98	28.5	28.5	7.9	7.9	11.7	11.7	87.7	87.7	6.4	6.2	10.3	12.5	4	4	87	89	821483	812018	<0.2	<0.2	4.0	3.9	
					Middle	3.9	0.4	86	27.8	27.8	8.0	8.0	17.3	17.3	84.6	84.6	6.0	6.0	12.3	12.5	3	4	89	90	821483	812018	<0.2	<0.2	3.8	3.9	
						3.9	0.4	89	27.8	27.8	8.0	8.0	17.3	17.3	84.5	84.6	6.0	6.0	12.3	12.5	4	4	90	94	821483	812018	<0.2	<0.2	3.9	3.9	
					Bottom	6.8	0.2	112	27.2	27.2	7.9	7.9	23.7	23.7	85.2	85.3	5.9	5.9	14.8	14.8	4	5	94	95	821483	812018	<0.2	<0.2	3.7	4.0	
						6.8	0.2	122	27.2	27.2	7.9	7.9	23.7	23.7	85.3	85.3	5.9	5.9	14.8	14.8	5	5	95	96	821483	812018	<0.2	<0.2	4.0	4.0	
SR2	Fine	Moderate	10:05	4.2	Surface	1.0	0.3	77	28.2	28.2	8.0	8.0	14.7	14.8	90.1	90.1	6.5	6.5	8.4	8.2	4	4	84	84	821460	814148	<0.2	<0.2	3.5	3.6	
						1.0	0.3	83	28.2	28.2	8.0	8.0	14.9	14.8	90.1	90.1	6.5	6.5	8.4	8.2	4	4	84	84	821460	814148	<0.2	<0.2	3.6	3.6	
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.2	-	4	-	87	87	821460	814148	<0.2	<0.2	-	-
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.2	-	4	-	87	87	821460	814148	<0.2	<0.2	-	-
					Bottom	3.2	0.2	73	27.8	27.8	7.9	7.9	19.5	19.5	92.8	93.0	6.6	6.6	8.0	8.2	4	4	90	91	821460	814148	<0.2	<0.2	3.6	3.6	
						3.2	0.2	74	27.8	27.8	7.9	7.9	19.5	19.5	93.1	93.0	6.6	6.6	8.0	8.2	4	4	91	92	821460	814148	<0.2	<0.2	3.6	3.6	
SR3	Cloudy	Moderate	11:27	12.6	Surface	1.0	0.7	176	28.4	28.4	7.9	7.9	12.2	12.2	84.4	84.4	6.1	5.9	10.0	11.6	5	5	-	-	822152	807553	-	-	-	-	
						1.0	0.7	187	28.4	28.4	7.9	7.9	12.2	12.2	84.3	84.4	6.1	5.9	10.1	11.6	5	5	-	-	822152	807553	-	-	-	-	
					Middle	6.3	0.6	178	27.1	27.1	8.0	8.0	24.0	24.0	81.4	81.5	5.7	5.7	11.1	11.6	5	5	-	-	822152	807553	-	-	-	-	
						6.3	0.7	195	27.1	27.1	8.0	8.0	24.0	24.0	81.5	81.5	5.7	5.7	11.2	11.6	5	5	-	-	822152	807553	-	-	-	-	
					Bottom	11.6	0.3	182	27.1	27.1	8.0	8.0	24.6	24.6	83.8	83.9	5.8	5.8	13.6	13.6	6	6	-	-	822152	807553	-	-	-	-	
						11.6	0.3	186	27.1	27.1	8.0	8.0	24.6	24.6	84.0	84.0	5.8	5.8	13.8	13.8	5	5	-	-	822152	807553	-	-	-	-	
SR4A	Fine	Moderate	10:03	8.6	Surface	1.0	0.1	308	28.4	28.4	8.0	8.0	14.8	14.8	87.6	87.6	6.3	6.2	4.2	6.4	4	5	-	-	817214	807811	-	-	-	-	
						1.0	0.1	318	28.4	28.4	8.0	8.0	14.8	14.8	87.5	87.6	6.3	6.2	4.2	6.4	4	5	-	-	817214	807811	-	-	-	-	
					Middle	4.3	0.1	99	27.7	27.7	7.9	7.9	19.1	19.1	86.2	86.3	6.1	6.1	6.8	6.4	4	5	-	-	817214	807811	-	-	-	-	
						4.3	0.1	104	27.7	27.7	7.9	7.9	19.1	19.1	86.3	86.3	6.1	6.1	6.8	6.4	5	5	-	-	817214	807811	-	-	-	-	
					Bottom	7.6	0.1	64	27.7	27.7	7.9	7.9	19.3	19.3	89.1	89.3	6.3	6.3	8.1	6.4	6	6	-	-	817214	807811	-	-	-	-	
						7.6	0.1	65	27.7	27.7	7.9	7.9	19.3	19.3	89.4	89.3	6.3	6.3	8.1	6.4	6	6	-	-	817214	807811	-	-	-	-	
SR5A	Fine	Moderate	09:36	5.2	Surface	1.0	0.0	90	28.2																						

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 20 September 18 during Mid-Flood Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)	
C1	Cloudy	Moderate	17:20	8.8	Surface	1.0	0.2	90	28.6	28.6	8.0	8.0	17.5	17.5	93.6	93.5	6.6	6.3	8.3	11.4	8	8	87	91	815631	804229	<0.2	3.9	3.9	
						1.0	0.2	94	28.6		8.0	8.0	17.5	17.5	93.4	93.5	6.6		8.3		7		88							
					Middle	4.4	0.2	77	27.7	27.7	8.0	8.0	21.7	21.7	85.9	85.9	6.0		13.2		8	8	91				<0.2	4.4		
						4.4	0.2	82	27.7		8.0	8.0	21.7	21.7	85.8	85.9	6.0		13.3		8		92							
					Bottom	7.8	0.2	53	27.3	27.3	8.0	8.0	25.4	25.4	86.2	86.3	5.9	5.9	12.7		8	8	94	91	815631	804229	<0.2	3.3		
						7.8	0.2	56	27.3		8.0	8.0	25.4	25.4	86.3	86.3	5.9		12.7		9		94							
C2	Cloudy	Moderate	15:57	11.2	Surface	1.0	0.9	174	28.9	28.9	7.9	7.9	8.2	8.2	84.3	84.3	6.2	6.0	11.1	10.6	9	11	86	90	825675	806928	<0.2	3.4	3.7	
						1.0	0.9	190	28.9		7.9	7.9	8.2	8.2	84.3	84.3	6.2		11.0		10		87							
					Middle	5.6	0.3	189	27.2	27.2	8.0	8.0	22.6	22.6	82.1	82.1	5.7	5.7	10.1		11	11	90	91	825675	806928	<0.2	4.1		
						5.6	0.3	193	27.2		8.0	8.0	22.5	22.5	82.1	82.1	5.8		10.1		10		91							
					Bottom	10.2	0.0	9	27.1	27.1	8.0	8.0	25.0	25.0	83.0	83.0	5.7	5.7	10.5		11	12	93	93	825675	806928	<0.2	3.4		
						10.2	0.0	9	27.1		8.0	8.0	25.0	25.0	83.0	83.0	5.7		10.5		12		93							
C3	Cloudy	Moderate	17:56	10.7	Surface	1.0	0.3	245	28.6	28.6	8.0	8.0	17.5	17.5	92.4	92.3	6.5	6.2	7.8	10.6	4	4	83	87	822099	817806	<0.2	4.0	4.0	
						1.0	0.3	263	28.6		8.0	8.0	17.5	17.5	92.2	92.3	6.5		7.8		4		83							
					Middle	5.4	0.4	273	27.5	27.5	8.0	8.0	22.4	22.4	83.6	83.6	5.8	5.8	8.9		4	4	86	87	822099	817806	<0.2	4.0		
						5.4	0.5	281	27.5		8.0	8.0	22.4	22.4	83.5	83.6	5.8		9.0		5		87							
					Bottom	9.7	0.2	256	27.3	27.3	8.0	8.0	25.8	25.8	84.0	84.2	5.8	5.8	15.0		5	5	89	91	822099	817806	<0.2	3.8		
						9.7	0.2	280	27.3		8.0	8.0	25.8	25.8	84.3	84.2	5.8		14.9		4		91							
IM1	Cloudy	Calm	16:59	5.3	Surface	1.0	0.2	246	28.9	28.9	8.0	8.0	9.2	9.2	88.9	88.9	6.5	6.5	5.1	6.7	8	8	83	84	817978	807125	<0.2	3.8	3.7	
						1.0	0.2	260	28.9		8.0	8.0	9.2	9.2	88.8	88.9	6.5		5.0		7		82							
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		8	-	84	817978	807125	<0.2	-			
						-	-	-	-		-	-	-	-	-	-	-	-	-											
					Bottom	4.3	0.0	73	27.9	27.9	7.9	7.9	18.0	18.2	88.5	88.6	6.3	6.3	8.4		8	8	85	86	817978	807125	<0.2	3.4		
						4.3	0.0	75	27.9		7.9	7.9	18.3	18.2	88.7	88.6	6.3		8.4		8		86							
IM2	Cloudy	Moderate	16:51	7.4	Surface	1.0	0.1	322	29.2	29.2	8.0	8.0	9.4	9.4	86.5	86.4	6.3	6.0	6.1	8.0	7	7	86	87	818136	806169	<0.2	3.6	3.8	
						1.0	0.2	353	29.2		8.0	8.0	9.5	9.4	86.3	86.4	6.3		6.1		7		87							
					Middle	3.7	0.1	297	27.7	27.7	7.9	7.9	21.3	21.2	80.9	80.9	5.7	5.7	7.3		7	7	83	84	818136	806169	<0.2	4.0		
						3.7	0.1	321	27.7		7.9	7.9	21.1	21.2	80.8	80.9	5.7		7.4		6		84							
					Bottom	6.4	0.1	340	27.1	27.1	8.0	7.9	24.3	24.3	80.4	80.5	5.6	5.6	10.4		8	8	90	91	818136	806169	<0.2	3.8		
						6.4	0.1	313	27.1		7.9	7.9	24.3	24.3	80.5	80.5	5.6		10.4		8		91							
IM3	Cloudy	Moderate	16:45	7.3	Surface	1.0	0.3	241	29.3	29.3	7.9	7.9	9.5	9.5	88.4	88.3	6.4	6.2	6.2	10.0	5	7	83	87	818794	805602	<0.2	3.7	3.6	
						1.0	0.4	250	29.3		7.9	7.9	9.4	9.5	88.2	88.3	6.4		6.2		6		84							
					Middle	3.7	0.1	317	28.3	28.3	7.9	7.9	14.2	14.2	83.0	83.0	6.0	6.0	10.3		8	8	87	87	818794	805602	<0.2	3.6		
						3.7	0.1	339	28.3		7.9	7.9	14.2	14.2	82.9	83.0	6.0		10.4		7		87							
					Bottom	6.3	0.3	34	27.4	27.4	7.9	7.9	22.7	22.7	82.5	82.6	5.8	5.8	13.4		9	8	89	89	818794	805602	<0.2	3.5		
						6.3	0.4	35	27.4		7.9	7.9	22.8	22.7	82.7	82.6	5.8		13.2		8		89							
IM4	Cloudy	Moderate	16:36	8.1	Surface	1.0	0.3	239	29.3	29.3	7.9	7.9	8.4	8.4	88.3	88.3	6.5	6.3	10.9	11.9	7	7	83	88	819705	804627	<0.2	3.5	3.7	
						1.0	0.3	258	29.3		7.9	7.9	8.4	8.4	88															

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 20 September 18 during Mid-Flood Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)	
IM9	Cloudy	Moderate	16:38	6.7	Surface	1.0	0.0	356	29.1	7.9	7.9	9.2	9.2	86.8	86.8	6.3	6.2	12.7	13.0	7	8	82	86	822107	808792	<0.2	<0.2	3.8	3.8	
						1.0	0.0	328	29.1	7.9	7.9	9.2	9.2	86.8	86.8	6.3	6.2	12.8	13.0	7	8	83	86	822107	808792	<0.2	<0.2	3.7	3.7	
					Middle	3.4	0.1	26	28.4	7.9	7.9	12.3	12.3	84.5	84.6	6.1	6.1	13.5	13.4	8	8	86	86	822107	808792	<0.2	<0.2	4.0	4.0	
						3.4	0.1	26	28.4	7.9	7.9	12.3	12.3	84.6	84.6	6.1	6.1	13.4	13.4	8	8	86	86	822107	808792	<0.2	<0.2	3.8	3.8	
					Bottom	5.7	0.2	167	27.8	7.9	7.9	19.0	19.0	84.5	84.6	6.0	6.0	12.7	12.7	8	8	89	89	822107	808792	<0.2	<0.2	4.3	4.3	
						5.7	0.2	178	27.8	7.9	7.9	19.0	19.0	84.7	84.6	6.0	6.0	12.9	12.9	8	8	90	90	822107	808792	<0.2	<0.2	3.9	3.9	
IM10	Cloudy	Moderate	16:47	6.4	Surface	1.0	0.1	86	29.4	7.9	7.9	9.7	9.7	89.5	89.5	6.5	6.3	10.9	13.4	8	8	85	85	822393	809766	<0.2	<0.2	3.7	3.7	
						1.0	0.1	91	29.4	7.9	7.9	9.7	9.7	89.4	89.5	6.5	6.3	10.9	13.4	7	8	86	86	822393	809766	<0.2	<0.2	3.9	3.9	
					Middle	3.2	0.2	93	28.3	7.9	7.9	15.1	15.1	83.9	83.8	6.0	6.0	11.7	11.8	8	8	82	83	822393	809766	<0.2	<0.2	4.0	4.0	
						3.2	0.2	95	28.2	7.9	7.9	15.1	15.1	83.7	83.8	6.0	6.0	11.8	11.8	8	8	83	83	822393	809766	<0.2	<0.2	3.6	3.6	
					Bottom	5.4	0.1	265	27.4	7.9	7.9	22.2	22.2	83.9	83.9	5.9	5.9	17.4	17.4	9	9	86	86	822393	809766	<0.2	<0.2	4.3	4.3	
						5.4	0.1	271	27.4	7.9	7.9	22.1	22.2	84.0	84.0	5.9	5.9	17.8	17.8	8	8	87	87	822393	809766	<0.2	<0.2	3.9	3.9	
IM11	Cloudy	Moderate	16:58	8.0	Surface	1.0	0.1	36	29.4	8.0	8.0	9.8	9.8	86.5	86.4	6.3	6.0	11.0	13.2	5	6	86	86	822043	811444	<0.2	<0.2	3.8	3.8	
						1.0	0.1	37	29.3	8.0	8.0	9.8	9.8	86.3	86.4	6.3	6.0	11.0	13.2	6	6	87	87	822043	811444	<0.2	<0.2	3.7	3.7	
					Middle	4.0	0.2	321	27.5	7.9	7.9	21.2	21.1	81.2	81.2	5.7	5.7	12.5	12.6	7	6	84	84	822043	811444	<0.2	<0.2	4.3	4.3	
						4.0	0.2	352	27.5	7.9	7.9	21.0	21.1	81.1	81.2	5.7	5.7	12.6	12.6	6	6	83	83	822043	811444	<0.2	<0.2	4.0	4.0	
					Bottom	7.0	0.3	300	27.2	7.9	7.9	24.2	24.2	81.0	81.2	5.6	5.6	16.0	16.1	6	6	85	85	822043	811444	<0.2	<0.2	4.0	4.0	
						7.0	0.3	328	27.2	7.9	7.9	24.2	24.2	81.3	81.2	5.6	5.6	16.1	16.1	7	7	86	86	822043	811444	<0.2	<0.2	4.3	4.3	
IM12	Cloudy	Moderate	17:06	7.5	Surface	1.0	0.1	93	29.3	8.0	8.0	9.0	9.1	87.0	86.9	6.3	6.2	10.6	12.1	5	6	86	86	821456	812019	<0.2	<0.2	3.7	3.7	
						1.0	0.1	100	29.3	8.0	8.0	9.2	9.1	86.7	86.9	6.3	6.2	10.6	12.1	6	6	86	86	821456	812019	<0.2	<0.2	3.7	3.7	
					Middle	3.8	0.1	334	27.8	8.0	8.0	16.9	16.9	84.5	84.5	6.0	6.0	11.0	11.1	6	6	89	89	821456	812019	<0.2	<0.2	3.5	3.5	
						3.8	0.1	307	27.8	8.0	8.0	16.9	16.9	84.4	84.5	6.0	6.0	11.1	11.1	6	6	90	90	821456	812019	<0.2	<0.2	3.5	3.5	
					Bottom	6.5	0.3	314	27.2	7.9	7.9	24.0	24.0	85.9	86.0	6.0	6.0	14.7	14.8	6	6	94	94	821456	812019	<0.2	<0.2	4.0	4.0	
						6.5	0.3	325	27.2	7.9	7.9	24.0	24.0	86.1	86.0	6.0	6.0	14.8	14.8	7	7	94	94	821456	812019	<0.2	<0.2	3.7	3.7	
SR2	Cloudy	Moderate	17:33	3.1	Surface	1.0	0.1	327	29.4	8.0	8.0	10.1	10.2	97.1	97.2	7.0	7.0	10.1	10.3	6	5	82	83	821448	814173	<0.2	<0.2	3.9	3.5	
						1.0	0.1	348	29.3	8.0	8.0	10.3	10.2	97.2	97.2	7.0	7.0	10.0	10.3	5	5	83	83	821448	814173	<0.2	<0.2	3.5	3.5	
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84	814173	<0.2	<0.2	-	-	
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84	814173	<0.2	<0.2	-	-	
					Bottom	2.1	0.2	336	28.8	8.0	8.0	18.6	18.6	96.5	96.5	6.7	6.7	10.5	10.6	6	5	85	86	821448	814173	<0.2	<0.2	3.5	3.5	
						2.1	0.2	344	28.8	8.0	8.0	18.6	18.6	96.5	96.5	6.7	6.7	10.6	10.6	5	5	86	86	821448	814173	<0.2	<0.2	3.5	3.5	
SR3	Cloudy	Moderate	16:23	8.4	Surface	1.0	0.5	189	28.9	7.9	7.9	7.8	7.8	86.5	86.5	6.4	6.3	10.7	9.4	7	7	-	-	822174	807588	-	-	-	-	
						1.0	0.6	204	28.9	7.9	7.9	7.8	7.8	86.5	86.5	6.4	6.3	10.7	9.4	7	7	-	-	822174	807588	-	-	-	-	
					Middle	4.2	0.2	211	28.2	7.9	7.9	15.1	15.2	84.2	84.3	6.1	6.1	9.0	9.0	7	7	-	-	822174	807588	-	-	-	-	
						4.2	0.2	213	28.2	7.9	7.9	15.3	15.3	84.3	84.3	6.1	6.1	9.0	9.0	7	7	-	-	822174	807588	-	-	-	-	
					Bottom	7.4	0.3	219	27.8	7.9	7.9	17.3	17.3	84.5	84.6	6.0	6.0	8.5	8.5	8	8	-	-	822174	807588	-	-	-	-	
						7.4	0.3	225	27.8	7.9	7.9	17.4	17.4	84.7	84.6	6.0	6.0	8.5	8.5	8	8	-	-	822174	807588	-	-	-	-	
SR4A	Cloudy	Moderate	17:42	8.4	Surface	1.0	0.4	251	28.5	8.0	8.0	17.2	17.2	93.2	93.1	6.6	6.4	6.2	10.0	4	5	-	-	817166	807835	-	-	-	-	
						1.0	0.4	266	28.5	8.0	8.0	17.2	17.2	92.9	93.1	6.6	6.4	6.2	10.0	5	5	-	-	817166	807835	-	-	-	-	
					Middle	4.2	0.2	259	27.9	8.0	8.0	19.9	20.0	88.2	87.9	6.2	6.2	11.2	11.1	6	6	-	-	817166	807835	-	-	-	-	
						4.2	0.3	277	27.8	8.0	8.0	20.0	20.0	87.6	87.9	6.2	6.2	11.1	11.1	6	6	-	-	817166	807835	-	-	-	-	
					Bottom	7.4	0.0	233	27.4	8.0	8.0	24.8	24.8	88.7	88.8	6.1	6.1	12.5	12.5	7	7	-	-	817166	807835	-	-	-	-	
						7.4	0.0	246	27.4	8.0	8.0	24.8	24.8	88.9	88.8	6.1	6.1	12.5	12.5	8	8	-	-	817166	807835	-	-	-	-	
SR5A	Cloudy	Calm	17:59	3.5	Surface	1.0	0.4	346	28.7	8.0	8.0	17.1	17.1	98.0	97.9	6.9	6.9	5.2	6.5	5	5	-	-	816574	810666	-	-	-	-	
						1.0	0.4	347	28.7	8.0	8.0	17.1	17.1	97.8	97.9	6.9	6.9	5.1	6.5	5	5	-	-	816574	810666	-	-	-	-	

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 22 September 18 during Mid-Ebb Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)	
									Value	Average	Value	Average	Value	Average	Value	Average	Value	DA	Value	DA	Value	DA	Value	DA			Value	DA	Value	DA
C1	Sunny	Moderate	10:51	8.9	Surface	1.0	0.5	231	28.8	28.8	8.2	8.2	17.0	17.0	94.9	94.9	6.7	7.6	6.6	7.6	2	83	88	815617	804266	<0.2	3.8	3.7		
						1.0	0.5	240	28.8		8.2	8.2	17.0	17.0	94.8	94.8	6.7	7.6												
					Middle	4.5	0.5	238	28.4	28.4	8.2	8.2	19.5	19.5	91.9	91.9	6.4	7.3	4	88	<0.2	3.8								
						4.5	0.6	239	28.4		8.2	8.2	19.5	19.5	91.9	91.9	6.4	7.3												
					Bottom	7.9	0.4	205	28.1	28.1	8.2	8.2	22.1	22.1	89.4	89.4	6.2	7.7	6.2	7.7	4	92				<0.2	3.6			
						7.9	0.4	208	28.1		8.2	8.2	22.1	22.1	89.4	89.4	6.2	7.7												
C2	Sunny	Moderate	13:13	10.7	Surface	1.0	1.2	173	29.2	29.2	8.0	8.0	11.7	11.7	90.3	90.2	6.5	9.2	6.0	9.2	4	84	88	825696	806966	<0.2	3.2	3.0		
						1.0	1.3	180	29.2		8.0	8.0	11.7	11.7	90.1	90.2	6.5	9.2												
					Middle	5.4	0.6	177	27.8	27.8	8.0	8.0	22.0	22.0	77.6	77.6	5.4	12.6	5.4	12.6	5	88				<0.2	3.2			
						5.4	0.7	189	27.8		8.0	8.0	22.0	22.0	77.6	77.6	5.4	12.6												
					Bottom	9.7	0.3	143	27.7	27.7	8.0	8.0	23.5	23.5	77.5	77.6	5.3	15.0	5.4	15.0	6	92				<0.2	2.9			
						9.7	0.3	146	27.7		8.0	8.0	23.5	23.5	77.6	77.6	5.4	15.0												
C3	Sunny	Moderate	10:44	8.9	Surface	1.0	0.3	132	28.7	28.7	8.2	8.2	17.1	17.1	95.7	95.7	6.7	7.4	6.6	7.4	2	84	89	822081	817799	<0.2	3.4	3.3		
						1.0	0.3	134	28.7		8.2	8.2	17.1	17.1	95.7	95.7	6.7	7.4												
					Middle	4.5	0.1	76	28.4	28.4	8.2	8.2	19.0	19.0	92.1	92.2	6.5	7.5	5.8	7.5	3	88				<0.2	3.0			
						4.5	0.1	82	28.4		8.2	8.2	19.0	19.0	92.2	92.2	6.5	7.5												
					Bottom	7.9	0.0	25	27.8	27.8	8.2	8.2	24.3	24.3	83.9	83.8	5.8	8.7	5.8	8.7	3	93				<0.2	3.4			
						7.9	0.0	26	27.8		8.2	8.2	24.3	24.3	83.7	83.8	5.7	8.7												
IM1	Sunny	Moderate	11:16	5.1	Surface	1.0	0.2	346	28.8	28.8	8.2	8.2	16.0	16.0	95.7	95.6	6.8	8.3	6.8	8.4	3	84	88	817967	807137	<0.2	3.5	3.3		
						1.0	0.2	318	28.8		8.2	8.2	16.0	16.0	95.5	95.6	6.8	8.4												
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-				-	<0.2		-	
						-	-	-	-		-	-	-	-	-	-	-	-												-
					Bottom	4.1	0.0	24	28.2	28.2	8.1	8.1	19.4	19.4	85.9	85.9	6.0	12.1	6.0	12.1	3	91				<0.2	3.0			
						4.1	0.0	25	28.2		8.1	8.1	19.4	19.4	85.9	85.9	6.0	12.1												
IM2	Sunny	Moderate	11:25	7.2	Surface	1.0	0.6	209	29.2	29.2	8.1	8.1	14.9	14.9	92.2	92.1	6.5	8.2	6.2	8.2	3	86	89	818148	806192	<0.2	3.4	3.3		
						1.0	0.6	228	29.2		8.1	8.1	14.9	14.9	92.0	92.1	6.5	8.2												
					Middle	3.6	0.4	200	28.4	28.4	8.1	8.1	18.0	18.0	84.3	84.3	5.9	8.5	5.8	8.6	4	88				<0.2	3.2			
						3.6	0.5	200	28.4		8.1	8.1	18.0	18.0	84.2	84.3	5.9	8.6												
					Bottom	6.2	0.3	205	28.0	28.0	8.1	8.1	20.7	20.7	82.4	82.5	5.7	10.1	5.8	10.1	4	91				<0.2	3.5			
						6.2	0.3	208	28.0		8.1	8.1	20.7	20.7	82.6	82.5	5.8	10.0												
IM3	Sunny	Moderate	11:34	7.3	Surface	1.0	0.6	211	29.1	29.1	8.1	8.1	14.7	14.7	95.1	95.1	6.7	8.8	6.0	8.8	3	86	91	818791	805617	<0.2	3.3	3.2		
						1.0	0.6	214	29.1		8.1	8.1	14.7	14.7	95.0	95.1	6.7	8.8												
					Middle	3.7	0.6	215	27.9	27.9	8.0	8.0	21.7	21.7	75.6	75.6	5.3	15.2	5.4	15.2	5	91				<0.2	2.9			
						3.7	0.6	231	27.9		8.0	8.0	21.7	21.7	75.6	75.6	5.3	15.2												
					Bottom	6.3	0.4	210	27.7	27.7	8.0	8.0	22.4	22.4	77.4	77.4	5.4	16.9	5.4	16.9	6	94				<0.2	3.2			
						6.3	0.4	217	27.7		8.0	8.0	22.4	22.4	77.4	77.4	5.4	16.9												
IM4	Sunny	Moderate	11:45	7.4	Surface	1.0	0.6	198	29.0	29.0	8.1	8.1	15.9	15.9	85.8	85.6	6.1	10.5	5.8	10.5	4	86	89	819698	804616	<0.2	3.2	3.1		
						1.0	0.6	198	29.0		8.1	8.1	15.9	15.9	85.4	85.6	6.0	10.5												
					Middle	3.7	0.6	190	28.2	28.1	8.0	8.0	19.8	19.8	78.1	78.1	5.5	13.8	5.2	14.0	4	89				<0.2	3.2			
						3.7	0.6	206	28.1		8.0	8.0	19.8	19.8	78.0	78.0	5.5	14.0												
					Bottom	6.4	0.5	204	27.7	27.7	8.0	8.0	22.7	22.7	75.5	75.5	5.2	20.5	5.2	20.5	5	92				<0.2	2.8			
						6.4	0.5	211	27.7		8.0	8.0	22.7	22.7	75.3	75.5	5.2	20.5												
IM5	Sunny	Moderate	11:59	7.0	Surface	1.0	0.7	209	29.0	29.0	8.1	8.1	14.1	14.1	92.3	92.2	6.6	8.9	6.2	8.9	5	87	92	820762	804858	<0.2	3.4	3.4		
						1.0	0.7	229	29.0		8.1	8.1	14.1	14.1	92.1	92.2	6.6	8.9												
					Middle	3.5	0.5	211	28.3	28.3	8.1	8.1	19.8	19.8	81.5	81.5	5.7	10.2	5.5	10.2	4	88				<0.2	3.7			
						3.5	0.6	218	28.3		8.1	8.1	19.8	19.8	81.5	81.5	5.7	10.2												
					Bottom	6.0	0.4	223	27.9	27.9	8.0	8.0	21.7	21.7	79.0	79.0	5.5	17.1	5.5	17.1	5	95				<0.2	3.1			
						6.0	0.4	224	27.9		8.0	8.0	21.7	21.7	79.0	79.0	5.5	17.1												
IM6	Sunny	Moderate	12:10	6.7	Surface	1.0	0.5	202	29.0	29.0	8.1	8.1	14.0	14.1	94.6	94.6	6.7	8.5	6.2	8.5	4	88	92	821069	805843	<0.2	3.3	3.3		
						1.0	0.5	206	29.0		8.1	8.1	14.1	14.1	94.5	94.6	6.7	8.5												
					Middle	3.4	0.4	219	28.1	28.1	8.1	8.1	20.0	20.0	79.6	79.7	5.6	10.4	5.5	10.4	4	93				<0.2	3.6			
						3.4	0.5	228	28.1		8.1	8.1	20.0	20.0	79.7	79.7	5.6	10.4												
					Bottom	5.7	0.4	200	27.8	27.8	8.1	8.1	22.1	22.1	79.1	79.1	5.5	13.0	5.5	13.0	5	96				<0.2	3.2			
						5.7	0.4	219	27.8		8.1	8.1	22.1	22.1	79.2	79.2	5.5	13.0												
IM7	Sunny	Moderate	12:20	8.1	Surface	1.0	0.4	233	28.8	28.8	8.1	8.1	15.1	15.1	91.3	91.2	6.5	8.6	6.2	8.6	5	87	92	821366	806844	<0.2	3.1	3.3		
						1.0	0.4	238	28.8		8.1	8.1	15.1	15.1	91.1	91.2	6.5	8.6												
					Middle	4.1	0.3	240	28.5	28.5	8.1	8.1	17.1	17.2	84.0	83.9	5.9	9.4	5.4	9.4	6	92				<0.2	3.3			
						4.1	0.4	251	28.5		8.1	8.1	17.2	17.2	83.8	83.9	5.9	9.4												
					Bottom	7.1	0.2	236	27.8	27.8	8.0	8.0	21.8	21.8	77.1	77.1	5.4	12.7	5.4	12.7	6	95				<0.2	3.5			
						7.1	0.2	253	27.8		8.0	8.0	21.8	21.8	77.1	77.1	5.4	12.7												
IM8	Sunny	Moderate	12:36	7.4	Surface	1.0	0.5	191	29.0	29.0	8.1	8.1	12.8	12.8	90.6	90.5	6.5	9.0	6.0	9.0	4	84	88	821837	808169	<0.2	3.1	3.2		
						1.0	0.5	202	29.0		8.1	8.1	12.8	12.8	90.4	90.4	6.5	9.0												
					Middle	3.7	0.3	213	28.2	28.2	8.1	8.1	19.4	19.4	78.5	78.5	5.5	10.8	5.3	10.8	5	89				<0.2	2.8			
						3.7	0.3	214	28.2		8.1	8.1	19.4	19.4	78.4	78.5	5.5	10.9												
					Bottom	6.4	0.2	239	27.8	27.8	8.1	8.1	22.0	22.0	75.9	76.0	5.3	14.1	5.3	14.1	7	93				<0.2	3.6			
						6.4	0.2	244	27.8		8.1	8.1	22.0	22.0	76.0	76.0	5.3	14.1												

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 22 September 18 during Mid-Ebb Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)	
IM9	Sunny	Moderate	12:27	6.9	Surface	1.0	0.3	159	29.0	8.2	8.2	14.7	14.7	93.1	93.0	6.6	6.1	8.6	11.3	5	6	84	89	822118	808787	<0.2	<0.2	2.7	2.9	
						1.0	0.4	160	29.0	8.2	8.2	14.7	14.7	92.9	93.0	6.6	6.1	8.6	11.3	5	6	85	88	822118	808787	<0.2	<0.2	3.6	2.9	
					Middle	3.5	0.2	160	28.1	8.1	8.1	20.4	20.4	78.8	78.8	5.5	5.5	10.9	11.3	7	6	88	89	822118	808787	<0.2	<0.2	3.0	2.9	
						3.5	0.2	171	28.1	8.1	8.1	20.5	20.4	78.7	78.8	5.5	5.5	10.9	11.3	6	6	89	93	822118	808787	<0.2	<0.2	3.1	2.9	
					Bottom	5.9	0.1	105	27.8	8.1	8.1	22.2	22.2	77.0	77.0	5.3	5.3	14.5	11.3	6	6	93	92	822118	808787	<0.2	<0.2	3.1	2.9	
						5.9	0.1	105	27.8	8.1	8.1	22.1	22.2	77.0	77.0	5.3	5.3	14.5	11.3	7	6	92	92	822118	808787	<0.2	<0.2	3.1	2.9	
IM10	Sunny	Moderate	12:13	7.0	Surface	1.0	0.7	135	28.9	8.1	8.1	16.1	16.1	86.4	86.3	6.1	5.8	10.2	14.6	6	6	84	88	822405	809807	<0.2	<0.2	3.4	3.1	
						1.0	0.8	140	28.9	8.1	8.1	16.1	16.1	86.2	86.3	6.1	5.8	10.2	14.6	6	6	84	88	822405	809807	<0.2	<0.2	2.6	3.1	
					Middle	3.5	0.5	121	28.1	8.0	8.0	20.1	20.1	78.2	78.3	5.5	5.5	13.3	14.6	5	6	89	88	822405	809807	<0.2	<0.2	3.2	3.1	
						3.5	0.6	129	28.1	8.0	8.0	20.1	20.1	78.3	78.3	5.5	5.5	13.5	14.6	6	6	88	92	822405	809807	<0.2	<0.2	2.9	3.1	
					Bottom	6.0	0.3	94	27.8	8.0	8.0	22.5	22.5	75.9	75.9	5.3	5.3	20.1	14.6	6	6	92	93	822405	809807	<0.2	<0.2	3.1	3.1	
						6.0	0.3	95	27.8	8.0	8.0	22.4	22.4	76.0	76.0	5.3	5.3	20.1	14.6	6	6	93	93	822405	809807	<0.2	<0.2	3.5	3.1	
IM11	Sunny	Moderate	11:55	8.5	Surface	1.0	0.8	116	29.0	8.1	8.1	15.0	15.0	90.6	90.4	6.4	5.9	9.3	14.3	4	6	84	89	822057	811457	<0.2	<0.2	3.5	3.2	
						1.0	0.8	116	29.0	8.1	8.1	15.0	15.0	90.2	90.4	6.4	5.9	9.4	14.3	4	6	84	89	822057	811457	<0.2	<0.2	3.2	3.2	
					Middle	4.3	0.4	86	27.9	8.1	8.1	21.3	21.3	76.1	76.1	5.3	5.3	14.8	14.3	6	6	89	89	822057	811457	<0.2	<0.2	3.1	3.2	
						4.3	0.4	91	27.9	8.1	8.1	21.3	21.3	76.1	76.1	5.3	5.3	14.8	14.3	6	6	89	93	822057	811457	<0.2	<0.2	3.1	3.2	
					Bottom	7.5	0.3	78	27.7	8.0	8.0	22.5	22.5	75.3	75.4	5.2	5.2	18.6	14.3	7	6	93	93	822057	811457	<0.2	<0.2	3.2	3.2	
						7.5	0.3	82	27.7	8.1	8.0	22.5	22.5	75.4	75.4	5.2	5.2	18.6	14.3	8	6	93	93	822057	811457	<0.2	<0.2	2.9	3.2	
IM12	Sunny	Moderate	11:46	9.9	Surface	1.0	0.4	88	29.1	8.1	8.1	15.3	15.3	91.3	91.3	6.5	6.2	8.3	10.6	4	5	84	88	821468	812040	<0.2	<0.2	3.0	2.9	
						1.0	0.4	89	29.1	8.1	8.1	15.3	15.3	91.3	91.3	6.5	6.2	8.3	10.6	3	5	88	89	821468	812040	<0.2	<0.2	2.6	2.9	
					Middle	5.0	0.6	97	28.4	8.1	8.1	18.0	18.0	81.8	81.8	5.8	5.8	9.9	10.6	5	5	89	88	821468	812040	<0.2	<0.2	3.1	2.9	
						5.0	0.6	104	28.4	8.1	8.1	18.0	18.0	81.7	81.8	5.8	5.8	10.0	10.6	5	5	88	93	821468	812040	<0.2	<0.2	2.9	2.9	
					Bottom	8.9	0.4	118	27.9	8.1	8.1	21.4	21.4	81.2	81.3	5.7	5.7	13.4	10.6	6	5	93	92	821468	812040	<0.2	<0.2	2.8	2.9	
						8.9	0.4	129	28.0	8.1	8.1	21.4	21.4	81.3	81.3	5.7	5.7	13.4	10.6	6	5	92	92	821468	812040	<0.2	<0.2	2.9	2.9	
SR2	Sunny	Moderate	11:06	5.0	Surface	1.0	0.5	66	28.8	8.2	8.2	16.3	16.3	93.8	93.7	6.6	6.6	8.3	9.5	2	3	84	84	821479	814153	<0.2	<0.2	2.8	3.0	
						1.0	0.5	72	28.8	8.2	8.2	16.3	16.3	93.5	93.7	6.6	6.6	8.3	9.5	2	3	84	84	821479	814153	<0.2	<0.2	2.9	3.0	
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	9.5	-	3	-	86	86	821479	814153	<0.2	<0.2	-	3.0
						-	-	-	-	-	-	-	-	-	-	-	-	-	9.5	-	3	-	86	86	821479	814153	<0.2	<0.2	-	3.0
					Bottom	4.0	0.4	67	28.1	8.1	8.1	19.6	19.6	83.1	83.2	5.8	5.8	10.5	9.5	4	3	89	88	821479	814153	<0.2	<0.2	3.0	3.2	
						4.0	0.4	71	28.1	8.1	8.1	19.6	19.6	83.2	83.2	5.8	5.8	10.9	9.5	4	3	88	88	821479	814153	<0.2	<0.2	3.2	3.2	
SR3	Sunny	Moderate	12:45	8.1	Surface	1.0	0.8	192	28.8	8.0	8.0	14.6	14.6	86.5	86.5	6.2	5.8	9.0	11.6	4	6	-	-	822130	807554	-	-	-	-	
						1.0	0.8	194	28.8	8.0	8.0	14.6	14.6	86.4	86.4	6.2	5.8	9.1	11.6	3	6	-	-	822130	807554	-	-	-	-	
					Middle	4.1	0.3	211	28.0	8.0	8.0	21.5	21.4	76.8	76.8	5.3	5.3	11.5	11.6	6	6	-	-	822130	807554	-	-	-	-	
						4.1	0.3	215	28.0	8.0	8.0	21.4	21.4	76.7	76.8	5.3	5.3	11.5	11.6	5	6	-	-	822130	807554	-	-	-	-	
					Bottom	7.1	0.2	243	27.7	8.0	8.0	22.9	22.9	74.4	74.5	5.2	5.2	14.1	11.6	8	6	-	-	822130	807554	-	-	-	-	
						7.1	0.2	255	27.7	8.0	8.0	22.9	22.9	74.5	74.5	5.2	5.2	14.1	11.6	7	6	-	-	822130	807554	-	-	-	-	
SR4A	Sunny	Moderate	10:31	9.0	Surface	1.0	0.2	90	28.8	8.2	8.2	16.9	16.9	96.3	96.4	6.8	6.7	7.5	7.5	4	5	-	-	817184	807810	-	-	-	-	
						1.0	0.2	95	28.8	8.2	8.2	17.0	17.0	96.4	96.4	6.8	6.7	7.6	7.5	4	5	-	-	817184	807810	-	-	-	-	
					Middle	4.5	0.2	62	28.4	8.2	8.2	19.0	19.0	92.8	92.8	6.5	6.5	7.5	7.5	6	5	-	-	817184	807810	-	-	-	-	
						4.5	0.2	65	28.4	8.2	8.2	19.0	19.0	92.8	92.8	6.5	6.5	7.5	7.5	6	5	-	-	817184	807810	-	-	-	-	
					Bottom	8.0	0.2	90	28.4	8.2	8.2	19.7	19.7	92.6	92.6	6.5	6.5	7.4	7.5	5	5	-	-	817184	807810	-	-	-	-	
						8.0	0.2	97	28.4	8.2	8.2	19.7	19.7	92.6	92.6	6.5	6.5	7.4	7.5	6	5	-	-	817184	807810	-	-	-	-	
SR5A	Sunny	Calm	10:14	5.3	Surface	1.0	0.1	33	28.5	8.2	8.2	18.9	18.9	95.5	95.5	6.7	6.7	7.4	7.5	3	3	-	-	816572	810717	-	-	-	-	
						1.0	0.1	33	28.5	8.2	8.2	18.9	18.9	95.4	95.4	6.7	6.7	7.4	7.5	3	3	-								

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 22 September 18 during Mid-Flood Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)		
C1	Fine	Moderate	17:59	7.7	Surface	1.0	0.1	90	29.3		8.3	8.3	18.4	18.4	99.6	99.4	6.9	6.3	8.9	10.8	4	5	90	93	815644	804258	<0.2	<0.2	3.3	3.3	
						1.0	0.1	92	29.3	29.3	8.3	8.3	18.4	18.4	99.1	99.4	6.9	6.3	8.9	10.8	4	5	90	93	815644	804258	<0.2	<0.2	3.2	3.2	
					Middle	3.9	0.1	42	28.3	28.3	8.1	8.1	20.7	20.7	82.7	82.7	5.7	5.7	10.1	10.8	4	5	93	94	815644	804258	<0.2	<0.2	3.3	3.3	
						3.9	0.1	15	28.3	28.3	8.1	8.1	20.7	20.7	82.6	82.7	5.7	5.7	10.1	10.8	5	5	94	96	815644	804258	<0.2	<0.2	3.2	3.2	
					Bottom	6.7	0.1	73	27.8	27.8	8.1	8.1	23.5	23.5	82.1	82.1	5.7	5.7	13.2	13.2	6	5	96	96	815644	804258	<0.2	<0.2	3.8	3.8	
						6.7	0.1	89	27.8	27.8	8.1	8.1	23.5	23.5	82.3	82.2	5.7	5.7	13.4	13.4	5	5	96	96	815644	804258	<0.2	<0.2	3.2	3.2	
C2	Fine	Moderate	16:47	10.2	Surface	1.0	1.2	73	29.2	29.2	8.0	8.0	11.7	11.7	87.3	87.2	6.3	5.8	10.1	11.8	4	4	87	91	825653	806916	<0.2	<0.2	3.5	3.5	
						1.0	1.3	85	29.2	29.2	8.0	8.0	11.7	11.7	87.1	87.2	6.3	5.8	10.1	11.8	4	4	87	91	825653	806916	<0.2	<0.2	3.4	3.4	
					Middle	5.1	0.6	79	28.0	28.0	8.0	8.0	19.5	19.5	75.4	75.4	5.3	5.3	11.7	11.8	4	4	90	91	825653	806916	<0.2	<0.2	3.0	3.0	
						5.1	0.6	80	28.0	28.0	8.0	8.0	19.6	19.6	75.4	75.4	5.3	5.3	11.7	11.8	4	4	91	95	825653	806916	<0.2	<0.2	2.8	2.8	
					Bottom	9.2	0.2	24	27.8	27.8	8.1	8.0	22.0	22.1	75.8	75.9	5.3	5.3	13.7	13.6	4	5	95	95	825653	806916	<0.2	<0.2	3.0	3.0	
						9.2	0.2	30	27.8	27.8	8.0	8.0	22.1	22.1	75.9	75.9	5.3	5.3	13.6	13.6	5	5	95	95	825653	806916	<0.2	<0.2	3.4	3.4	
C3	Fine	Moderate	18:33	9.0	Surface	1.0	0.4	275	29.5	29.5	8.3	8.3	18.5	18.5	105.9	105.7	7.3	6.4	8.4	10.1	5	5	87	91	822135	817819	<0.2	<0.2	3.1	3.1	
						1.0	0.4	286	29.5	29.5	8.3	8.3	18.5	18.5	105.5	105.7	7.3	6.4	8.4	10.1	4	5	87	91	822135	817819	<0.2	<0.2	3.1	3.1	
					Middle	4.5	0.3	281	28.0	28.0	8.1	8.1	22.3	22.3	79.4	79.4	5.5	5.5	10.5	10.1	5	5	91	90	822135	817819	<0.2	<0.2	2.9	2.9	
						4.5	0.3	298	28.0	28.0	8.1	8.1	22.3	22.3	79.3	79.4	5.5	5.5	10.5	10.1	5	5	90	95	822135	817819	<0.2	<0.2	3.2	3.2	
					Bottom	8.0	0.1	261	27.8	27.8	8.1	8.1	24.3	24.3	79.5	79.5	5.5	5.5	11.3	11.2	5	5	95	94	822135	817819	<0.2	<0.2	3.2	3.2	
						8.0	0.1	285	27.8	27.8	8.1	8.1	24.3	24.3	79.5	79.5	5.5	5.5	11.2	11.2	4	5	94	94	822135	817819	<0.2	<0.2	3.2	3.2	
IM1	Fine	Moderate	17:38	4.6	Surface	1.0	0.2	56	29.6	29.6	8.1	8.1	12.6	12.6	98.2	98.1	7.0	7.0	8.6	8.5	4	4	86	90	817949	807119	<0.2	<0.2	3.1	3.1	
						1.0	0.2	59	29.6	29.6	8.1	8.1	12.6	12.6	98.0	98.1	7.0	7.0	8.6	8.5	3	4	86	90	817949	807119	<0.2	<0.2	3.4	3.4	
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.5	-	4	-	86	90	817949	807119	<0.2	<0.2	-	-
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.5	-	4	-	86	90	817949	807119	<0.2	<0.2	-	-
					Bottom	3.6	0.1	11	28.7	28.7	8.0	8.0	16.7	16.7	92.6	92.7	6.5	6.5	8.3	8.5	4	4	93	93	817949	807119	<0.2	<0.2	3.4	3.4	
						3.6	0.1	11	28.7	28.7	8.0	8.0	16.7	16.7	92.7	92.7	6.5	6.5	8.3	8.5	3	4	93	93	817949	807119	<0.2	<0.2	3.4	3.4	
IM2	Fine	Moderate	17:29	6.7	Surface	1.0	0.4	11	29.7	29.7	8.1	8.1	12.4	12.4	99.2	99.2	7.1	6.6	8.7	8.6	3	3	86	90	818173	806174	<0.2	<0.2	4.2	4.2	
						1.0	0.4	15	29.7	29.7	8.1	8.1	12.4	12.4	99.1	99.2	7.0	6.6	8.7	8.6	2	3	87	90	818173	806174	<0.2	<0.2	3.9	3.9	
					Middle	3.4	0.1	19	28.6	28.6	8.1	8.1	16.8	16.8	88.4	88.4	6.2	6.2	8.4	8.6	3	3	89	90	818173	806174	<0.2	<0.2	3.6	3.6	
						3.4	0.1	22	28.6	28.6	8.1	8.1	16.8	16.8	88.3	88.4	6.2	6.2	8.4	8.6	3	3	89	90	818173	806174	<0.2	<0.2	3.9	3.9	
					Bottom	5.7	0.1	42	28.4	28.4	8.0	8.0	18.4	18.4	87.7	87.7	6.2	6.2	8.8	8.6	4	5	94	95	818173	806174	<0.2	<0.2	4.1	4.1	
						5.7	0.1	45	28.4	28.4	8.0	8.0	18.4	18.4	87.7	87.7	6.2	6.2	8.8	8.6	5	5	95	95	818173	806174	<0.2	<0.2	4.0	4.0	
IM3	Fine	Moderate	17:20	6.8	Surface	1.0	0.5	40	28.9	28.9	8.0	8.0	14.5	14.5	87.8	87.8	6.3	6.0	8.4	9.1	4	5	86	90	818773	805605	<0.2	<0.2	3.0	3.0	
						1.0	0.5	57	28.9	28.9	8.0	8.0	14.6	14.6	87.7	87.8	6.2	6.0	8.4	9.1	4	5	87	90	818773	805605	<0.2	<0.2	3.5	3.5	
					Middle	3.4	0.2	17	28.3	28.3	8.0	8.0	18.7	18.7	82.6	82.6	5.8	5.8	8.8	8.6	5	5	90	90	818773	805605	<0.2	<0.2	3.7	3.7	
						3.4	0.2	21	28.3	28.3	8.0	8.0	18.7	18.7	82.6	82.6	5.8	5.8	8.8	8.6	6	5	90	90	818773	805605	<0.2	<0.2	3.7	3.7	
					Bottom	5.8	0.3	20	28.2	28.2	8.0	8.0	19.6	19.6	84.3	84.3	5.9	5.9	10.1	9.1	6	6	93	94	818773	805605	<0.2	<0.2	3.6	3.6	
						5.8	0.3	20	28.2	28.2	8.0	8.0	19.6	19.6	84.2	84.3	5.9	5.9	10.1	9.1	6	6	94	94	818773	805605	<0.2	<0.2	3.8	3.8	
IM4	Fine	Moderate	17:10	7.0	Surface	1.0	0.2	71	29.3	29.3	8.1	8.1	12.1	12.3	91.1	91.0	6.5	6.3	9.2	9.3	4	5	87	90	819737	804585	<0.2	<0.2	3.8	3.8	
						1.0	0.2	75	29.3	29.3	8.1	8.1	12.5	12.3	90.9	91.0	6.5	6.3	9.2	9.3	5	5	86	90	819737	804585	<0.2	<0.2	2.8	2.8	
					Middle	3.5	0.3	33	28.5	28.5	8.1	8.1	16.7	16.7	85.0	85.0	6.0	6.0	9.0	9.3	4	5	89	90	819737	804585	<0.2	<0.2	3.0	3.0	
						3.5	0.4	35	28.5	28.5	8.1	8.1	16.7	16.7	85.0	85.0	6.0	6.0	9.0	9.3	5	5	90	90	819737	804585	<0.2	<0.2	3.0	3.0	
					Bottom	6.0	0.3	39	28.3	28.3	8.0	8.0	18.5	18.5	84.5	84.6	5.9	5.9	9.6	9.6	6	6	93	94	819737	804585	<0.2	<0.2	2.8	2.8	
						6.0	0.3	49	28.3	28.3	8.0	8.0	18.5	18.5	84.6	84.6	5.9	5.9	9.6	9.6	6	6	94	94	81973						

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 22 September 18 during Mid-Flood Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)	
IM9	Fine	Moderate	17:17	7.3	Surface	1.0	0.3	253	28.6	28.6	8.1	8.1	15.7	15.6	86.4	86.4	6.1	6.1	8.5	6.1	6	87	91	822082	808819	<0.2	<0.2	3.6	3.7	
						1.0	0.3	253	28.6		8.1	8.1	15.4	15.6	86.3	86.4	6.1	6.1	8.5	6.1	5	87	91	822082	808819	<0.2	<0.2	3.5	3.7	
					Middle	3.7	0.1	221	28.5	28.5	8.1	8.1	17.0	17.0	85.0	85.0	6.0	6.0	8.7	8.7	7	91	91	822082	808819	<0.2	<0.2	3.8	3.7	
						3.7	0.1	224	28.5	28.5	8.1	8.1	17.0	17.0	85.0	85.0	6.0	6.0	8.7	8.7	8	91	91	822082	808819	<0.2	<0.2	3.7	3.7	
					Bottom	6.3	0.1	184	28.4	28.4	8.1	8.1	18.7	18.6	83.7	83.7	5.9	5.9	9.2	9.2	8	95	95	822082	808819	<0.2	<0.2	4.3	3.7	
						6.3	0.1	190	28.4	28.4	8.1	8.1	18.6	18.6	83.7	83.7	5.9	5.9	9.3	9.3	9	95	95	822082	808819	<0.2	<0.2	3.3	3.7	
IM10	Fine	Moderate	17:27	7.6	Surface	1.0	0.6	238	29.8	29.8	8.1	8.1	11.2	11.3	99.0	99.0	7.1	7.1	9.4	9.4	6	87	91	822378	809800	<0.2	<0.2	3.4	3.5	
						1.0	0.6	242	29.8		8.1	8.1	11.5	11.3	99.0	99.0	7.1	7.1	9.4	9.4	7	87	91	822378	809800	<0.2	<0.2	3.2	3.5	
					Middle	3.8	0.4	208	28.2	28.2	8.0	8.0	19.3	19.2	81.5	81.5	5.7	5.7	9.9	9.9	7	91	91	822378	809800	<0.2	<0.2	3.4	3.5	
						3.8	0.4	213	28.2	28.2	8.0	8.0	19.2	19.2	81.5	81.5	5.7	5.7	9.9	9.9	7	91	91	822378	809800	<0.2	<0.2	3.4	3.5	
					Bottom	6.6	0.3	196	28.2	28.2	8.0	8.0	19.7	19.7	81.6	81.6	5.7	5.7	11.7	11.7	7	95	95	822378	809800	<0.2	<0.2	3.6	3.8	
						6.6	0.3	201	28.2	28.2	8.0	8.0	19.7	19.7	81.6	81.6	5.7	5.7	11.7	11.7	8	95	95	822378	809800	<0.2	<0.2	3.8	3.8	
IM11	Fine	Moderate	17:38	8.2	Surface	1.0	0.5	223	29.7	29.7	8.2	8.2	12.2	12.2	97.1	97.0	6.9	6.9	9.0	9.0	5	86	91	822052	811447	<0.2	<0.2	3.6	3.6	
						1.0	0.6	227	29.7		8.2	8.2	12.1	12.2	96.9	97.0	6.9	6.9	9.0	9.0	6	87	91	822052	811447	<0.2	<0.2	3.4	3.6	
					Middle	4.1	0.5	202	28.5	28.5	8.1	8.1	17.8	17.8	83.9	83.9	5.9	5.9	10.0	10.0	5	91	91	822052	811447	<0.2	<0.2	3.7	3.6	
						4.1	0.6	203	28.5	28.5	8.1	8.1	17.9	17.8	83.9	83.9	5.9	5.9	10.1	10.1	6	91	91	822052	811447	<0.2	<0.2	3.6	3.6	
					Bottom	7.2	0.2	180	28.2	28.2	8.1	8.1	20.1	20.1	81.9	82.0	5.7	5.7	18.3	18.3	7	95	95	822052	811447	<0.2	<0.2	3.7	3.5	
						7.2	0.2	186	28.2	28.2	8.1	8.1	20.1	20.1	82.0	82.0	5.7	5.7	18.6	18.6	7	95	95	822052	811447	<0.2	<0.2	3.5	3.5	
IM12	Fine	Moderate	17:44	7.5	Surface	1.0	0.5	209	29.9	29.9	8.2	8.2	11.2	11.2	99.5	99.4	7.1	7.1	8.8	8.8	6	87	91	821483	812037	<0.2	<0.2	3.5	3.7	
						1.0	0.6	210	29.9		8.2	8.2	11.2	11.2	99.3	99.4	7.1	7.1	8.8	8.8	5	87	91	821483	812037	<0.2	<0.2	3.7	3.7	
					Middle	3.8	0.5	184	28.6	28.6	8.1	8.1	16.8	16.8	87.5	87.6	6.2	6.2	8.1	8.1	6	91	91	821483	812037	<0.2	<0.2	3.9	3.7	
						3.8	0.5	192	28.6	28.6	8.1	8.1	16.8	16.8	87.6	87.6	6.2	6.2	8.1	8.1	6	91	91	821483	812037	<0.2	<0.2	3.5	3.7	
					Bottom	6.5	0.3	172	28.3	28.3	8.1	8.1	18.7	18.7	85.6	85.7	6.0	6.0	8.8	8.8	7	95	95	821483	812037	<0.2	<0.2	3.9	3.8	
						6.5	0.4	176	28.4	28.3	8.1	8.1	18.7	18.7	85.7	85.7	6.0	6.0	8.8	8.8	7	95	95	821483	812037	<0.2	<0.2	3.8	3.8	
SR2	Fine	Moderate	18:11	4.8	Surface	1.0	0.2	227	29.6	29.6	8.1	8.1	13.5	13.5	101.9	101.9	7.2	7.2	10.1	10.1	4	87	89	821448	814136	<0.2	<0.2	3.3	3.3	
						1.0	0.3	229	29.6		8.1	8.1	13.5	13.5	101.9	101.9	7.2	7.2	10.2	10.2	5	87	89	821448	814136	<0.2	<0.2	3.3	3.3	
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	821448	814136	<0.2	<0.2	-	-	
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	821448	814136	<0.2	<0.2	-	-	
					Bottom	3.8	0.3	290	29.4	29.4	8.1	8.1	14.0	14.0	99.3	99.3	7.0	7.0	18.0	18.0	7	90	90	821448	814136	<0.2	<0.2	3.1	3.3	
						3.8	0.3	297	29.4	29.4	8.1	8.1	14.0	14.0	99.2	99.3	7.0	7.0	18.4	18.4	7	90	90	821448	814136	<0.2	<0.2	3.3	3.3	
SR3	Fine	Moderate	17:01	7.8	Surface	1.0	0.9	86	29.1	29.1	8.1	8.1	12.2	12.2	92.2	92.1	6.6	6.6	9.2	9.2	6	-	-	822132	807568	-	-	-	-	
						1.0	1.0	96	29.1		8.1	8.1	12.2	12.2	91.9	92.1	6.6	6.6	9.2	9.2	6	-	-	822132	807568	-	-	-	-	
					Middle	3.9	0.6	11	28.1	28.1	8.0	8.0	19.8	19.8	77.1	77.1	5.4	5.4	11.1	11.1	6	-	-	822132	807568	-	-	-	-	
						3.9	0.6	15	28.1	28.1	8.0	8.0	19.8	19.8	77.1	77.1	5.4	5.4	11.1	11.1	5	-	-	822132	807568	-	-	-	-	
					Bottom	6.8	0.4	30	28.0	28.0	8.1	8.1	20.9	20.9	77.3	77.3	5.4	5.4	13.8	13.8	7	-	-	822132	807568	-	-	-	-	
						6.8	0.4	33	28.0	28.0	8.1	8.1	21.0	21.0	77.2	77.2	5.4	5.4	13.9	13.9	6	-	-	822132	807568	-	-	-	-	
SR4A	Fine	Moderate	18:18	8.0	Surface	1.0	0.5	265	29.6	29.6	8.3	8.3	18.4	18.4	113.3	113.1	7.8	7.8	8.1	8.1	4	-	-	817217	807819	-	-	-	-	
						1.0	0.6	274	29.6		8.3	8.3	18.4	18.4	112.9	113.1	7.8	7.8	8.1	8.1	5	-	-	817217	807819	-	-	-	-	
					Middle	4.0	0.5	239	28.1	28.1	8.1	8.1	21.2	21.2	83.2	83.2	5.8	5.8	9.6	9.6	5	-	-	817217	807819	-	-	-	-	
						4.0	0.5	259	28.1	28.1	8.1	8.1	21.3	21.3	83.2	83.2	5.8	5.8	9.6	9.6	6	-	-	817217	807819	-	-	-	-	
					Bottom	7.0	0.5	244	27.8	27.8	8.1	8.1	23.9	23.8	85.6	85.7	5.9	5.9	10.6	10.6	7	-	-	817217	807819	-	-	-	-	
						7.0	0.5	250	27.8	27.8	8.1	8.1	23.8	23.8	85.8	85.7	5.9	5.9	10.6	10.6	7	-	-	817217	807819	-	-	-	-	
SR5A	Fine	Calm	18:38	4.8	Surface	1.0	0.4	322	29.5	29.5	8.3	8.3	18.4	18.4	116.6	116.5	8.0	8.0	7.9	7.9	4	-	-	816612	810699	-	-	-	-	

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 25 September 18 during Mid-Ebb Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)								
									Value	Average	Value	Average	Value	Average	Value	Average	Value	DA	Value	DA	Value	DA	Value	DA			Value	DA	Value	DA	Value	DA					
C1	Fine	Moderate	12:27	8.4	Surface	1.0	0.6	233	28.8	28.7	8.1	8.1	20.2	20.2	86.9	86.9	6.0	5.9	6.2	10.6	5	7	83	86	815643	804231	<0.2	2.6	2.3								
						1.0	0.6	239	28.7		8.1	8.1	20.2	20.2	86.8	86.8	6.0	6.3	6		83		<0.2				2.2										
					Middle	4.2	0.5	219	28.5	28.5	8.1	8.1	21.9	21.9	84.4	84.4	5.8	5.8	11.4		5		86				<0.2	2.2									
						4.2	0.6	240	28.5		8.1	8.1	21.9	21.9	84.4	84.4	5.8	11.3	6		85		<0.2				2.1										
					Bottom	7.4	0.5	211	28.4	28.4	8.1	8.1	22.5	22.5	84.3	84.3	5.8	5.8	14.2		9		88				<0.2	2.2									
						7.4	0.5	218	28.4		8.1	8.1	22.5	22.5	84.3	84.3	5.8	14.2	8		89		<0.2				2.2										
C2	Fine	Moderate	11:29	12.7	Surface	1.0	0.2	105	28.6	28.6	8.0	8.0	18.1	18.1	79.8	79.7	5.6	5.5	8.4	13.5	5	7	81	86	825655	806957	<0.2	2.1	2.1								
						1.0	0.2	112	28.6		8.0	8.0	18.1	18.1	79.6	79.6	5.6	8.6	5		81		<0.2				2.1										
					Middle	6.4	0.4	84	28.2	28.2	8.1	8.1	21.9	21.9	76.0	76.1	5.3	5.3	14.4		6		86				<0.2	2.1									
						6.4	0.4	91	28.3		8.1	8.1	21.9	21.9	76.1	76.1	5.3	14.5	6		86		<0.2				2.0										
					Bottom	11.7	0.3	120	28.0	28.0	8.1	8.1	25.0	25.0	76.8	76.8	5.2	5.2	17.4		9		90				<0.2	2.1									
						11.7	0.3	126	28.0		8.1	8.1	25.0	25.0	76.8	76.8	5.2	17.4	10		91		<0.2				1.9										
C3	Fine	Moderate	13:18	12.3	Surface	1.0	0.3	209	28.4	28.4	8.1	8.1	23.2	23.2	84.3	84.3	5.8	5.7	6.1	9.3	8	9	84	87	822099	817810	<0.2	2.0	2.0								
						1.0	0.3	226	28.4		8.1	8.1	23.2	23.2	84.2	84.2	5.8	6.2	8		84		<0.2				2.0										
					Middle	6.2	0.4	254	28.2	28.2	8.1	8.1	24.0	24.0	80.7	80.7	5.5	5.5	9.9		9		86				<0.2	2.0									
						6.2	0.4	264	28.2		8.1	8.1	24.0	24.0	80.6	80.7	5.5	9.8	9		87		<0.2				2.0										
					Bottom	11.3	0.2	258	27.9	27.9	8.1	8.1	25.2	25.2	80.1	80.1	5.5	5.5	11.9		10		91				<0.2	2.1									
						11.3	0.2	272	27.9		8.1	8.1	25.2	25.2	80.2	80.2	5.5	12.0	8		91		<0.2				1.9										
IM1	Fine	Moderate	12:08	4.7	Surface	1.0	0.2	212	28.7	28.7	8.1	8.1	20.0	20.0	82.7	82.7	5.7	5.7	7.4	9.3	4	4	82	84	817967	807145	<0.2	2.1	2.1								
						1.0	0.2	228	28.7		8.1	8.1	20.0	20.0	82.6	82.6	5.7	7.5	4		82		<0.2				2.1										
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-		-				-	-		-	-	-	-	-	<0.2	-	2.1
						-	-	-	-		-	-	-	-	-	-	-	-	-		-		-				-	-		-	-	-	-	-	-	-	
					Bottom	3.7	0.2	189	28.2	28.2	8.1	8.1	21.8	21.8	80.4	80.5	5.6	5.6	11.0		3		87				<0.2	2.1									
						3.7	0.2	203	28.2		8.1	8.1	21.8	21.8	80.5	80.5	5.6	11.1	4		86		<0.2				2.1										
IM2	Fine	Moderate	12:01	6.8	Surface	1.0	0.3	218	28.5	28.5	8.1	8.1	19.8	19.8	82.5	82.5	5.7	5.6	8.9	11.6	4	4	81	85	818192	806151	<0.2	2.1	2.1								
						1.0	0.4	237	28.5		8.1	8.1	19.8	19.8	82.4	82.5	5.7	9.1	4		82		<0.2				2.0										
					Middle	3.4	0.3	197	28.3	28.3	8.1	8.1	20.7	20.7	79.2	79.2	5.5	5.5	10.8		4		85				<0.2	2.0									
						3.4	0.3	204	28.3		8.1	8.1	20.7	20.7	79.1	79.2	5.5	11.4	4		85		<0.2				2.1										
					Bottom	5.8	0.2	166	28.0	28.0	8.1	8.1	23.0	23.0	78.6	78.6	5.4	5.4	14.7		5		89				<0.2	2.0									
						5.8	0.3	175	28.0		8.1	8.1	23.0	23.0	78.6	78.6	5.4	14.7	5		89		<0.2				2.1										
IM3	Fine	Moderate	11:54	7.1	Surface	1.0	0.3	214	28.6	28.6	8.1	8.1	19.9	19.9	81.5	81.5	5.7	5.6	12.1	16.5	3	4	81	86	818778	805600	<0.2	2.0	2.0								
						1.0	0.3	215	28.6		8.1	8.1	19.9	19.9	81.4	81.4	5.7	12.5	3		82		<0.2				2.1										
					Middle	3.6	0.3	188	28.3	28.3	8.1	8.1	21.1	21.1	78.7	78.7	5.5	5.5	16.8		3		86				<0.2	2.0									
						3.6	0.3	204	28.2		8.1	8.1	21.1	21.1	78.6	78.7	5.5	16.6	4		87		<0.2				2.1										
					Bottom	6.1	0.2	170	28.0	28.0	8.1	8.1	23.2	23.2	78.3	78.5	5.4	5.4	20.6		5		89				<0.2	2.0									
						6.1	0.2	178	28.0		8.1	8.1	23.2	23.2	78.6	78.5	5.4	20.2	4		89		<0.2				2.0										
IM4	Fine	Moderate	11:46	6.9	Surface	1.0	1.0	222	28.6	28.6	8.1	8.1	20.5	20.5	80.6	80.6	5.6	5.5	7.0	11.0	4	4	82	86	819731	804624	<0.2	2.0	2.1								
						1.0	1.1	237	28.6		8.1	8.1	20.5	20.5	80.5	80.6	5.6	7.1	4		82		<0.2				2.1										
					Middle	3.5	0.8	230	28.2	28.2	8.1	8.1	21.9	21.9	78.0	78.0	5.4	5.4	11.0		4		87				<0.2	1.9									
						3.5	0.9	242	28.2		8.1	8.1	21.9	21.9	78.0	78.0	5.4	11.2	4		87		<0.2				2.2										
					Bottom	5.9	0.6	226	28.0	28.0	8.1	8.1	23.2	23.2	77.7	77.8	5.4	5.4	14.8		5		89				<0.2	2.1									
						5.9	0.6	228	28.0		8.1	8.1	23.2	23.2	77.8	77.8	5.4	14.8	5		89		<0.2				2.0										
IM5	Fine	Moderate	11:39	6.6	Surface	1.0	0.3	219	28.5	28.5	8.1	8.1	21.1	21.1	79.6	79.6	5.5	5.5	7.8	8.5	4	5	83	86	820755	804854	<0.2	2.0	2.0								
						1.0	0.3	223	28.5		8.1	8.1	21.1	21.1	79.6	79.6	5.5	7.9	5		83		<0.2				2.1										
					Middle	3.3	0.3	199	28.1	28.1	8.1	8.1	22.3	22.3	78.9	78.9	5.5	5.5	8.9		5		86				<0.2	2.0									
						3.3	0.3	201	28.1		8.1	8.1	22.3	22.3	78.8	78.9	5.4	8.9	4		86		<0.2				2.1										
					Bottom	5.6	0.3	190	27.9	27.9	8.1	8.1	23.1	23.1	78.5	78.6	5.4	5.4	8.6		5		89				<0.2	2.0									
						5.6	0.3	200	27.9		8.1	8.1	23.1	23.1	78.6	78.6	5.4	8.6	6		90		<0.2				2.0										
IM6	Fine	Moderate	11:32	6.7	Surface	1.0	0.3	177	28.5	28.5	8.1	8.1	21.0	21.0	77.5	77.5	5.4	5.4	8.6	10.1	4	5	82	86	821046	805829	<0.2	2.0	2.0								
						1.0	0.3	194	28.5		8.1	8.1	21.0	21.0	77.5	77.5	5.4	8.7	4		82		<0.2				2.1										
					Middle	3.4	0.2	150	28.3	28.3	8.1	8.1	21.6	21.6	76.9	76.9	5.3	5.3	10.5		4		85				<0.2	2.0									
						3.4	0.2	152	28.3		8.1	8.1	21.6	21.6	76.9	76.9	5.3	10.5	5		86		<0.2				2.0										
					Bottom	5.7	0.3	162	28.2	28.2	8.1	8.1	22.2	22.2	77.3	77.3	5.3	5.3	11.1		6		89				<0.2	2.1									
						5.7	0.3	169	28.2		8.1	8.1	22.2	22.2	77.3	77.3	5.3	11.0	5		89		<0.2				2.0										
IM7	Fine	Moderate	11:26	7.9	Surface	1.0	0.3	160	28.6	28.6	8.0	8.0	18.7	18.7	80.5	80.5	5.6	5.5	6.6	10.6	4	5	90	84	821339	806825	<0.2	1.9	2.0								
						1.0	0.3	162	28.6		8.0	8.0	18.7	18.7	80.4	80.5	5.6	6.6	4		81		<0.2				2.1										
					Middle	4.0	0.2	98	28.4	28.4	8.0	8.0	19.9	19.9	76.6	76.6	5.3	5.3	11.7		6		84				<0.2	2.0									
						4.0	0.2	104	28.4		8.0	8.0	19.9	19.9	76.5	76.5	5.3	11.8	5		84		<0.2				2.0										
					Bottom	6.9	0.2	76	28.3	28.3	8.0	8.0	21.8	21.7	76.5	76.5	5.3	5.3	13.4		6		88				<0.2	1.9									
						6.9	0.3	82	28.3		8.0	8.0	21.7	21.7	76.5	76.5	5.3	13.4	7		88		<0.2				2.0										
IM8	Fine	Moderate	11:56	8.6	Surface	1.0	0.1	105	28.3	28.3	8.1	8.1	21.5	21.5	79.2	79.2	5.5	5.5	9.5	12.8	8	10	83	86	821839	808153	<0.2	1.8	1.9								
						1.0	0.1	111	28.3		8.1	8.1	21.5	21.5	79.2	79.2	5.5	9.5	9		83		<0.2				1.8										
					Middle	4.3	0.2	62	28.0	27.9	8.1	8.1	22.6	22.6	78.2	78.2	5.4	5.4	12.4		9		85				<0.2	1.9									
						4.3	0.2	63	27.9		8.1	8.1	22.6	22.6	78.1	78.2	5.4	12.6	10		86		<0.2				1.8										
					Bottom	7.6	0.4	85	27.8	27.8	8.1	8.1	24.5	24.5	77.3	77.3	5.3	5.3	16.3		10		90				<0.2	2.4									
						7.6	0.4	86	27.8		8.1	8.1	24.5	24.5	77.3	77.3	5.3	16.6	11		90		<0.2				1.9										

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 25 September 18 during Mid-Ebb Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)	
									Value	Average	Value	Average	Value	Average	Value	Average	Value	DA	Value	DA	Value	DA	Value	DA			Value	DA	Value	DA
IM9	Fine	Moderate	12:04	8.2	Surface	1.0	0.1	56	28.6	28.6	8.1	8.1	20.4	20.4	80.0	80.0	5.5	5.5	8.6	14.5	9	10	84	87	822087	808831	<0.2	1.8	1.9	
						1.0	0.1	56	28.6		8.1	8.1	20.4	20.4	79.9	79.9	5.5	5.5	8.8		10		84				<0.2	1.8		
					Middle	4.1	0.3	61	28.2	28.2	8.1	8.1	22.3	22.3	78.3	78.4	5.4	5.5	15.8		10		86				<0.2	1.8		
						4.1	0.4	64	28.2		8.1	8.1	22.3	22.3	78.4	78.4	5.4	5.4	16.0		10		87				<0.2	1.9		
					Bottom	7.2	0.4	70	27.8	27.8	8.1	8.1	23.9	23.9	78.8	78.9	5.4	5.4	18.8		12		89				<0.2	2.1		
						7.2	0.4	70	27.8		8.1	8.1	23.9	23.9	78.9	78.9	5.4	5.4	18.9		11		90				<0.2	2.2		
IM10	Fine	Moderate	12:13	7.7	Surface	1.0	0.3	106	28.5	28.5	8.1	8.1	19.7	19.7	79.8	79.7	5.6	5.5	16.1	18.2	6	10	84	87	822399	809775	<0.2	1.9	1.9	
						1.0	0.3	111	28.5		8.1	8.1	19.7	19.7	79.6	79.6	5.5	5.5	16.7		7		84				<0.2	1.9		
					Middle	3.9	0.2	139	28.2	28.2	8.1	8.1	22.4	22.4	78.2	78.2	5.4	5.5	18.0		8		87				<0.2	1.8		
						3.9	0.2	150	28.2		8.1	8.1	22.3	22.3	78.2	78.2	5.4	5.4	18.6		9		88				<0.2	1.9		
					Bottom	6.7	0.1	152	28.0	28.0	8.1	8.1	23.3	23.3	78.2	78.2	5.4	5.4	19.9		14		90				<0.2	1.8		
						6.7	0.1	161	28.0		8.1	8.1	23.3	23.3	78.2	78.2	5.4	5.4	20.1		14		90				<0.2	1.9		
IM11	Fine	Moderate	12:24	8.8	Surface	1.0	0.2	52	28.5	28.5	8.1	8.1	19.8	19.8	81.3	81.2	5.7	5.5	18.3	20.1	9	10	82	86	822064	811454	<0.2	1.9	2.1	
						1.0	0.2	55	28.5		8.1	8.1	19.8	19.8	81.1	81.2	5.6	5.5	18.1		9		82				<0.2	1.8		
					Middle	4.4	0.1	357	28.0	28.0	8.1	8.1	22.9	22.9	78.3	78.3	5.4	5.5	20.0		10		87				<0.2	2.7		
						4.4	0.1	328	28.0		8.1	8.1	23.0	22.9	78.3	78.3	5.4	5.4	19.8		9		87				<0.2	2.2		
					Bottom	7.8	0.1	130	28.0	28.0	8.1	8.1	23.3	23.3	79.3	79.3	5.5	5.5	22.1		11		89				<0.2	1.8		
						7.8	0.1	140	28.0		8.1	8.1	23.3	23.3	79.4	79.4	5.5	5.5	22.5		11		90				<0.2	1.9		
IM12	Fine	Moderate	12:32	10.3	Surface	1.0	0.4	81	28.7	28.7	8.1	8.1	20.0	20.0	83.6	83.6	5.8	5.7	10.0	15.3	7	8	81	86	821450	812069	<0.2	1.9	2.0	
						1.0	0.4	81	28.7		8.1	8.1	20.0	20.0	83.5	83.6	5.8	5.7	10.2		6		82				<0.2	2.2		
					Middle	5.2	0.2	68	28.0	28.0	8.2	8.2	22.9	22.9	80.3	80.3	5.5	5.5	16.1		8		87				<0.2	2.0		
						5.2	0.2	68	28.0		8.2	8.2	22.9	22.9	80.3	80.3	5.5	5.5	16.6		8		87				<0.2	1.9		
					Bottom	9.3	0.0	130	28.0	28.0	8.2	8.2	23.3	23.3	80.7	80.8	5.6	5.6	19.6		8		89				<0.2	1.9		
						9.3	0.0	133	28.0		8.2	8.2	23.3	23.3	80.8	80.8	5.6	5.6	19.5		9		89				<0.2	1.8		
SR2	Fine	Moderate	12:59	4.9	Surface	1.0	0.1	333	28.2	28.2	8.1	8.1	22.4	22.4	81.2	81.2	5.6	5.6	18.6	19.5	19	19	84	85	821448	814190	<0.2	1.9	1.9	
						1.0	0.1	334	28.2		8.1	8.1	22.4	22.4	81.2	81.2	5.6	5.6	18.6		18		84				<0.2	1.9		
					Middle	-	-	-	-		-	-	-	-	-	-	-	-	-		-		-				-	-		
						-	-	-	-		-	-	-	-	-	-	-	-	-		-		-				-	-		
					Bottom	3.9	0.1	120	28.1	28.1	8.1	8.1	22.7	22.7	81.8	81.8	5.6	5.6	20.3		20		85				<0.2	1.9		
						3.9	0.1	131	28.1		8.1	8.1	22.7	22.7	81.8	81.8	5.6	5.6	20.3		20		86				<0.2	2.0		
SR3	Fine	Moderate	11:49	10.0	Surface	1.0	0.3	144	28.5	28.5	8.1	8.1	21.0	21.0	78.2	78.2	5.4	5.4	9.0	13.8	10	9	-	-	822160	807598	-	-	-	
						1.0	0.3	146	28.5		8.1	8.1	21.0	21.0	78.2	78.2	5.4	5.4	9.0		9		-				-			
					Middle	5.0	0.3	60	28.2	28.2	8.1	8.1	22.2	22.2	77.5	77.5	5.4	5.4	13.7		9		-				-			
						5.0	0.3	61	28.2		8.1	8.1	22.2	22.2	77.5	77.5	5.4	5.4	13.8		10		-				-			
					Bottom	9.0	0.4	79	27.8	27.8	8.1	8.1	24.3	24.3	77.9	77.9	5.3	5.3	18.8		10		-				-			
						9.0	0.4	79	27.8		8.1	8.1	24.3	24.3	77.9	77.9	5.3	5.3	18.7		8		-				-			
SR4A	Fine	Calm	12:49	9.2	Surface	1.0	0.1	311	28.2	28.2	8.1	8.1	22.1	22.2	80.6	80.6	5.6	5.6	17.3	19.3	4	6	-	-	817213	807789	-	-	-	
						1.0	0.1	331	28.2		8.1	8.1	22.2	22.2	80.5	80.5	5.6	5.6	17.5		5		-				-			
					Middle	4.6	0.2	88	28.2	28.2	8.1	8.1	22.4	22.4	80.3	80.3	5.5	5.5	18.8		7		-				-			
						4.6	0.2	89	28.2		8.1	8.1	22.4	22.4	80.3	80.3	5.5	5.5	18.8		6		-				-			
					Bottom	8.2	0.2	71	28.1	28.1	8.1	8.1	22.7	22.7	80.2	80.2	5.5	5.5	21.6		7		-				-			
						8.2	0.2	71	28.1		8.1	8.1	22.7	22.7	80.2	80.2	5.5	5.5	21.5		7		-				-			
SR5A	Fine	Calm	13:07	5.1	Surface	1.0	0.0	255	28.4	28.4	8.1	8.1	23.2	23.2	84.8	84.8	5.8	5.8	5.5	5.8	5	5	-	-	816613	810680	-	-	-	
						1.0	0.0	259	28.4		8.1	8.1	23.2	23.2	84.7	84.7	5.8	5.8	5.5		5		-				-			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-		-				-			
						-	-	-	-	-	-	-	-	-	-	-	-	-	-		-		-				-			
					Bottom	4.1	0.1	250	28.3	28.3	8.1	8.1	23.4	23.4	84.0	84.0	5.7	5.7	6.0		4		-				-			
						4.1	0.1	263	28.3		8.1	8.1	23.4	23.4	83.9	84.0	5.7	5.7	6.0		6		-				-			
SR6	Fine	Calm	13:30	4.8	Surface	1.0	0.1	90	28.5	28.5	8.1	8.1	22.8	22.7	87.1	87.1	6.0	6.0	3.6	3.7	5	6	-	-	817905	814687	-	-	-	
						1.0	0.1	98	28.5		8.1	8.1	22.7	22.7	87.1	87.1	6.0	6.0	3.5		4		-				-			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-		-				-			
						-	-	-	-	-	-	-	-	-	-	-	-	-	-		-		-				-			
					Bottom	3.8	0.1	99	28.2	28.2	8.1	8.1	24.0	24.0	86.0	86.1	5.9	5.9	3.9		6		-				-			
						3.8	0.1	107	28.2		8.1	8.1	24.0	24.0	86.1	86.1	5.9	5.9	3.9		7		-				-			
SR7	Fine	Moderate	13:46	16.4	Surface	1.0	0.1	7	28.5	28.5	8.1	8.1	22.5	22.5	86.0	85.9	5.9	5.8	4.1	6.9	7	9	-	-	823665	823719	-	-	-	
						1.0	0.1	7	28.5		8.1	8.1	22.5	22.5	85.8	85.9	5.9	5.9	4.1		8		-				-			
					Middle	8.2	0.2	67	28.1	28.1	8.1	8.1	24.4	24.4	82.3	82.3	5.6	5.6	6.9		9		-				-			
						8.2	0.2	69	28.1		8.1	8.1	24.4	24.4	82.3	82.3	5.6	5.6	7.1		9		-				-			
					Bottom	15.4	0.3	131	28.0	28.0	8.1	8.1	25.1	25.1	81.9	81.9	5.6	5.6	9.6		10		-				-			
						15.4	0.3	140	28.0		8.1	8.1	25.1	25.1	81.9	81.9	5.6	5.6	9.6		8		-				-			
SR8	Fine	Moderate	12:44	5.6	Surface	1.0	-	-	28.6	28.6	8.1	8.1	21.6	21.6	86.0	86.0	5.9	5.9	11.0	13.2	5	6	-	-	820523	811633	-	-	-	
						1.0	-	-	28.6		8.1	8.1	21.6	21.6	86.0	86.0	5.9	5.9	11.2		6		-				-			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-		-				-			
						-	-	-	-	-	-	-	-	-	-	-	-	-	-		-		-				-			
					Bottom	4.6	-	-	28.3	28.3	8.1	8.1	22.7	22.7	87.6	87.7	6.0	6.0	15.4		6		-				-			
						4.6	-	-	28.3		8.1	8.1	22.7	22.7	87.7	87.7	6.0	6.0	15.3		6		-				-			

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 25 September 18 during Mid-Flood Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (µg/L)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)			
									Value	Average	Value	Average	Value	Average	Value	DA	Value	DA	Value	DA	Value	DA	Value	DA			Value	DA	Value	DA	Value	DA
C1	Cloudy	Moderate	18:45	8.3	Surface	1.0	0.3	66	28.3	28.3	8.1	8.1	21.3	21.3	92.1	92.3	6.4	6.4	7.4	7.4	5	83	86	86	815624	804220	<0.2	<0.2	1.8	1.9		
						1.0	0.3	70	28.3	28.3	8.1	8.1	21.3	21.3	92.5	92.3	6.4	6.4	7.3	7.3	4	83	86	86	815624	804220	<0.2	<0.2	1.8	1.9		
					Middle	4.2	0.4	54	28.1	28.1	8.1	8.1	22.9	22.9	77.6	77.6	5.3	5.3	13.2	13.2	5	86	86	86	815624	804220	<0.2	<0.2	2.0	2.0		
						4.2	0.4	58	28.1	28.1	8.1	8.1	22.9	22.9	77.6	77.6	5.3	5.3	13.5	13.5	6	86	89	90	815624	804220	<0.2	<0.2	1.9	2.0		
					Bottom	7.3	0.4	58	28.1	28.1	8.1	8.1	23.3	23.3	77.3	77.4	5.3	5.3	16.4	16.4	7	89	90	90	815624	804220	<0.2	<0.2	2.0	2.0		
						7.3	0.4	59	28.1	28.1	8.1	8.1	23.3	23.3	77.4	77.4	5.3	5.3	16.4	16.4	7	90	90	90	815624	804220	<0.2	<0.2	1.9	1.9		
C2	Cloudy	Moderate	20:40	12.8	Surface	1.0	0.3	161	28.6	28.6	8.0	8.0	18.3	18.3	84.0	84.0	5.9	5.9	5.9	5.9	4	80	80	86	825684	806965	<0.2	<0.2	1.8	2.1		
						1.0	0.3	165	28.6	28.6	8.0	8.0	18.3	18.3	84.0	84.0	5.9	5.9	6.0	6.0	3	80	85	85	825684	806965	<0.2	<0.2	1.9	2.1		
					Middle	6.4	0.5	170	28.1	28.1	8.1	8.1	22.2	22.2	78.9	78.9	5.5	5.5	12.4	12.4	5	85	85	92	825684	806965	<0.2	<0.2	2.1	2.3		
						6.4	0.5	177	28.1	28.1	8.1	8.1	22.2	22.2	78.8	78.8	5.5	5.5	12.6	12.6	4	85	92	91	825684	806965	<0.2	<0.2	2.3	2.2		
					Bottom	11.8	0.3	164	28.0	28.0	8.1	8.1	25.3	25.3	76.0	76.0	5.2	5.2	15.4	15.4	5	92	91	91	825684	806965	<0.2	<0.2	2.2	2.4		
						11.8	0.3	177	28.0	28.0	8.1	8.1	25.3	25.3	76.0	76.0	5.2	5.2	15.7	15.7	5	91	91	91	825684	806965	<0.2	<0.2	2.4	2.4		
C3	Cloudy	Moderate	18:19	12.1	Surface	1.0	0.4	108	27.8	27.8	8.1	8.1	25.3	25.3	77.3	77.2	5.3	5.3	8.4	8.4	7	84	84	88	822093	817789	<0.2	<0.2	2.2	2.1		
						1.0	0.4	117	27.8	27.8	8.1	8.1	25.3	25.3	77.1	77.1	5.3	5.3	8.6	8.6	6	84	87	87	822093	817789	<0.2	<0.2	2.0	2.1		
					Middle	6.1	0.3	106	27.6	27.6	8.1	8.1	27.0	27.0	75.5	75.5	5.1	5.1	11.9	11.9	8	87	87	92	822093	817789	<0.2	<0.2	2.1	2.2		
						6.1	0.3	116	27.6	27.6	8.1	8.1	27.0	27.0	75.4	75.5	5.1	5.1	12.0	12.0	8	87	92	91	822093	817789	<0.2	<0.2	2.2	2.0		
					Bottom	11.1	0.4	63	27.5	27.5	8.1	8.1	27.6	27.6	74.6	74.6	5.1	5.1	23.9	23.9	7	92	91	91	822093	817789	<0.2	<0.2	2.0	2.1		
						11.1	0.4	66	27.5	27.5	8.1	8.1	27.6	27.6	74.6	74.6	5.1	5.1	24.0	24.0	8	91	91	91	822093	817789	<0.2	<0.2	2.1	2.1		
IM1	Cloudy	Moderate	19:07	3.9	Surface	1.0	0.1	11	28.4	28.4	8.1	8.1	19.3	19.3	84.9	84.9	5.9	5.9	5.0	5.0	8	81	81	83	817960	807141	<0.2	<0.2	2.4	2.3		
						1.0	0.1	11	28.4	28.4	8.1	8.1	19.3	19.3	84.9	84.9	5.9	5.9	5.0	5.0	8	81	81	83	817960	807141	<0.2	<0.2	2.3	2.3		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83	817960	807141	<0.2	<0.2	-	-
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83	817960	807141	<0.2	<0.2	-
					Bottom	2.9	0.0	327	28.3	28.3	8.1	8.1	21.5	21.5	84.0	84.0	5.8	5.8	6.1	6.1	8	86	85	86	85	85	817960	807141	<0.2	<0.2	2.4	2.4
						2.9	0.0	358	28.3	28.3	8.1	8.1	21.5	21.5	84.0	84.0	5.8	5.8	6.1	6.1	8	86	85	86	85	85	817960	807141	<0.2	<0.2	2.4	2.4
IM2	Cloudy	Moderate	19:13	6.6	Surface	1.0	0.2	56	28.4	28.4	8.1	8.1	20.1	20.1	82.7	82.7	5.8	5.8	6.4	6.4	3	82	82	85	818165	806142	<0.2	<0.2	2.6	2.5		
						1.0	0.2	61	28.4	28.4	8.1	8.1	20.1	20.1	82.6	82.7	5.8	5.8	6.4	6.4	3	82	86	85	818165	806142	<0.2	<0.2	2.2	2.6		
					Middle	3.3	0.2	22	28.3	28.3	8.1	8.1	21.3	21.3	81.0	81.0	5.6	5.6	7.2	7.2	4	86	85	88	818165	806142	<0.2	<0.2	2.6	2.2		
						3.3	0.3	23	28.3	28.3	8.1	8.1	21.3	21.3	80.9	81.0	5.6	5.6	7.3	7.3	4	85	88	89	818165	806142	<0.2	<0.2	2.7	2.5		
					Bottom	5.6	0.2	30	28.2	28.2	8.1	8.1	22.8	22.8	79.7	79.8	5.5	5.5	8.7	8.7	4	88	89	89	818165	806142	<0.2	<0.2	2.7	2.5		
						5.6	0.2	31	28.2	28.2	8.1	8.1	22.8	22.8	79.8	79.8	5.5	5.5	8.6	8.6	4	89	89	89	818165	806142	<0.2	<0.2	2.5	2.5		
IM3	Cloudy	Moderate	19:22	6.8	Surface	1.0	0.3	53	28.4	28.4	8.1	8.1	20.1	20.1	81.0	81.0	5.6	5.6	8.4	8.4	4	82	82	85	818789	805572	<0.2	<0.2	2.1	2.1		
						1.0	0.3	56	28.4	28.4	8.1	8.1	20.1	20.1	81.0	81.0	5.6	5.6	8.4	8.4	5	82	85	86	818789	805572	<0.2	<0.2	2.2	2.0		
					Middle	3.4	0.3	32	28.2	28.2	8.1	8.1	21.1	21.1	79.1	79.1	5.5	5.5	12.1	12.1	5	85	86	88	818789	805572	<0.2	<0.2	1.9	2.0		
						3.4	0.3	33	28.2	28.2	8.1	8.1	21.1	21.1	79.1	79.1	5.5	5.5	12.3	12.3	6	86	88	88	818789	805572	<0.2	<0.2	2.0	2.3		
					Bottom	5.8	0.2	0	28.2	28.2	8.1	8.1	22.1	22.1	79.3	79.4	5.5	5.5	15.0	15.0	6	88	88	88	818789	805572	<0.2	<0.2	2.0	2.3		
						5.8	0.2	0	28.2	28.2	8.1	8.1	22.1	22.1	79.5	79.4	5.5	5.5	14.5	14.5	6	88	88	88	818789	805572	<0.2	<0.2	2.3	2.3		
IM4	Cloudy	Moderate	19:32	7.0	Surface	1.0	0.2	38	28.6	28.6	8.1	8.1	19.3	19.3	82.0	82.0	5.7	5.7	5.6	5.6	4	81	81	84	819734	804579	<0.2	<0.2	2.5	2.2		
						1.0	0.3	39	28.6	28.6	8.1	8.1	19.3	19.3	82.0	82.0	5.7	5.7	5.6	5.6	5	81	84	84	819734	804579	<0.2	<0.2	2.3	2.2		
					Middle	3.5	0.1	61	28.3	28.3	8.1	8.1	20.0	20.0	80.7	80.7	5.6	5.6	7.1	7.1	5	84	84	88	819734	804579	<0.2	<0.2	2.1	2.1		
						3.5	0.1	66	28.3	28.3	8.1	8.1	20.0	20.0	80.7	80.7	5.6	5.6	7.2	7.2	5	84	88	88	819734	804579	<0.2	<0.2	2.1	2.0		
					Bottom	6.0	0.1	80	27.9	27.9	8.1	8.1	22.7	22.7	79.9	79.9	5.5	5.5	8.8	8.8	6	88	88	88	819734	804579	<0.2	<0.2	2.0	2.0		
						6.0	0.1	80	27.9	27.9	8.1	8.1	22.8	22.7	79.9	79.9	5.5	5.5	8.9	8.9	5	88	88	88	819734	804579	<0.2	<0.2	2.0	2.0		
IM5	Cloudy	Moderate	19:42	6.3	Surface	1.0	0.2	44	28.4	28.4	8.1	8.1	19.2	19.2	81.8	81.8	5.7	5.7	6.2	6.2	3	81	82	85	820732	804867	<0.2	<0.2	2.2	2.1		
						1.0	0.2	45	28.4	28.4	8.1	8.1	19.2	19.2	81.7	81.7	5.7	5.7	6.2	6.2	3	81	84	84	820732	804867	<0.2	<0.2	1.9	2.0		
					Middle	3.2	0.1	60	28.2	28.2	8.1	8.1	20.3	20.3	80.0	80.0	5.6	5.6	7.7	7.7	4	84	84	89	820732	804867	<0.2	<0.2	2.1	2.3		
						3.2	0.1	60	28.2	28.2	8.1	8.1	20.3	20.3	79.9	79.9	5.6	5.6	7.7	7.7	3	84	89	89	820732	804867	<0.2	<0.2	2.0	2.3		
					Bottom	5.3	0.1	76	27.9	27.9	8.1	8.1	23.5	23.5	78.6	78.7	5.4	5.4	11.5	11.5	4	89	89	89	820732	804867	<0.2	<0.2	2.3	2.1		
						5.3	0.1	76	27.9	27.9	8.1	8.1	23.5	23.5	78.7	78.7	5.4	5.4	11.5	11.5	5	89	89	89	820732	804867	<0.2	<0.2	2.1	2.1		
IM6	Cloudy	Moderate	19:55	6.2	Surface	1.0	0.2	59	28.4	28.4	8.1	8.1	20.8	20.8	80.1	80.1	5.6	5.6	8.3	8.3	3	82	82	85	821087	805839	<0.2	<0.2	2.4	2.5		
						1.0	0.2	59	28.4	28.4	8.1	8.1	20.9	20.8	80.1	80.1	5.6	5.6	8.4	8.4	3	82	85	85	821087	805839	<0.2	<0.2	3.0	3.0		
					Middle	3.1	0.3	72	28.1	28.1	8.1	8.1	21.4	21.4	79.6	79.6	5.5	5.5	9.0	9.0	3	85	85	85	821087	805839	<0.2	<0.2	2.6	2.6		
						3.1	0.3	74	28.1	28.1	8.1	8.1	21.4	21.4	79.5	79.5	5.5	5.5	9.1	9.1	3	85	89	89	821087	805839	<0.2	<0.2	2.6	2.2		
					Bottom	5.2	0.2	111	27.9	27.9	8.1	8.1	23.1	23.1	79.4	79.4	5.5	5.5	9.6	9.6	3	89	89	8								

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 25 September 18 during Mid-Flood Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)					
									Value	Average	Value	Average	Value	Average	Value	Average	Value	DA	Value	DA	Value	DA	Value	DA			Value	DA	Value	DA	Value	DA	Value	DA
IM9	Cloudy	Moderate	20:00	8.4	Surface	1.0	0.5	129	28.6	28.6	8.0	8.0	19.3	19.3	82.1	82.1	5.7	5.7	5.6	5.6	4		81	81	822071	808808	<0.2	2.5	2.2					
						1.0	0.5	141	28.6	28.6	8.0	8.0	19.3	19.3	82.1	82.1	5.7	5.7	5.6	5.6	4		81	81										
					Middle	4.2	0.4	125	28.2	28.2	8.1	8.1	20.7	20.7	80.5	80.5	5.6	5.7	7.2	7.2	4		84	84										
						4.2	0.4	136	28.2	28.2	8.1	8.1	20.7	20.7	80.5	80.5	5.6	5.6	7.3	7.3	5		84	84										
					Bottom	7.4	0.4	92	27.9	27.9	8.1	8.1	23.4	23.4	79.1	79.1	5.5	5.5	18.9	18.9	4		89	89										
						7.4	0.4	95	27.9	27.9	8.1	8.1	23.4	23.4	79.1	79.1	5.5	5.5	18.8	18.8	5		89	89										
IM10	Cloudy	Moderate	19:51	8.7	Surface	1.0	0.7	120	28.4	28.4	8.1	8.1	20.1	20.1	81.3	81.3	5.7	5.7	8.9	8.9	4		82	82	822376	809794	<0.2	1.7	1.7					
						1.0	0.7	126	28.4	28.4	8.1	8.1	20.1	20.1	81.2	81.2	5.6	5.6	8.9	8.9	4		82	82										
					Middle	4.4	0.6	115	28.1	28.1	8.1	8.1	21.9	21.9	78.5	78.5	5.4	5.4	15.1	15.1	6		86	86										
						4.4	0.6	125	28.1	28.1	8.1	8.1	21.9	21.9	78.5	78.5	5.4	5.4	15.1	15.1	5		86	86										
					Bottom	7.7	0.5	99	28.2	28.2	8.1	8.1	22.1	22.1	78.5	78.5	5.4	5.4	18.0	18.0	5		88	88										
						7.7	0.5	104	28.2	28.2	8.1	8.1	22.1	22.1	78.5	78.5	5.4	5.4	18.5	18.5	6		89	89										
IM11	Cloudy	Moderate	19:37	9.1	Surface	1.0	0.8	113	28.4	28.4	8.1	8.1	20.1	20.1	81.8	81.8	5.7	5.7	7.0	7.0	4		82	82	822083	811477	<0.2	1.6	1.6					
						1.0	0.9	119	28.4	28.4	8.1	8.1	20.1	20.1	81.7	81.7	5.7	5.7	7.1	7.1	4		82	82										
					Middle	4.6	0.7	105	28.2	28.2	8.1	8.1	22.2	22.2	79.5	79.5	5.5	5.5	9.0	9.0	4		86	86										
						4.6	0.7	113	28.2	28.2	8.1	8.1	22.2	22.2	79.5	79.5	5.5	5.5	9.1	9.1	6		87	87										
					Bottom	8.1	0.5	100	28.1	28.1	8.1	8.1	24.0	24.0	77.5	77.5	5.3	5.3	15.8	15.8	6		89	89										
						8.1	0.6	100	28.1	28.1	8.1	8.1	24.0	24.0	77.5	77.5	5.3	5.3	15.7	15.7	6		89	89										
IM12	Cloudy	Moderate	19:28	10.9	Surface	1.0	0.8	108	28.4	28.4	8.1	8.1	19.3	19.3	83.6	83.6	5.8	5.8	5.5	5.5	4		81	81	821460	812018	<0.2	1.6	1.7					
						1.0	0.8	109	28.4	28.4	8.1	8.1	19.3	19.3	83.5	83.5	5.8	5.8	5.6	5.6	5		82	82										
					Middle	5.5	0.6	96	28.2	28.2	8.1	8.1	22.3	22.3	79.4	79.4	5.5	5.5	9.4	9.4	7		87	87										
						5.5	0.7	102	28.2	28.2	8.1	8.1	22.3	22.3	79.4	79.4	5.5	5.5	9.5	9.5	6		87	87										
					Bottom	9.9	0.4	89	28.1	28.1	8.1	8.1	23.5	23.5	78.8	78.8	5.4	5.4	12.4	12.4	6		89	89										
						9.9	0.4	97	28.1	28.1	8.1	8.1	23.5	23.5	78.8	78.8	5.4	5.4	12.4	12.4	6		89	89										
SR2	Cloudy	Moderate	18:43	5.6	Surface	1.0	0.5	73	28.3	28.3	8.1	8.1	21.1	21.1	80.6	80.6	5.6	5.6	7.6	7.6	4		83	83	821465	814149	<0.2	1.7	1.6					
						1.0	0.5	77	28.3	28.3	8.1	8.1	21.1	21.1	80.5	80.5	5.6	5.6	7.7	7.7	5		83	83										
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						-	-	-	-	-
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						-	-	-	-	-
					Bottom	4.6	0.3	66	28.0	28.0	8.1	8.1	24.2	24.2	77.2	77.3	5.3	5.3	18.0	18.0	6		87	87										
						4.6	0.3	70	28.0	28.0	8.1	8.1	24.2	24.2	77.3	77.3	5.3	5.3	17.9	17.9	7		88	88										
SR3	Cloudy	Moderate	20:16	10.2	Surface	1.0	0.2	192	28.4	28.4	8.1	8.1	20.7	20.7	80.5	80.5	5.6	5.6	7.5	7.5	4		-	-	822146	807595	-	-	-					
						1.0	0.2	203	28.4	28.4	8.1	8.1	20.7	20.7	80.5	80.5	5.6	5.6	7.5	7.5	5		-	-										
					Middle	5.1	0.2	181	28.0	28.0	8.1	8.1	22.0	22.0	79.6	79.6	5.5	5.5	9.0	9.0	7		-	-										
						5.1	0.2	189	28.0	28.0	8.1	8.1	22.0	22.0	79.6	79.6	5.5	5.5	9.0	9.0	6		-	-										
					Bottom	9.2	0.1	105	27.8	27.8	8.1	8.1	23.7	23.7	77.5	77.5	5.3	5.3	16.3	16.3	8		-	-										
						9.2	0.1	105	27.8	27.8	8.1	8.1	23.7	23.7	77.5	77.5	5.3	5.3	16.3	16.3	8		-	-										
SR4A	Cloudy	Calm	18:27	8.4	Surface	1.0	0.4	87	28.3	28.3	8.1	8.1	20.9	20.8	81.0	80.9	5.6	5.6	8.2	8.2	7		-	-	817195	807823	-	-	-					
						1.0	0.4	92	28.3	28.3	8.1	8.1	20.8	20.8	80.8	80.8	5.6	5.6	8.4	8.4	7		-	-										
					Middle	4.2	0.4	76	28.1	28.1	8.1	8.1	22.1	22.1	76.5	76.5	5.3	5.3	15.4	15.4	9		-	-										
						4.2	0.4	81	28.1	28.1	8.1	8.1	22.1	22.1	76.4	76.4	5.3	5.3	15.9	15.9	9		-	-										
					Bottom	7.4	0.3	70	28.0	28.0	8.1	8.1	24.7	24.7	75.9	75.9	5.2	5.2	21.0	21.0	8		-	-										
						7.4	0.3	72	28.0	28.0	8.1	8.1	24.7	24.7	75.9	75.9	5.2	5.2	20.6	20.6	9		-	-										
SR5A	Cloudy	Calm	18:13	3.8	Surface	1.0	0.1	97	27.9	27.9	8.1	8.1	24.8	24.8	80.4	80.4	5.5	5.5	4.6	4.6	4		-	-	816600	810671	-	-	-					
						1.0	0.1	105	27.9	27.9	8.1	8.1	24.8	24.8	80.4	80.4	5.5	5.5	4.7	4.7	4		-	-										
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						-	-	-	-	-
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						-	-	-	-	-
					Bottom	2.8	0.1	64	27.8	27.8	8.1	8.1	25.7	25.7	79.8	79.8	5.4	5.4	6.0	6.0	5		-	-										
						2.8	0.1	69	27.8	27.8	8.1	8.1	25.7	25.7	79.8	79.8	5.4	5.4	5.8	5.8	4		-	-										
SR6	Cloudy	Calm	17:49	4.3	Surface	1.0	0.1	277	27.9	27.9	8.1	8.1	25.1	25.1	77.9	77.9	5.3	5.3	5.2	5.2	4		-	-	817898	814683	-	-	-					
						1.0	0.1	291	27.9	27.9	8.1	8.1	25.1	25.1	77.8	77.9	5.3	5.3	5.3	5.3	5		-	-										
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						-	-	-	-	-
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						-	-	-	-	-
					Bottom	3.3	0.1	67	27.8	27.8	8.1	8.1	26.2	26.2	77.3	77.3	5.3	5.3	6.1	6.1	5		-	-										
						3.3	0.1	70	27.8	27.8	8.1	8.1	26.2	26.2	77.3	77.3	5.3	5.3	6.0	6.0	5		-	-										
SR7	Cloudy	Moderate	17:50	16.5	Surface	1.0	0.7	68	27.8	27.8	8.1	8.1	25.2	25.2	76.7	76.7	5.2	5.2	6.2	6.2	3		-	-	823625	823714	-	-	-					
						1.0	0.7	72	27.8	27.8	8.1	8.1	25.2	25.2	76.7	76.7	5.2	5.2	6.3	6.3	2		-	-										
					Middle	8.3	0.4	55	27.7	27.7	8.1	8.1	26.8	26.8	75.2	75.2	5.1	5.1	8.4	8.4	6		-	-										
						8.3	0.4	58	27.7	27.7	8.1	8.1	26.8	26.8	75.2	75.2	5.1	5.1	8.5	8.5	5		-	-										
					Bottom	15.5	0.3	21	27.6	27.6	8.1	8.1	27.1	27.1	74.8	74.8	5.1	5.1	11.2	11.2	5		-	-										
						15.5	0.3	21	27.6	27.6	8.1	8.1	27.1	27.1	74.8	74.8	5.1	5.1	11.3	11.3	6		-	-										
SR8	Cloudy	Moderate	19:13	5.9	Surface	1.0	-	-	28.3	28.3	8.1	8.1	21.3	21.3	79.7	79.7	5.5	5.5	9.7	9.7	6		-	-	820495	811675	-	-	-					
						1.0	-	-	28.3	28.3	8.1	8.1	21.3	21.3	79.6	79.6	5.5	5.5	9.8	9.8	6		-	-										
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						-	-	-	-	-
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						-	-	-	-	-
					Bottom	4.9	-	-	28.1	28.1	8.1	8.1	23.3	23.3	77.6	77.6	5.3	5.3	13.7	13.7	6		-	-										
						4.9	-	-	28.1	28.1	8.1	8.1	23.3	23.3	77.6	77.6	5.3	5.3	13.7	13.7	7		-	-										

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 27 September 18 during Mid-Ebb Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)	
C1	Cloudy	Moderate	13:37	9.6	Surface	1.0	0.0	304	28.2	28.2	8.1	8.1	18.8	18.8	82.5	82.5	5.8	5.8	7.5	7.5	7	80	86	815590	804230	<0.2	<0.2	1.7	1.8	
						1.0	0.0	304	28.2	28.2	8.1	8.1	18.8	18.8	82.5	82.5	5.8	5.8	7.6	7.6	7	81	85	815590	804230	<0.2	<0.2	1.8	1.8	
					Middle	4.8	0.1	222	27.5	27.5	8.1	8.1	26.3	26.3	78.3	78.4	5.3	5.3	12.6	12.9	6	85	86	815590	804230	<0.2	<0.2	1.7	1.7	
						4.8	0.1	233	27.5	27.5	8.1	8.1	26.3	26.3	78.4	78.4	5.4	5.4	12.9	12.9	7	86	91	815590	804230	<0.2	<0.2	1.9	1.9	
					Bottom	8.6	0.1	227	27.5	27.5	8.1	8.1	27.8	27.8	83.2	83.4	5.6	5.6	18.9	18.9	8	91	92	815590	804230	<0.2	<0.2	1.9	1.9	
						8.6	0.1	249	27.5	27.5	8.1	8.1	27.8	27.8	83.6	83.4	5.7	5.7	18.5	18.5	7	92	94	815590	804230	<0.2	<0.2	2.9	2.7	
C2	Fine	Moderate	12:35	13.2	Surface	1.0	0.2	50	28.7	28.7	8.1	8.1	18.2	18.2	78.3	78.3	5.5	5.5	13.6	13.6	6	87	86	825680	806940	<0.2	<0.2	2.4	2.6	
						1.0	0.2	53	28.7	28.7	8.1	8.1	18.2	18.2	78.3	78.3	5.5	5.5	13.7	13.7	6	86	90	825680	806940	<0.2	<0.2	2.4	2.5	
					Middle	6.6	0.1	314	28.4	28.4	8.1	8.1	20.5	20.5	75.0	75.0	5.2	5.2	17.4	17.0	7	90	91	825680	806940	<0.2	<0.2	2.6	2.6	
						6.6	0.1	342	28.4	28.4	8.1	8.1	20.5	20.5	74.9	75.0	5.2	5.2	17.0	17.0	8	91	94	825680	806940	<0.2	<0.2	2.9	2.9	
					Bottom	12.2	0.0	268	28.1	28.1	8.1	8.1	23.3	23.3	74.3	74.3	5.1	5.1	25.6	25.6	8	94	94	825680	806940	<0.2	<0.2	2.9	2.7	
						12.2	0.0	284	28.1	28.1	8.1	8.1	23.3	23.3	74.3	74.3	5.1	5.1	25.5	25.5	8	94	94	825680	806940	<0.2	<0.2	2.9	2.7	
C3	Fine	Moderate	14:17	11.1	Surface	1.0	0.4	62	28.6	28.6	8.1	8.1	22.3	22.3	80.1	80.1	5.5	5.5	9.0	9.0	7	86	86	822087	817792	<0.2	<0.2	2.8	2.9	
						1.0	0.5	63	28.6	28.6	8.1	8.1	22.3	22.3	80.0	80.1	5.5	5.5	9.0	9.0	7	86	90	822087	817792	<0.2	<0.2	3.2	3.2	
					Middle	5.6	0.4	103	28.2	28.2	8.1	8.1	23.5	23.5	76.2	76.2	5.2	5.2	9.1	9.1	9	90	90	822087	817792	<0.2	<0.2	2.8	2.8	
						5.6	0.4	103	28.2	28.2	8.1	8.1	23.5	23.5	76.2	76.2	5.2	5.2	9.1	9.1	9	90	93	822087	817792	<0.2	<0.2	2.7	2.7	
					Bottom	10.1	0.3	68	28.0	28.0	8.2	8.2	25.1	25.1	75.5	75.6	5.1	5.1	9.4	9.4	15	93	93	822087	817792	<0.2	<0.2	2.7	2.7	
						10.1	0.4	68	28.0	28.0	8.2	8.2	25.1	25.1	75.6	75.6	5.2	5.2	9.4	9.4	14	93	93	822087	817792	<0.2	<0.2	2.7	2.7	
IM1	Cloudy	Moderate	13:17	5.7	Surface	1.0	0.0	18	28.5	28.5	8.1	8.1	18.9	18.9	85.3	85.3	6.0	6.0	9.0	9.0	8	78	80	817958	807160	<0.2	<0.2	1.9	1.9	
						1.0	0.0	19	28.5	28.5	8.1	8.1	18.9	18.9	85.3	85.3	6.0	6.0	9.2	9.2	9	80	80	817958	807160	<0.2	<0.2	2.0	2.0	
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81	817958	807160	<0.2	<0.2	-	-
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81	817958	807160	<0.2	<0.2	-	-
					Bottom	4.7	0.1	203	28.2	28.2	8.1	8.1	21.8	21.8	86.9	87.1	6.0	6.0	10.8	10.8	8	82	85	817958	807160	<0.2	<0.2	1.8	2.0	
						4.7	0.1	204	28.2	28.2	8.1	8.1	21.8	21.8	87.3	87.1	6.0	6.0	10.7	10.7	9	85	85	817958	807160	<0.2	<0.2	2.0	2.0	
IM2	Cloudy	Moderate	13:10	8.4	Surface	1.0	0.2	30	28.4	28.4	8.1	8.1	19.9	19.9	81.4	81.4	5.7	5.7	9.4	9.4	9	86	86	818134	806179	<0.2	<0.2	1.8	1.8	
						1.0	0.2	31	28.4	28.4	8.1	8.1	19.9	19.9	81.4	81.4	5.7	5.7	9.5	9.5	8	86	89	818134	806179	<0.2	<0.2	1.8	1.8	
					Middle	4.2	0.2	49	28.1	28.1	8.1	8.1	21.4	21.4	80.2	80.3	5.6	5.6	12.9	12.9	9	89	93	818134	806179	<0.2	<0.2	1.7	1.7	
						4.2	0.2	51	28.1	28.1	8.1	8.1	21.4	21.4	80.3	80.3	5.6	5.6	13.0	13.0	9	89	93	818134	806179	<0.2	<0.2	1.8	1.8	
					Bottom	7.4	0.3	55	27.7	27.7	8.1	8.1	24.6	24.6	83.6	83.7	5.7	5.7	12.6	12.6	13	93	93	818134	806179	<0.2	<0.2	1.8	1.8	
						7.4	0.3	57	27.8	27.8	8.1	8.1	24.6	24.6	83.8	83.7	5.8	5.8	12.5	12.5	12	93	93	818134	806179	<0.2	<0.2	1.8	1.8	
IM3	Cloudy	Moderate	13:03	8.6	Surface	1.0	0.3	33	28.4	28.4	8.1	8.1	17.4	17.4	80.8	80.8	5.7	5.7	7.2	7.2	7	83	85	818808	805620	<0.2	<0.2	1.9	1.9	
						1.0	0.3	35	28.4	28.4	8.1	8.1	17.4	17.4	80.8	80.8	5.7	5.7	7.2	7.2	7	85	89	818808	805620	<0.2	<0.2	1.9	1.9	
					Middle	4.3	0.3	57	27.7	27.7	8.1	8.1	25.1	25.1	76.4	76.4	5.2	5.2	10.1	10.1	7	89	90	818808	805620	<0.2	<0.2	1.9	1.9	
						4.3	0.4	59	27.7	27.7	8.1	8.1	25.2	25.2	76.4	76.4	5.2	5.2	10.2	10.2	7	89	91	818808	805620	<0.2	<0.2	1.9	1.9	
					Bottom	7.6	0.2	60	27.7	27.7	8.1	8.1	25.6	25.6	77.4	77.5	5.3	5.3	11.9	11.9	9	91	92	818808	805620	<0.2	<0.2	1.8	1.8	
						7.6	0.2	60	27.7	27.7	8.1	8.1	25.6	25.6	77.5	77.5	5.3	5.3	11.8	11.8	8	92	86	818808	805620	<0.2	<0.2	2.1	2.1	
IM4	Cloudy	Moderate	12:54	8.8	Surface	1.0	0.2	25	28.5	28.5	8.1	8.1	20.7	20.7	79.8	79.8	5.5	5.5	10.6	10.6	6	86	86	819750	804632	<0.2	<0.2	2.0	2.1	
						1.0	0.2	26	28.5	28.5	8.1	8.1	20.7	20.7	79.8	79.8	5.5	5.5	10.9	10.9	6	86	88	819750	804632	<0.2	<0.2	2.1	2.1	
					Middle	4.4	0.2	3	27.9	27.9	8.1	8.1	23.5	23.5	78.5	78.6	5.4	5.4	13.1	13.1	8	87	88	819750	804632	<0.2	<0.2	2.1	2.1	
						4.4	0.2	3	27.9	27.9	8.1	8.1	23.5	23.5	78.6	78.6	5.4	5.4	13.1	13.1	8	88	89	819750	804632	<0.2	<0.2	2.1	2.1	
					Bottom	7.8	0.2	25	27.8	27.8	8.1	8.1	25.1	25.1	84.1	84.5	5.8	5.8	14.3	14.3	9	89	89	819750	804632	<0.2	<0.2	2.1	2.2	
						7.8	0.3	26	27.8	27.8	8.1	8.1	25.1	25.1	84.9	84.5	5.8	5.8	14.2	14.2	9	89	89	819750	804632	<0.2	<0.2	2.2	2.2	
IM5	Cloudy	Moderate	12:47	8.2	Surface	1.0	0.5	20	28.5	28.5	8.1	8.																		

Water Quality Monitoring

	Weather	City	Comments
1	Sunny	New York	Good weather for a walk.
2	Rainy	London	Not ideal for sightseeing.
3	Breezy	Tokyo	Perfect for a picnic.
4	Foggy	Paris	Charming atmosphere.
5	Snowy	Moscow	Beautiful winter scene.

DA: Depth-Averaged
Calm: Small or no wave; Moderate: Between calm and rough; Rough : White capped or rougher
Value exceeding Action Level is underlined; **Value exceeding Limit Level is bolded and underlined**

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 27 September 18 during Mid-Flood Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)		
									Value	Average	Value	Average	Value	Average	Value	DA	Value	DA	Value	DA	Value	DA	Value	DA			Value	DA	Value	DA	Value
C1	Cloudy	Moderate	19:34	9.4	Surface	1.0	0.6	33	28.1	28.1	8.0	8.0	16.7	16.7	81.6	81.6	5.8	5.5	9.1	9.8	7	8	81	86	815595	804248	<0.2	2.3	2.2		
						1.0	0.7	33	28.1		8.0	8.0	16.7	16.7	81.6	81.6	5.8		9.2		6		83				<0.2	2.3			
					Middle	4.7	0.5	41	27.5	27.5	8.1	8.1	26.6	26.6	75.7	75.7	5.2	5.4	9.8	9.9	8	7	86	87			<0.2	2.3			
						4.7	0.6	41	27.5		8.1	8.1	26.6	26.6	75.7	75.7	5.2		9.9		7		87				<0.2	2.1			
					Bottom	8.4	0.4	34	27.5	27.5	8.1	8.1	27.4	27.4	79.2	79.3	5.4	5.4	10.5	10.2	9	8	89	90			<0.2	2.1			
						8.4	0.4	36	27.5		8.1	8.1	27.4	27.4	79.4	79.3	5.4		10.2		8		90				<0.2	2.1			
C2	Cloudy	Moderate	21:01	11.8	Surface	1.0	0.3	55	28.6	28.6	8.0	8.0	17.2	17.2	76.4	76.4	5.4	5.3	12.2	17.9	5	6	85	88	825698	806967	<0.2	2.5	2.8		
						1.0	0.4	60	28.6		8.0	8.0	17.2	17.2	76.3	76.4	5.4		12.3		5		84				<0.2	2.4			
					Middle	5.9	0.3	32	28.4	28.4	8.1	8.1	19.1	19.1	73.8	73.8	5.2	5.1	16.8	16.9	6	6	89	88			<0.2	2.2			
						5.9	0.3	33	28.4		8.1	8.1	19.1	19.1	73.8	73.9	5.2		16.9		6		88				<0.2	3.0			
					Bottom	10.8	0.4	315	28.3	28.3	8.1	8.1	22.0	22.0	73.9	73.9	5.1	5.1	24.7	24.7	6	6	92	92			<0.2	3.3			
						10.8	0.4	328	28.3		8.1	8.1	22.1	22.0	73.9	73.9	5.1		24.7		6		92				<0.2	3.3			
C3	Cloudy	Moderate	19:09	11.8	Surface	1.0	0.7	250	28.1	28.1	8.1	8.1	22.8	22.8	76.2	76.2	5.2	5.1	10.6	14.1	6	8	85	89	822090	817782	<0.2	1.6	1.6		
						1.0	0.7	270	28.1		8.1	8.1	22.8	22.8	76.1	76.2	5.2		10.7		7		85				<0.2	1.5			
					Middle	5.9	0.5	256	27.8	27.8	8.2	8.2	25.4	25.4	72.4	72.4	4.9	5.1	14.1	14.0	8	8	89	93			<0.2	1.6			
						5.9	0.6	273	27.8		8.2	8.2	25.4	25.4	72.4	74.4	4.9		14.0		8		89				<0.2	1.6			
					Bottom	10.8	0.4	260	27.8	27.8	8.2	8.2	25.6	25.6	74.4	74.5	5.1	5.1	17.4	17.5	8	8	93	92			<0.2	1.6			
						10.8	0.4	267	27.8		8.2	8.2	25.6	25.6	74.6	74.5	5.1		17.5		9		92				<0.2	1.8			
IM1	Cloudy	Moderate	19:51	5.9	Surface	1.0	0.1	357	28.3	28.3	8.1	8.1	20.5	20.5	85.6	85.7	6.0	6.0	10.6	11.0	7	8	82	85	817957	807123	<0.2	2.0	2.1		
						1.0	0.1	328	28.3		8.1	8.1	20.5	20.5	85.8	85.7	6.0		10.7		8		83				<0.2	2.1			
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-			-	-		<0.2	-
						-	-	-	-		-	-	-	-	-	-	-		-		-		-				-			-	-
					Bottom	4.9	0.1	312	28.3	28.3	8.1	8.1	20.9	20.9	91.3	91.5	6.3	6.4	11.3	11.3	9	9	86	87			<0.2	2.1			
						4.9	0.2	341	28.3		8.1	8.1	20.9	20.9	91.7	91.5	6.4		11.3		9		87				<0.2	2.0			
IM2	Cloudy	Moderate	19:58	8.4	Surface	1.0	0.3	358	28.2	28.2	8.0	8.0	19.2	19.2	82.1	82.1	5.8	5.7	8.5	12.7	6	6	82	86	818170	806176	<0.2	2.4	2.2		
						1.0	0.4	329	28.2		8.0	8.0	19.2	19.2	82.1	82.1	5.8		8.5		5		82				<0.2	2.4			
					Middle	4.2	0.4	1	28.3	28.3	8.1	8.1	21.5	21.5	80.2	80.3	5.6	5.6	15.3	15.3	7	6	86	87			<0.2	2.3			
						4.2	0.4	1	28.3		8.1	8.1	21.5	21.5	80.3	80.3	5.6		15.3		6		87				<0.2	2.1			
					Bottom	7.4	0.4	26	28.1	28.1	8.1	8.1	22.0	22.0	83.2	83.3	5.8	5.8	14.3	14.2	6	7	89	90			<0.2	2.0			
						7.4	0.4	26	28.1		8.1	8.1	22.0	22.0	83.4	83.3	5.8		14.2		7		90				<0.2	2.2			
IM3	Cloudy	Moderate	20:04	8.5	Surface	1.0	0.5	15	28.1	28.1	8.1	8.1	19.0	19.0	80.3	80.3	5.7	5.6	8.9	10.8	6	7	81	86	818756	805600	<0.2	2.2	2.2		
						1.0	0.6	15	28.1		8.1	8.1	19.0	19.0	80.3	80.3	5.7		8.9		7		82				<0.2	2.2			
					Middle	4.3	0.6	36	27.9	27.9	8.1	8.1	22.0	22.0	79.1	79.2	5.5	5.6	10.4	10.2	7	7	85	86			<0.2	2.2			
						4.3	0.6	38	27.9		8.1	8.1	22.0	22.0	79.2	79.2	5.5		10.2		7		86				<0.2	2.1			
					Bottom	7.5	0.4	26	27.8	27.8	8.1	8.1	23.7	23.7	81.0	81.1	5.6	5.6	13.2	13.4	8	8	90	91			<0.2	2.2			
						7.5	0.4	27	27.8		8.1	8.1	23.7	23.7	81.2	81.1	5.6		13.4		8		91				<0.2	2.2			
IM4	Cloudy	Moderate	20:12	8.7	Surface	1.0	0.5	14	28.3	28.3	8.1	8.1	19.4	19.4	79.5	79.5	5.6	5.5	10.3	12.5	7	7	86	86	819749	804616	<0.2	2.2	2.2		
						1.0	0.5	14	28.3		8.1	8.1	19.4	19.4	79.5	79.5	5.6		10.7		6		86				<0.2	2.2			
					Middle	4.4	0.4	1	27.9	27.9	8.1	8.1	23.6	23.6	77.6	77.7	5.3	5.3	13.3	13.3	7	7	89	90			<0.2	2.2			
						4.4	0.4	1	27.9		8.1	8.1	23.6	23.6	77.7	77.7	5.3		13.3		7		90				<0.2	2.2			
					Bottom	7.7	0.2	357	27.9	27.9	8.1	8.1	24.1	24.1	79.6	79.7	5.5	5.5	13.7	13.8	8	8	92	94			<0.2	2.2			
						7.7	0.2	328	27.9		8.1	8.1	24.1	24.1	79.8	79.8	5.5		13.8		8		94				<0.2	2.2			
IM5	Cloudy	Moderate	20:21	8.1	Surface	1.0	0.6	354	28.3	28.3	8.1	8.1	20.8	20.8	80.6	80.6	5.6	5.5	10.1	12.9	8	9	85	87	820745	804873	<0.2	2.2	2.2		
						1.0	0.6	354	28.3		8.1	8.1	20.8	20.8	80.6	80.6	5.6		10.1		9		85				<0.2	2.4			
					Middle	4.1	0.4	0	28.0	28.0	8.1	8.1	22.8	22.8	78.5	78.6	5.4	5.4	14.8	14.9	9	9	87	86			<0.2	2.3			
						4.1	0.5	0	28.0		8.1	8.1	22.8	22.8	78.6	78.6	5.4		14.9		9		86				<0.2	2.1			
					Bottom	7.1	0.4	10	28.0	28.0	8.1	8.1	22.9	22.9	83.2	83.4	5.7	5.8	13.8	13.8	9	10	90	92			<0.2	2.2			
						7.1	0.4	10	28.0		8.1	8.1	22.9	22.9	83.5	83.4	5.8		13.8		10		92				<0.2	2.2			
IM6	Cloudy	Moderate	20:28	8.3	Surface	1.0	0.3	11	28.3	28.3	8.1	8.1	20.7	20.7	79.2	79.2	5.5	5.5	13.9	15.0	14	15	86	89	821058	805802	<0.2	2.2	2.2		
						1.0	0.3	11	28.3		8.1	8.1	20.7	20.7	79.1	79.2	5.5		13.9		15		86				<0.2	2.2			
					Middle	4.2	0.3	11	28.2	28.2	8.1	8.1	21.0	21.0	79.5	79.5	5.5	5.5	14.5	14.7	15	16	89	90			<0.2	2.3			
						4.2	0.3	11	28.2		8.1	8.1	21.0	21.0	79.5	79.5	5.5		14.7		15		90				<0.2	2.2			
					Bottom	7.3	0.3	337	28.2	28.2	8.1	8.1	21.5	21.5	82.0	82.1	5.7	5.7	16.5	16.2	16	17	93	93			<0.2	2.2			
						7.3	0.3	351	28.2		8.1	8.1	21.5	21.5	82.2	82.1	5.7		16.2		17		93				<0.2	2.1			
IM7	Cloudy	Moderate	20:35	9.6	Surface	1.0	0.1	50	28.6	28.6	8.0	8.0	17.1	17.1	80.5	80.5	5.7	5.7	5.5	7.4	6	7	82	84	821364	806810	<0.2	2.1	2.1		
						1.0	0.1	53	28.6		8.0	8.0	17.1	17.1	80.5	80.5	5.7		5.6		6		84				<0.2	2.2			
					Middle	4.8	0.1	36	28.4	28.4	8.0	8.0	19.7	19.7	81.2	81.3	5.7	5.7	6.7	6.7	7	7	86	87			<0.2	2.2			
						4.8	0.1	36	28.5		8.0	8.0	19.7	19.7	81.3	81.3	5.7		6.7		7		87				<0.2	2.1			
					Bottom	8.6	0.1	273	28.3	28.3	8.0	8.0	20.2	20.2	88.4	88.6	6.2	6.2	9.9	9.8	8	7	89	89			<0.2	2.1			
						8.6	0.1	275	28.3		8.0	8.0	20.2	20.2	88.8	88.6	6.2		9.8		7		89				<0.2	2.0			
IM8	Rainy	Moderate	20:40	8.9	Surface	1.0	0.2	111	28.6	28.6	8.1	8.1	17.3	17.3	78.0	78.0	5.5	5.5	10.4	12.1	5	5	85	90	821803	808134	<0.2	3.0	2.9		
						1.0	0.2	118	28.6		8.1	8.1	17.3	17.3	78.0	78.0	5.5		10.4		4		85				<0.2	3.2			
					Middle	4.5	0.3	70	28.4	28.4	8.1	8.1	18.9	18.9	77.0	77.1	5.4	5.4	12.6	12.7	5	4	89	94			<0.2	3.1			
						4.5	0.3	72	28.4		8.1	8.1	18.9	18.9	77.1	77.1	5.4		12.7		4		89				<0.2	2.6			
					Bottom	7.9	0.3	55	28.4	28.4	8.1	8.1	19.6	19.6	78.1	78.1	5.4	5.4	13.2	13.2	5	4	94	93			<0.2	2.6			
						7.9	0.3	57	28.4		8.1	8.1	19.6	19.6	78.1	78.1	5.4		13.2</												

Expansion of Hong Kong International Airport into a Three-Runway System

Water Quality Monitoring

Water Quality Monitoring Results on 27 September 18 during Mid-Flood Tide

Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)		
									Value	Average	Value	Average	Value	Average	Value	Average	Value	DA	Value	DA	Value	DA	Value	DA			Value	DA	Value	DA	Value
IM9	Cloudy	Moderate	20:32	8.3	Surface	1.0	0.1	55	28.4	28.4	8.1	8.1	17.7	17.7	77.1	77.1	5.4	5.4	14.7	20.4	5	6	86	90	822095	808796	<0.2	2.7			
						1.0	0.2	59	28.4	8.1	8.1	17.7	17.7	77.0	77.0	5.4	5.4	14.8	5	6	85	90	<0.2	2.8							
					Middle	4.2	0.3	46	28.3	28.3	8.2	8.2	19.4	19.4	76.9	76.9	5.4	5.4	23.1	5	6	89	90	<0.2	2.6						
						4.2	0.3	50	28.3	8.2	8.2	19.4	19.4	76.9	76.9	5.4	5.4	23.1	6	6	89	94	<0.2	2.8							
					Bottom	7.3	0.2	20	28.3	28.3	8.2	8.2	20.0	20.0	77.5	77.5	5.4	5.4	23.3	6	6	94	93	<0.2	2.7						
						7.3	0.2	21	28.3	8.2	8.2	20.0	20.0	77.4	77.4	5.4	5.4	23.2	7	6	85	90	<0.2	2.8							
IM10	Cloudy	Moderate	20:23	8.4	Surface	1.0	0.2	51	28.6	28.6	8.1	8.1	17.5	17.5	79.0	79.0	5.6	5.6	10.4	12.9	6	9	85	89	822363	809802	<0.2	2.6			
						1.0	0.2	53	28.6	8.1	8.1	17.5	17.5	78.9	78.9	5.6	5.6	10.4	7	8	85	90	<0.2	2.7							
					Middle	4.2	0.3	0	28.4	28.4	8.2	8.2	19.1	19.1	78.3	78.4	5.5	5.5	13.5	8	8	89	90	<0.2	2.6						
						4.2	0.3	0	28.4	8.2	8.2	19.1	19.1	78.4	78.3	5.5	5.5	13.5	8	11	93	93	<0.2	2.5							
					Bottom	7.4	0.4	307	28.4	28.4	8.2	8.2	20.1	20.1	78.3	78.3	5.4	5.4	14.8	12	12	93	93	<0.2	2.5						
						7.4	0.4	323	28.4	8.2	8.2	20.1	20.1	78.2	78.2	5.4	5.4	15.0	12	12	93	93	<0.2	2.4							
IM11	Cloudy	Moderate	20:12	9.1	Surface	1.0	0.4	298	28.4	28.4	8.2	8.2	20.7	20.7	76.8	76.8	5.3	5.2	13.1	18.3	10	10	85	90	822047	811442	<0.2	2.4			
						1.0	0.4	319	28.4	8.2	8.2	20.7	20.7	76.7	76.7	5.3	5.2	13.2	10	10	85	90	<0.2	2.4							
					Middle	4.6	0.2	269	28.1	28.1	8.2	8.2	22.7	22.7	74.0	74.0	5.1	5.1	19.5	10	10	90	90	<0.2	2.4						
						4.6	0.2	288	28.1	8.2	8.2	22.7	22.7	73.9	74.0	5.1	5.1	19.5	10	10	90	93	<0.2	2.6							
					Bottom	8.1	0.2	249	28.1	28.1	8.2	8.2	22.9	22.9	74.7	74.7	5.1	5.1	22.3	10	10	93	93	<0.2	2.4						
						8.1	0.2	267	28.1	8.2	8.2	22.9	22.9	74.7	74.7	5.1	5.1	22.3	11	11	94	94	<0.2	2.6							
IM12	Cloudy	Moderate	20:04	8.4	Surface	1.0	0.3	261	28.3	28.3	8.2	8.2	21.3	21.3	76.5	76.5	5.3	5.3	13.5	18.6	8	13	85	86	821457	812063	<0.2	2.1			
						1.0	0.4	262	28.3	8.2	8.2	21.3	21.3	76.4	76.4	5.3	5.3	13.5	9	14	90	90	<0.2	2.2							
					Middle	4.2	0.2	259	28.2	28.2	8.2	8.2	21.9	21.9	74.7	74.7	5.2	5.2	18.2	14	14	89	89	<0.2	1.9						
						4.2	0.2	268	28.2	8.2	8.2	21.9	21.9	74.7	74.7	5.2	5.2	18.4	14	16	89	93	<0.2	1.9							
					Bottom	7.4	0.2	294	28.2	28.2	8.2	8.2	22.7	22.7	75.1	75.2	5.2	5.2	24.1	17	17	93	93	<0.2	1.9						
						7.4	0.2	318	28.2	8.2	8.2	22.7	22.7	75.3	75.3	5.2	5.2	24.1	17	17	93	93	<0.2	1.9							
SR2	Cloudy	Moderate	19:28	5.6	Surface	1.0	0.5	309	28.4	28.4	8.1	8.1	20.3	20.3	79.2	79.2	5.5	5.5	17.0	18.7	6	8	85	86	821481	814157	<0.2	1.7			
						1.0	0.5	328	28.4	8.1	8.1	20.3	20.3	79.1	79.1	5.5	5.5	17.0	7	8	86	89	<0.2	1.7							
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	87	-	-	-	-	<0.2	-		
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	87	-	-	-	-	<0.2	-	
					Bottom	4.6	0.2	330	28.3	28.3	8.1	8.1	21.1	21.1	78.4	78.4	5.4	5.4	20.3	9	9	89	89	<0.2	1.8						
						4.6	0.2	342	28.3	8.1	8.1	21.1	21.1	78.4	78.4	5.4	5.4	20.3	10	10	89	89	<0.2	1.7							
SR3	Rainy	Moderate	20:46	10.0	Surface	1.0	0.2	84	28.7	28.7	8.0	8.0	15.1	15.1	78.4	78.4	5.6	5.5	9.6	14.5	5	6	-	-	822149	807590	-	-			
						1.0	0.2	90	28.7	8.0	8.0	15.1	15.1	78.4	78.4	5.6	5.6	9.6	5	6	-	-	-	-	-	-	-	-			
					Middle	5.0	0.4	63	28.5	28.5	8.1	8.1	17.9	17.9	76.2	76.2	5.4	5.4	13.6	6	6	-	-	-	-	-	-	-	-		
						5.0	0.4	64	28.5	8.1	8.1	17.9	17.9	76.2	76.2	5.4	5.4	13.7	6	6	-	-	-	-	-	-	-	-	-	-	
					Bottom	9.0	0.4	47	28.4	28.4	8.1	8.1	19.2	19.2	74.8	74.8	5.2	5.2	20.3	6	6	-	-	-	-	-	-	-	-	-	-
						9.0	0.4	48	28.4	8.1	8.1	19.2	19.2	74.8	74.8	5.2	5.2	20.3	6	6	-	-	-	-	-	-	-	-	-	-	-
SR4A	Cloudy	Calm	19:12	10.1	Surface	1.0	0.5	88	28.3	28.3	8.0	8.0	20.4	20.4	81.9	81.9	5.7	5.7	11.7	15.9	10	14	-	-	817160	807802	-	-			
						1.0	0.5	95	28.3	8.0	8.0	20.4	20.4	81.9	81.9	5.7	5.7	11.6	10	10	-	-	-	-	-	-	-	-	-	-	
					Middle	5.1	0.4	75	28.3	28.3	8.0	8.0	20.8	20.8	80.7	80.7	5.6	5.6	17.1	14	14	-	-	-	-	-	-	-	-	-	
						5.1	0.4	80	28.3	8.0	8.0	20.9	20.9	80.7	80.7	5.6	5.6	17.1	14	14	-	-	-	-	-	-	-	-	-	-	
					Bottom	9.1	0.2	59	28.3	28.3	8.0	8.0	21.1	21.1	81.6	81.7	5.7	5.7	19.1	18	18	-	-	-	-	-	-	-	-	-	-
						9.1	0.2	60	28.3	8.0	8.0	21.1	21.1	81.7	81.7	5.7	5.7	18.8	19	19	-	-	-	-	-	-	-	-	-	-	-
SR5A	Cloudy	Calm	18:55	4.8	Surface	1.0	0.0	318	28.3	28.3	8.0	8.0	21.5	21.5	79.3	79.4	5.5	5.5	11.1	11.7	7	8	-	-	816621	810701	-	-			
						1.0	0.0	328	28.3	8.0	8.0	21.5	21.5	79.4	79.4	5.5	5.5	11.1	7	7	-	-	-	-	-	-	-	-	-		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	-	-	
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	-	-	
					Bottom	3.8	0.1	19	28.2	28.2	8.0	8.0	21.5	21.5	80.0	80.0	5.5	5.5	12.2	9	9	-	-	-	-	-	-	-	-	-	-
						3.8	0.1	20	28.2	8.0	8.0	21.5	21.5	80.0	80.0	5.5	5.5	12.4	8	8	-	-	-	-	-	-	-	-	-	-	-
SR6	Cloudy	Calm	18:32	4.9	Surface	1.0	0.1	290	28.4	28.4	7.9	7.9	19.7	19.7	81.6	81.6	5.7	5.7	8.8	8.8	8	9	-	-	817871	814682	-	-			
						1.0	0.2	314	28.4	7.9	7.9	19.7	19.7	81.6	81.6	5.7	5.7	8.8	9	9	-	-	-	-	-	-	-	-	-		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	-	-	-	
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	-	-	-	
					Bottom	3.9	0.1	323	28.3	28.3	7.8	7.8	20.6	20.6	84.9	85.2	5.9	5.9	8.8	10	10	-	-	-	-	-	-	-	-	-	-
						3.9	0.1	342	28.3	7.8	7.8	20.6	20.6	85.2	85.1	5.9	5.9	8.7	10	10	-	-	-	-	-	-	-	-	-	-	-
SR7	Cloudy	Moderate	18:39	16.0	Surface	1.0	0.1	178	28.1	28.1	8.1	8.1	23.4	23.4	75.3	75.3	5.2	5.1	10.7	16.3	6	8	-	-	823642	823744	-	-			
						1.0	0.1	181	28.1	8.1	8.1	23.4	23.4	75.3	75.3	5.2	5.2	10.7	7	7	-	-	-	-	-	-	-	-	-		
					Middle	8.0	0.2	28	27.8	27.8	8.2	8.2	25.6	25.6	71.7	71.7	4.9	4.9	16.2	8	8	-	-	-	-	-	-	-	-	-	
						8.0	0.2	28	27.8	8.2	8.2	25.6	25.6	71.7	71.7	4.9	4.9	16.3	8	8	-	-	-	-	-	-	-	-	-	-	
					Bottom	15.0	0.2	179	27.6	27.6	8.2	8.2	26.4	26.4	70.9	70.9	4.8	4.8	21.8	9	9	-	-	-	-	-	-	-	-	-	-
						15.0	0.2	184	27.6	8.2	8.2	26.4	26.4	70.9	70.9	4.8	4.8	22.0	10	10	-	-	-	-	-	-	-	-	-	-	-
SR8	Cloudy	Moderate	19:55	4.3	Surface	1.0	-	-	28.5	28.5	8.1	8.1	19.7	19.7	79.0	79.0	5.5	5.5	12.0	14.7	4	5	-	-	820246	811418	-	-			
						1.0	-	-	28.5	8.1	8.1	19.6	19.6	79.0	79.0	5.5	5.5	12.0	4	4	-	-	-	-	-	-	-	-	-		
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	
					Bottom	3.3	-	-	28.2	28.2	8.1	8.1	22.0	22.0	76.0	76.1	5.2	5.3	17.4	6	6	-	-	-	-	-	-	-	-	-	-
						3.3	-	-	28.2	8.1	8.1	22.0	22.0	76.1	76.1	5.3	5.3	17.5	7	7	-										

Water Quality Monitoring Results on

29 September 18 during Mid-Ebb Tide





Value exceeding Action Level is underlined; Value exceeding Limit Level is bolded and underlined





Expansion of Hong Kong International Airport into a Three-Runway System





Water Quality Monitoring





Water Quality Monitoring Results on 29 September 18 during Mid-Ebb Tide





Monitoring Station	Weather Condition	Sea Condition	Sampling Time	Water Depth (m)	Sampling Depth (m)		Current Speed (m/s)	Current Direction	Water Temperature (°C)		pH		Salinity (ppt)		DO Saturation (%)		Dissolved Oxygen		Turbidity(NTU)		Suspended Solids (mg/L)		Total Alkalinity (ppm)		Coordinate HK Grid (Northing)	Coordinate HK Grid (Easting)	Chromium (µg/L)		Nickel (µg/L)									
									Value	Average	Value	Average	Value	Average	Value	Average	Value	DA	Value	DA	Value	DA	Value	DA			Value	DA	Value	DA	Value	DA	Value	DA				
IM9	Fine	Moderate	14:26	7.4	Surface	1.0	0.7	98	28.3	28.3	8.1	8.1	21.0	21.0	88.3	88.3	6.1	6.1	7.9	7.9	9	9	82	82	86	822105	808835	<0.2	<0.2	1.6	1.7							
						1.0	0.7	105	28.3	28.3	8.1	8.1	21.0	21.0	88.3	88.3	6.1	6.1	7.9	7.9	9	9	81	81														
					Middle	3.7	0.5	95	27.9	27.9	8.1	8.1	21.5	21.5	89.4	89.4	6.2	6.2	16.8	16.8	9	9	86	86														
						3.7	0.6	100	27.9	27.9	8.1	8.1	21.5	21.5	89.4	89.4	6.2	6.2	16.8	16.8	9	9	86	86														
					Bottom	6.4	0.4	85	27.9	27.9	8.1	8.1	23.8	23.8	93.3	93.3	6.4	6.4	13.1	13.1	10	10	89	89														
						6.4	0.4	89	27.9	27.9	8.1	8.1	23.8	23.8	93.3	93.3	6.4	6.4	13.1	13.1	11	11	89	89														
IM10	Fine	Moderate	14:37	6.9	Surface	1.0	0.7	94	28.1	28.1	8.1	8.1	21.6	21.6	84.1	84.1	5.8	5.8	7.5	7.5	10	10	81	81	86	822380	809782	<0.2	<0.2	1.5	1.6							
						1.0	0.7	99	28.1	28.1	8.1	8.1	21.6	21.6	84.1	84.1	5.8	5.8	7.5	7.5	9	9	81	81														
					Middle	3.5	0.5	91	27.9	27.9	8.1	8.1	23.2	23.2	86.9	86.9	6.0	6.0	9.9	9.9	10	10	87	87														
						3.5	0.5	94	27.9	27.9	8.1	8.1	23.2	23.2	86.9	86.9	6.0	6.0	9.9	9.9	10	10	87	87														
					Bottom	5.9	0.4	96	27.9	27.9	8.1	8.1	23.3	23.3	95.2	95.2	6.6	6.6	6.8	6.8	10	10	89	89														
						5.9	0.4	96	27.9	27.9	8.1	8.1	23.3	23.3	95.2	95.2	6.6	6.6	6.8	6.8	10	10	90	90														
IM11	Fine	Moderate	14:50	7.6	Surface	1.0	0.7	99	28.3	28.3	8.1	8.1	21.1	21.1	86.6	86.6	6.0	6.0	8.2	8.2	7	7	82	82	86	822065	811445	<0.2	<0.2	1.7	1.7							
						1.0	0.7	106	28.3	28.3	8.1	8.1	21.1	21.1	86.5	86.6	6.0	6.0	8.4	8.4	8	8	82	82														
					Middle	3.8	0.6	85	27.9	27.9	8.1	8.1	22.2	22.2	87.9	87.9	6.1	6.1	12.8	12.8	8	8	87	87														
						3.8	0.7	85	27.9	27.9	8.1	8.1	22.2	22.2	87.9	87.9	6.1	6.1	12.8	12.8	7	7	87	87														
					Bottom	6.6	0.4	89	27.8	27.8	8.1	8.1	24.1	24.1	92.0	92.0	6.3	6.3	15.7	15.7	9	9	89	89														
						6.6	0.4	93	27.8	27.8	8.1	8.1	24.1	24.1	92.0	92.0	6.3	6.3	15.7	15.7	9	9	89	89														
IM12	Fine	Moderate	15:02	8.6	Surface	1.0	0.6	95	28.0	28.0	8.1	8.1	22.2	22.2	83.6	83.6	5.8	5.8	14.6	14.6	5	5	83	83	87	821448	812036	<0.2	<0.2	1.9	1.8							
						1.0	0.6	104	28.0	28.0	8.1	8.1	22.2	22.2	83.6	83.6	5.8	5.8	14.6	14.6	5	5	83	83														
					Middle	4.3	0.5	81	27.9	27.9	8.3	8.3	23.7	23.7	83.8	83.8	5.8	5.8	16.6	16.6	5	5	87	87														
						4.3	0.5	82	27.9	27.9	8.3	8.3	23.7	23.7	83.8	83.8	5.8	5.8	16.6	16.6	6	6	88	88														
					Bottom	7.6	0.2	68	27.9	27.9	8.2	8.2	24.1	24.1	85.4	85.5	5.9	5.9	18.4	18.4	6	6	90	90														
						7.6	0.2	73	27.9	27.9	8.2	8.2	24.1	24.1	85.6	85.5	5.9	5.9	18.4	18.4	6	6	89	89														
SR2	Fine	Moderate	15:29	4.6	Surface	1.0	0.5	107	28.1	28.1	8.1	8.1	22.4	22.4	87.2	87.2	6.0	6.0	6.3	6.3	10	10	85	85	88	821439	814180	<0.2	<0.2	2.2	1.9							
						1.0	0.5	114	28.1	28.1	8.1	8.1	22.4	22.4	87.2	87.2	6.0	6.0	6.3	6.3	11	11	85	85														
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								-	-	-	-	-	-	-
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								-	-	-	-	-	-	-
					Bottom	3.6	0.1	149	28.1	28.1	8.1	8.1	22.8	22.8	93.3	93.3	6.4	6.4	6.8	6.8	12	12	90	90														
						3.6	0.1	157	28.1	28.1	8.1	8.1	22.8	22.8	93.3	93.3	6.4	6.4	6.8	6.8	14	14	91	91														
SR3	Fine	Moderate	14:11	8.8	Surface	1.0	0.3	127	28.0	28.0	8.1	8.1	22.0	22.0	82.0	82.0	5.7	5.7	10.0	10.0	7	7	-	-	-	822166	807578	-	-	-	-							
						1.0	0.4	130	28.0	28.0	8.1	8.1	22.0	22.0	82.0	82.0	5.7	5.7	10.0	10.0	6	6	-	-														
					Middle	4.4	0.3	114	27.9	27.9	8.1	8.1	22.6	22.6	83.9	83.9	5.8	5.8	13.0	13.0	7	7	-	-														
						4.4	0.3	117	27.9	27.9	8.1	8.1	22.6	22.6	83.9	83.9	5.8	5.8	13.0	13.0	7	7	-	-														
					Bottom	7.8	0.4	88	27.8	27.8	8.1	8.1	24.6	24.6	88.4	88.4	6.1	6.1	17.2	17.2	7	7	-	-														
						7.8	0.4	96	27.8	27.8	8.1	8.1	24.6	24.6	88.4	88.4	6.1	6.1	17.2	17.2	7	7	-	-														
SR4A	Fine	Moderate	15:12	9.2	Surface	1.0	0.4	70	28.2	28.2	8.1	8.1	22.4	22.4	84.4	84.4	5.8	5.8	6.2	6.2	11	11	-	-	-	817170	807792	-	-	-	-							
						1.0	0.4	71	28.2	28.2	8.1	8.1	22.4	22.4	84.4	84.4	5.8	5.8	6.2	6.2	12	12	-	-														
					Middle	4.6	0.4	83	28.1	28.1	8.1	8.1	22.6	22.6	84.7	84.7	5.8	5.8	7.2	7.2	13	13	-	-														
						4.6	0.4	89	28.1	28.1	8.1	8.1	22.6	22.6	84.7	84.7	5.8	5.8	7.2	7.2	12	12	-	-														
					Bottom	8.2	0.4	72	28.1	28.1	8.1	8.1	22.6	22.6	85.9	85.9	5.9	5.9	6.5	6.5	13	13	-	-														
						8.2	0.4	73	28.1	28.1	8.1	8.1	22.6	22.6	85.9	85.9	5.9	5.9	6.5	6.5	12	12	-	-														
SR5A	Fine	Moderate	15:40	4.6	Surface	1.0	0.0	88	28.2	28.2	8.1	8.1	24.6	24.6	79.6	79.6	5.4	5.4	3.9	3.9	8	8	-	-	-	816574	810678	-	-	-	-							
						1.0	0.0	93	28.2	28.2	8.1	8.1	24.6	24.6	79.6	79.6	5.4	5.4	3.9	3.9	7	7	-	-														
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								-	-	-	-	-	-	-
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								-	-	-	-	-	-	-
					Bottom	3.6	0.1	102	28.0	28.0	8.1	8.1	26.5	26.5	80.0	80.0	5.4	5.4	4.0	4.0	9	9	-	-														
						3.6	0.1	102	28.0	28.0	8.1	8.1	26.5	26.5	80.0	80.0	5.4	5.4	4.0	4.0	8	8	-	-														
SR6	Fine	Moderate	16:12	4.4	Surface	1.0	0.1	330	28.2	28.2	8.1	8.1	23.9	23.9	77.5	77.5	5.3	5.3	3.4	3.4	5	5	-	-	-	817918	814668	-	-	-	-							
						1.0	0.1	345	28.2	28.2	8.1	8.1	23.9	23.9	77.5	77.5	5.3	5.3	3.4	3.4	6	6	-	-														
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								-	-	-	-	-	-	-
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								-	-	-	-	-	-	-
					Bottom	3.4	0.1	336	27.9	27.9	8.1	8.1	25.5	25.5	75.6	75.6	5.1	5.1	3.8	3.8	8	8	-	-														
						3.4	0.1	337	27.9	27.9	8.1	8.1	25.5	25.5	75.6	75.6	5.1	5.1	3.8	3.8	8	8	-	-														
SR7	Fine	Moderate	16:12	16.0	Surface	1.0	0.8	76	27.9	27.9	8.1	8.1	25.4	25.4	74.3	74.3	5.1	5.1	3.9	3.9	6	6	-	-	-	823653	823760	-	-	-	-							
						1.0	0.9	77	27.9	27.9	8.1	8.1	25.4	25.4	74.3	74.3	5.1	5.1	3.9	3.9	5	5	-	-														
					Middle	8.0	0.5	82	27.5	27.5	8.1	8.1	27.2	27.2	73.2	73.2	5.0	5.0	4.1	4.1	6	6	-	-														
						8.0	0.5	82	27.5	27.5	8.1	8.1	27.2	27.2	73.2	73.2	5.0	5.0	4.1	4.1	6	6	-	-														
					Bottom	15.0	0.3	77	27.5	27.5	8.1	8.1	27.3	27.3	76.0	76.0	5.2	5.2	4.1	4.1	7	7	-	-														
						15.0	0.3	84	27.5	27.5	8.1	8.1	27.3	27.3	76.0	76.0	5.2	5.2	4.1	4.1	7	7	-	-														
SR8	Fine	Moderate	15:13	4.4	Surface	1.0	-	-	28.3	28.3	8.2	8.2	23.1	23.1	89.7	89.7	6.2	6.2	12.6	12.6	8	8	-	-	-	820501	811641	-	-	-	-							
						1.0	-	-	28.3	28.3	8.2	8.2	23.1	23.1	89.7	89.7	6.2	6.2	12.6	12.6	7	7	-	-														
					Middle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								-	-	-	-	-	-	-
						-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								-	-	-	-	-	-	-
					Bottom	3.4	-	-	27.9	27.9	8.2	8.2	23.8	23.8	96.2	96.2	6.6	6.6	15.9	15.9	9	9	-	-														
						3.4	-	-	27.9	27.9	8.2	8.2	23.8	23.8	96.2	96.2	6.6	6.6	15.9	15.9	8	8	-	-														























Note: The Action and Limit Level of turbidity can be referred to Table 4.2 of the monthly EM&A report.







Note: The Action and Limit Level of turbidity can be referred to Table 4.2 of the monthly EM&A report.







Note: The Action and Limit Level of suspended solids can be referred to Table 4.2 of the monthly EM&A report.







Note: The Action and Limit Level of suspended solids can be referred to Table 4.2 of the monthly EM&A report.







Note: The Action and Limit Level of total alkalinity can be referred to Table 4.2 of the monthly EM&A report.



Note: The Action and Limit Level of total alkalinity can be referred to Table 4.2 of the monthly EM&A report.



Note: The Action and Limit Level of nickel can be referred to Table 4.2 of the monthly EM&A report.
All chromium results in the reporting period was below the reporting limit 0.2 µg/L.



Note: The Action and Limit Level of nickel can be referred to Table 4.2 of the monthly EM&A report.
All chromium results in the reporting period was below the reporting limit 0.2 µg/L.

Chinese White Dolphin Monitoring Results

CWD Small Vessel Line-transect Survey

Survey Effort Data

DATE	AREA	BEAU	KM SEARCHED	SEASON	VESSEL	TYPE	P/S
05-Jul-18	NWL	2	4.400	SUMMER	32166	3RS ET	P
05-Jul-18	NWL	3	20.570	SUMMER	32166	3RS ET	P
05-Jul-18	NWL	4	37.860	SUMMER	32166	3RS ET	P
05-Jul-18	NWL	2	1.900	SUMMER	32166	3RS ET	S
05-Jul-18	NWL	3	4.170	SUMMER	32166	3RS ET	S
05-Jul-18	NWL	4	5.600	SUMMER	32166	3RS ET	S
09-Jul-18	NEL	2	7.900	SUMMER	32166	3RS ET	P
09-Jul-18	NEL	3	21.800	SUMMER	32166	3RS ET	P
09-Jul-18	NEL	4	7.500	SUMMER	32166	3RS ET	P
09-Jul-18	NEL	2	2.400	SUMMER	32166	3RS ET	S
09-Jul-18	NEL	3	7.700	SUMMER	32166	3RS ET	S
11-Jul-18	AW	1	2.230	SUMMER	32166	3RS ET	P
11-Jul-18	AW	2	2.610	SUMMER	32166	3RS ET	P
11-Jul-18	WL	1	0.935	SUMMER	32166	3RS ET	P
11-Jul-18	WL	2	5.562	SUMMER	32166	3RS ET	P
11-Jul-18	WL	3	9.521	SUMMER	32166	3RS ET	P
11-Jul-18	WL	4	2.406	SUMMER	32166	3RS ET	P
11-Jul-18	WL	2	3.839	SUMMER	32166	3RS ET	S
11-Jul-18	WL	3	4.997	SUMMER	32166	3RS ET	S
11-Jul-18	WL	4	1.230	SUMMER	32166	3RS ET	S
17-Jul-18	AW	2	4.530	SUMMER	32166	3RS ET	P
17-Jul-18	WL	1	1.730	SUMMER	32166	3RS ET	P
17-Jul-18	WL	2	9.190	SUMMER	32166	3RS ET	P
17-Jul-18	WL	3	6.564	SUMMER	32166	3RS ET	P
17-Jul-18	WL	4	0.430	SUMMER	32166	3RS ET	P
17-Jul-18	WL	1	1.070	SUMMER	32166	3RS ET	S
17-Jul-18	WL	2	5.640	SUMMER	32166	3RS ET	S
17-Jul-18	WL	3	4.746	SUMMER	32166	3RS ET	S
19-Jul-18	NEL	2	20.870	SUMMER	32166	3RS ET	P
19-Jul-18	NEL	3	16.680	SUMMER	32166	3RS ET	P
19-Jul-18	NEL	2	8.630	SUMMER	32166	3RS ET	S
19-Jul-18	NEL	3	1.050	SUMMER	32166	3RS ET	S
20-Jul-18	NWL	1	9.440	SUMMER	32166	3RS ET	P
20-Jul-18	NWL	2	19.567	SUMMER	32166	3RS ET	P
20-Jul-18	NWL	3	33.930	SUMMER	32166	3RS ET	P
20-Jul-18	NWL	2	3.400	SUMMER	32166	3RS ET	S
20-Jul-18	NWL	3	8.660	SUMMER	32166	3RS ET	S
26-Jul-18	SWL	2	32.460	SUMMER	32166	3RS ET	P
26-Jul-18	SWL	3	22.153	SUMMER	32166	3RS ET	P
26-Jul-18	SWL	4	0.487	SUMMER	32166	3RS ET	P
26-Jul-18	SWL	2	8.040	SUMMER	32166	3RS ET	S
26-Jul-18	SWL	3	6.770	SUMMER	32166	3RS ET	S
26-Jul-18	SWL	4	0.580	SUMMER	32166	3RS ET	S
30-Jul-18	SWL	2	37.816	SUMMER	32166	3RS ET	P
30-Jul-18	SWL	3	17.730	SUMMER	32166	3RS ET	P
30-Jul-18	SWL	2	12.124	SUMMER	32166	3RS ET	S
30-Jul-18	SWL	3	3.490	SUMMER	32166	3RS ET	S

DATE	AREA	BEAU	KM SEARCHED	SEASON	VESSEL	TYPE	P/S
2-Aug-18	NWL	2	9.284	SUMMER	32166	3RS ET	P
2-Aug-18	NWL	3	46.887	SUMMER	32166	3RS ET	P
2-Aug-18	NWL	4	6.300	SUMMER	32166	3RS ET	P
2-Aug-18	NWL	2	2.029	SUMMER	32166	3RS ET	S
2-Aug-18	NWL	3	9.770	SUMMER	32166	3RS ET	S
2-Aug-18	NWL	4	0.400	SUMMER	32166	3RS ET	S
7-Aug-18	AW	2	4.960	SUMMER	32166	3RS ET	P
7-Aug-18	WL	1	2.480	SUMMER	32166	3RS ET	P
7-Aug-18	WL	2	8.859	SUMMER	32166	3RS ET	P
7-Aug-18	WL	3	4.158	SUMMER	32166	3RS ET	P
7-Aug-18	WL	4	3.370	SUMMER	32166	3RS ET	P
7-Aug-18	WL	2	3.270	SUMMER	32166	3RS ET	S
7-Aug-18	WL	3	4.142	SUMMER	32166	3RS ET	S
7-Aug-18	WL	4	1.120	SUMMER	32166	3RS ET	S
16-Aug-18	NEL	1	0.900	SUMMER	32166	3RS ET	P
16-Aug-18	NEL	2	29.510	SUMMER	32166	3RS ET	P
16-Aug-18	NEL	3	7.200	SUMMER	32166	3RS ET	P
16-Aug-18	NEL	1	0.400	SUMMER	32166	3RS ET	S
16-Aug-18	NEL	2	9.690	SUMMER	32166	3RS ET	S
17-Aug-18	NEL	2	35.410	SUMMER	32166	3RS ET	P
17-Aug-18	NEL	3	1.100	SUMMER	32166	3RS ET	P
17-Aug-18	NEL	2	9.880	SUMMER	32166	3RS ET	S
17-Aug-18	NEL	3	0.200	SUMMER	32166	3RS ET	S
20-Aug-18	NWL	1	9.500	SUMMER	32166	3RS ET	P
20-Aug-18	NWL	2	51.800	SUMMER	32166	3RS ET	P
20-Aug-18	NWL	3	1.300	SUMMER	32166	3RS ET	P
20-Aug-18	NWL	1	1.000	SUMMER	32166	3RS ET	S
20-Aug-18	NWL	2	11.000	SUMMER	32166	3RS ET	S
21-Aug-18	AW	1	4.700	SUMMER	32166	3RS ET	P
21-Aug-18	WL	2	24.554	SUMMER	32166	3RS ET	P
21-Aug-18	WL	3	3.309	SUMMER	32166	3RS ET	P
21-Aug-18	WL	2	7.939	SUMMER	32166	3RS ET	S
21-Aug-18	WL	3	0.572	SUMMER	32166	3RS ET	S
22-Aug-18	SWL	2	50.350	SUMMER	32166	3RS ET	P
22-Aug-18	SWL	3	4.900	SUMMER	32166	3RS ET	P
22-Aug-18	SWL	2	13.170	SUMMER	32166	3RS ET	S
22-Aug-18	SWL	3	2.400	SUMMER	32166	3RS ET	S
23-Aug-18	SWL	2	51.850	SUMMER	32166	3RS ET	P
23-Aug-18	SWL	3	2.905	SUMMER	32166	3RS ET	P
23-Aug-18	SWL	2	11.220	SUMMER	32166	3RS ET	S
23-Aug-18	SWL	3	4.000	SUMMER	32166	3RS ET	S
7-Sep-18	SWL	1	0.800	AUTUMN	32166	3RS ET	P
7-Sep-18	SWL	2	43.560	AUTUMN	32166	3RS ET	P
7-Sep-18	SWL	3	11.660	AUTUMN	32166	3RS ET	P
7-Sep-18	SWL	1	1.500	AUTUMN	32166	3RS ET	S
7-Sep-18	SWL	2	8.130	AUTUMN	32166	3RS ET	S
7-Sep-18	SWL	3	4.900	AUTUMN	32166	3RS ET	S
10-Sep-18	NEL	2	37.280	AUTUMN	32166	3RS ET	P
10-Sep-18	NEL	2	8.640	AUTUMN	32166	3RS ET	S

DATE	AREA	BEAU	KM SEARCHED	SEASON	VESSEL	TYPE	P/S
10-Sep-18	NEL	3	1.080	AUTUMN	32166	3RS ET	S
14-Sep-18	NWL	1	1.400	AUTUMN	32166	3RS ET	P
14-Sep-18	NWL	2	58.520	AUTUMN	32166	3RS ET	P
14-Sep-18	NWL	3	3.600	AUTUMN	32166	3RS ET	P
14-Sep-18	NWL	2	11.780	AUTUMN	32166	3RS ET	S
18-Sep-18	NEL	2	4.900	AUTUMN	32166	3RS ET	P
18-Sep-18	NEL	3	28.270	AUTUMN	32166	3RS ET	P
18-Sep-18	NEL	4	4.070	AUTUMN	32166	3RS ET	P
18-Sep-18	NEL	2	1.000	AUTUMN	32166	3RS ET	S
18-Sep-18	NEL	3	8.260	AUTUMN	32166	3RS ET	S
18-Sep-18	NEL	4	1.000	AUTUMN	32166	3RS ET	S
19-Sep-18	SWL	2	42.334	AUTUMN	32166	3RS ET	P
19-Sep-18	SWL	3	12.170	AUTUMN	32166	3RS ET	P
19-Sep-18	SWL	2	13.810	AUTUMN	32166	3RS ET	S
19-Sep-18	SWL	3	0.900	AUTUMN	32166	3RS ET	S
20-Sep-18	AW	2	4.940	AUTUMN	32166	3RS ET	P
20-Sep-18	WL	2	6.421	AUTUMN	32166	3RS ET	P
20-Sep-18	WL	3	11.471	AUTUMN	32166	3RS ET	P
20-Sep-18	WL	2	5.212	AUTUMN	32166	3RS ET	S
20-Sep-18	WL	3	6.235	AUTUMN	32166	3RS ET	S
21-Sep-18	AW	2	4.690	AUTUMN	32166	3RS ET	P
21-Sep-18	WL	2	4.136	AUTUMN	32166	3RS ET	P
21-Sep-18	WL	3	13.589	AUTUMN	32166	3RS ET	P
21-Sep-18	WL	2	2.288	AUTUMN	32166	3RS ET	S
21-Sep-18	WL	3	7.393	AUTUMN	32166	3RS ET	S
26-Sep-18	NWL	2	40.190	AUTUMN	32166	3RS ET	P
26-Sep-18	NWL	3	21.690	AUTUMN	32166	3RS ET	P
26-Sep-18	NWL	2	6.418	AUTUMN	32166	3RS ET	S
26-Sep-18	NWL	3	3.520	AUTUMN	32166	3RS ET	S

Notes: CWD monitoring survey data of the two preceding survey months (i.e. July and August 2018) are presented for reference only.

CWD Small Vessel Line-transect Survey

Sighting Data

DATE	STG #	TIME	CWD/FP	GP SZ	AREA	BEAU	PSD	EFFORT	TYPE	DEC LAT	DEC LON	SEASON	BOAT ASSOC.	P/S
11-Jul-18	1	1007	CWD	2	WL	2	569	ON	3RS ET	22.2873	113.8608	SUMMER	NONE	P
11-Jul-18	2	1027	CWD	1	WL	2	151	ON	3RS ET	22.2731	113.8471	SUMMER	NONE	S
11-Jul-18	3	1045	CWD	1	WL	2	247	ON	3RS ET	22.2692	113.8602	SUMMER	NONE	P
11-Jul-18	4	1108	CWD	1	WL	3	470	ON	3RS ET	22.2601	113.8498	SUMMER	NONE	P
11-Jul-18	5	1212	CWD	1	WL	3	303	ON	3RS ET	22.2232	113.8315	SUMMER	NONE	P
11-Jul-18	6	1237	CWD	3	WL	3	201	ON	3RS ET	22.2132	113.8211	SUMMER	NONE	P
11-Jul-18	7	1308	CWD	12	WL	3	159	ON	3RS ET	22.2050	113.8345	SUMMER	NONE	P
11-Jul-18	8	1403	CWD	10	WL	3	163	ON	3RS ET	22.1950	113.8422	SUMMER	NONE	S
17-Jul-18	1	1033	CWD	3	WL	2	696	ON	3RS ET	22.2607	113.8455	SUMMER	NONE	P
17-Jul-18	2	1100	CWD	1	WL	2	83	ON	3RS ET	22.2504	113.8371	SUMMER	NONE	P
17-Jul-18	3	1122	CWD	3	WL	3	501	ON	3RS ET	22.2415	113.8447	SUMMER	NONE	P
17-Jul-18	4	1201	CWD	1	WL	3	90	ON	3RS ET	22.2148	113.8195	SUMMER	NONE	S
17-Jul-18	5	1232	CWD	3	WL	3	46	ON	3RS ET	22.2009	113.8247	SUMMER	NONE	S
20-Jul-18	1	1040	CWD	1	NWL	3	680	ON	3RS ET	22.2720	113.8702	SUMMER	NONE	P
20-Jul-18	2	1233	CWD	2	NWL	2	N/A	OFF	3RS ET	22.3495	113.8832	SUMMER	NONE	P
20-Jul-18	3	1251	CWD	2	NWL	2	N/A	OFF	3RS ET	22.3446	113.8860	SUMMER	NONE	P
26-Jul-18	1	1152	CWD	2	SWL	2	30	ON	3RS ET	22.1924	113.8878	SUMMER	NONE	P
26-Jul-18	2	1255	CWD	1	SWL	2	28	ON	3RS ET	22.1821	113.8982	SUMMER	NONE	P
26-Jul-18	3	1412	FP	2	SWL	3	52	ON	3RS ET	22.1540	113.9177	SUMMER	NONE	P
30-Jul-18	1	1244	CWD	1	SWL	3	252	ON	3RS ET	22.1949	113.8973	SUMMER	NONE	P
30-Jul-18	2	1317	CWD	2	SWL	2	85	ON	3RS ET	22.1986	113.9080	SUMMER	NONE	P
30-Jul-18	3	1345	CWD	3	SWL	3	401	ON	3RS ET	22.1717	113.9079	SUMMER	NONE	P
30-Jul-18	4	1611	CWD	3	SWL	2	219	ON	3RS ET	22.2085	113.9363	SUMMER	NONE	P
2-Aug-18	1	1029	CWD	15	NWL	2	999	ON	3RS ET	22.2945	113.8705	SUMMER	NONE	P
2-Aug-18	2	1122	CWD	1	NWL	3	12	ON	3RS ET	22.2741	113.8705	SUMMER	NONE	P
2-Aug-18	3	1156	CWD	2	NWL	2	17	ON	3RS ET	22.2901	113.8786	SUMMER	NONE	P
7-Aug-18	1	1008	CWD	2	WL	1	250	ON	3RS ET	22.2920	113.8613	SUMMER	NONE	P
7-Aug-18	2	1043	CWD	5	WL	2	69	ON	3RS ET	22.2642	113.8578	SUMMER	NONE	S
7-Aug-18	3	1328	CWD	2	WL	2	524	ON	3RS ET	22.2027	113.8233	SUMMER	NONE	S
7-Aug-18	4	1344	CWD	5	WL	2	352	ON	3RS ET	22.1966	113.8411	SUMMER	NONE	P
17-Aug-18	1	1149	CWD	1	NEL	2	8	ON	3RS ET	22.3387	113.9562	SUMMER	NONE	P
21-Aug-18	1	1025	CWD	2	WL	2	22	ON	3RS ET	22.2688	113.8601	SUMMER	NONE	P

DATE	STG #	TIME	CWD/FP	GP SZ	AREA	BEAU	PSD	EFFORT	TYPE	DEC LAT	DEC LON	SEASON	BOAT ASSOC.	P/S
21-Aug-18	2	1052	CWD	5	WL	2	267	ON	3RS ET	22.2526	113.8343	SUMMER	NONE	S
21-Aug-18	3	1133	CWD	1	WL	2	380	ON	3RS ET	22.2417	113.8352	SUMMER	NONE	P
21-Aug-18	4	1149	CWD	1	WL	2	181	ON	3RS ET	22.2357	113.8253	SUMMER	NONE	S
21-Aug-18	5	1209	CWD	8	WL	2	93	ON	3RS ET	22.2226	113.8359	SUMMER	NONE	P
21-Aug-18	6	1241	CWD	2	WL	2	26	ON	3RS ET	22.2140	113.8291	SUMMER	NONE	P
21-Aug-18	7	1304	CWD	2	WL	2	26	ON	3RS ET	22.2055	113.8303	SUMMER	NONE	P
21-Aug-18	8	1320	CWD	5	WL	2	160	ON	3RS ET	22.2039	113.8222	SUMMER	NONE	S
21-Aug-18	9	1340	CWD	2	WL	3	162	ON	3RS ET	22.1963	113.8415	SUMMER	NONE	P
22-Aug-18	1	1439	CWD	3	SWL	2	17	ON	3RS ET	22.1860	113.8689	SUMMER	NONE	P
23-Aug-18	1	1457	CWD	1	SWL	2	161	ON	3RS ET	22.1881	113.8592	SUMMER	NONE	P
23-Aug-18	2	1522	CWD	5	SWL	2	263	ON	3RS ET	22.1842	113.8491	SUMMER	NONE	P
7-Sep-18	1	1408	FP	1	SWL	2	244	ON	3RS ET	22.1951	113.9275	AUTUMN	NONE	P
7-Sep-18	2	1425	FP	5	SWL	2	147	ON	3RS ET	22.1751	113.9282	AUTUMN	NONE	P
14-Sep-18	1	1326	CWD	1	NWL	2	38	ON	3RS ET	22.3994	113.8982	AUTUMN	NONE	P
19-Sep-18	1	1041	CWD	9	SWL	2	808	ON	3RS ET	22.1925	113.8590	AUTUMN	NONE	P
19-Sep-18	2	1112	CWD	3	SWL	2	208	ON	3RS ET	22.1937	113.8589	AUTUMN	NONE	P
19-Sep-18	3	1303	CWD	1	SWL	3	49	ON	3RS ET	22.1726	113.8970	AUTUMN	NONE	P
20-Sep-18	1	1025	CWD	5	WL	3	38	ON	3RS ET	22.2686	113.8478	AUTUMN	NONE	P
20-Sep-18	2	1047	CWD	10	WL	2	18	ON	3RS ET	22.2686	113.8526	AUTUMN	NONE	P
20-Sep-18	3	1108	CWD	1	WL	2	72	ON	3RS ET	22.2600	113.8497	AUTUMN	NONE	P
20-Sep-18	4	1135	CWD	3	WL	3	66	ON	3RS ET	22.2416	113.8462	AUTUMN	NONE	P
20-Sep-18	5	1145	CWD	2	WL	3	8	ON	3RS ET	22.2415	113.8406	AUTUMN	NONE	P
20-Sep-18	6	1250	CWD	7	WL	3	77	ON	3RS ET	22.1964	113.8414	AUTUMN	NONE	P
20-Sep-18	7	1317	CWD	1	WL	3	83	ON	3RS ET	22.1871	113.8399	AUTUMN	NONE	P
20-Sep-18	8	1327	CWD	2	WL	3	81	ON	3RS ET	22.1870	113.8312	AUTUMN	NONE	P
21-Sep-18	1	1026	CWD	6	WL	3	44	ON	3RS ET	22.2688	113.8523	AUTUMN	NONE	P
21-Sep-18	2	1105	CWD	2	WL	3	520	ON	3RS ET	22.2499	113.8394	AUTUMN	NONE	P
21-Sep-18	3	1142	CWD	3	WL	3	4	ON	3RS ET	22.2285	113.8377	AUTUMN	NONE	S
21-Sep-18	4	1208	CWD	6	WL	3	279	ON	3RS ET	22.2143	113.8313	AUTUMN	NONE	P
21-Sep-18	5	1237	CWD	1	WL	2	2	ON	3RS ET	22.2135	113.8351	AUTUMN	NONE	P
21-Sep-18	6	1306	CWD	4	WL	3	57	ON	3RS ET	22.1957	113.8348	AUTUMN	NONE	P
26-Sep-18	1	1030	CWD	2	NWL	2	77	ON	3RS ET	22.2832	113.8697	AUTUMN	NONE	P
26-Sep-18	2	1050	CWD	1	NWL	2	125	ON	3RS ET	22.2713	113.8721	AUTUMN	NONE	S

DATE	STG #	TIME	CWD/FP	GP SZ	AREA	BEAU	PSD	EFFORT	TYPE	DEC LAT	DEC LON	SEASON	BOAT ASSOC.	P/S
26-Sep-18	3	1221	CWD	1	NWL	3	387	ON	3RS ET	22.3863	113.8878	AUTUMN	NONE	P
26-Sep-18	4	1426	CWD	1	NWL	2	131	ON	3RS ET	22.3659	113.9188	AUTUMN	NONE	S

Abbreviations: STG# = Sighting Number; GP SZ = Dolphin Group Size; BEAU = Beaufort Sea State; PSD = Perpendicular Distance (in metres); N/A = Not Applicable; DEC LAT = Latitude (WGS84 in Decimal), DEC LON = Longitude (WGS84 in Decimal); BOAT ASSOC. = Fishing Boat Association; P/S = Primary Transect / Secondary Transect

Notes:

CWD monitoring survey data of the two preceding survey months (i.e. July and August 2018) are presented for reference only. No relevant figure or text will be mentioned in the monthly EM&A report.

Sighting data of finless porpoise (FP) are presented for reference only. No relevant figure or text will be mentioned in the monthly EM&A report. All FP sightings are excluded in calculation.

Calculation of the September 2018 encounter rates STG and ANI in the whole survey area (NEL, NWL, AW, WL, SWL):

A total of 442.687 km of survey effort was collected under Beaufort Sea State 3 or below with favourable visibility; total no. of 22 on-effort sightings and total number of 72 dolphins from on-effort sightings were collected under such condition. Calculation of the encounter rates in September 2018 are shown as below:

Encounter Rate by Number of Dolphin Sightings (STG) in September 2018

$$STG = \frac{22}{442.687} \times 100 = 4.97$$

Encounter Rate by Number of Dolphins (ANI) in September 2018

$$ANI = \frac{72}{442.687} \times 100 = 16.26$$

Calculation of the running quarterly STG and ANI in the whole survey area (NEL, NWL, AW, WL, SWL):

A total of 1286.099 km of survey effort was collected under Beaufort Sea State 3 or below with favourable visibility; total no. of 62 on-effort sightings and total number of 197 dolphins from on-effort sightings were collected under such condition. Calculation of the running quarterly encounter rates are shown as below:

Running Quarterly Encounter Rate by Number of Dolphin Sightings (STG)

$$STG = \frac{62}{1286.099} \times 100 = 4.82$$


Running Quarterly Encounter Rate by Number of Dolphins (ANI)

$$ANI = \frac{197}{1286.099} \times 100 = 15.32$$

CWD Small Vessel Line-transect Survey

Photo Identification

	
NLMM013 20180914 1 3	NLMM020 20180919 1 2
	
SLMM034 20180919 1 3	SLMM049 20180919 1 1
	
SLMM060 20180919 1 3	WLMM007 20190919 1 2
	
WLMM056 20180919 1 5	WLMM114 20180919 1 9

	
SLMM060 20180919 2 7	NLMM001 20180920 1 5
	
NLMM058 20180920 1 3	WLMM013 20180920 1 2
	
WLMM122 20180920 1 3	NLMM013 20180920 2 7
	
WLMM060 20180920 2 3 Lower	WLMM071 20180920 2 4

	
WLMM086 20180920 2 2	WLMM090 20180920 2 4 Right
	
WLMM091 20180920 2 4	WLMM092 20180920 2 2
	
NLMM023 20180920 3 2	NLMM001 20180920 4 1
	
WLMM122 20180920 4 2	WLMM123 20180920 4 6

	
WLMM013 20180920 5 1	WLMM076 20180920 6 5
	
WLMM081 20180920 6 2	WLMM124 20180920 6 5
	
WLMM125 20180920 6 1	WLMM126 20180920 6 1
	
NLMM012 20180921 1 1	WLMM049 20180921 3 14

	
WLMM127 20180921 3 3	WLMM128 20180921 3 2 Left
	
NLMM005 20180921 4 5	WLMM043 20180921 4 10
	
WLMM129 20180921 6 3	NLMM040 20180926 1 3
	
NLMM041 20180926 1 4	SLMM045 20180926 2 2

	
NLMM006 20180926 3 4	NLMM052 20180926 4 4

CWD Land-based Theodolite Tracking Survey**CWD Groups by Survey Date**

Date	Station	Start Time	End Time	Duration	Beaufort Range	Visibility	No. of Focal Follow Dolphin Groups Tracked	Dolphin Group Size Range
4/Sep/18	Lung Kwu Chau	8:42	14:42	6:00	2	2	2	1-3
5/Sep/18	Sha Chau	8:31	14:31	6:00	2	2	0	N/A
14/Sep/18	Lung Kwu Chau	8:42	14:42	6:00	2	2-4	4	2-3
18/Sep/18	Sha Chau	9:00	15:00	6:00	3	2	0	N/A
26/Sep/18	Lung Kwu Chau	9:03	15:03	6:00	2-3	3	5	1-4

Visibility: 1=Excellent, 2=Good, 3=Fair, 4=Poor

Terrestrial Ecological Monitoring

Ecological Monitoring – location map and site photos regarding the monthly ecological monitoring for the egretty area on Sheung Sha Chau and the HDD works



Photo record of View 1



Photo record of View 2

