


Powered Mechanical Equipment
(PME)

ISOLATION PAD
(WITH THICKNESS OF AT LEAST 24 mm)

FLOOR MOUNT FIXED BY
ANCHOR BOLTS



Copyright in this document and all proprietary rights in the information it contains belong to the AA. It is a condition of the supply of this document, in whatever form, that the recipient shall hold it in confidence and shall not duplicate or otherwise reproduce it in whole or in part, nor disclose its contents without the written consent of the AA.

Rev.	Date	Description	Checked
A	02DEC15	FIRST ISSUE	AD
B	06FEB17	SECOND ISSUE	AD



HONG KONG
INTERNATIONAL
AIRPORT

香港
國際機場

Airport Authority: HKA, Tsang Tsou-Tou, New Road, Hong Kong, International House, Lantau, Hong Kong
Tel: (852) 2186 1111 Fax: (852) 2554 0711



MOTT
MACDONALD

Title

SCHEMATIC DIAGRAM OF NOISE
ISOLATION PAD FOR PME

Consultant's Signatures for Approval		Date
Design	PL	06FEB17
Checkers	TL / TK	06FEB17
Approver	AD	06FEB17

EXPANSION OF HONG KONG INTERNATIONAL AIRPORT
INTO A THREE-RUNWAY SYSTEM

Drawing No.

MCL / P132 / EMA / 10-006

Scale: at A3
25000

Rev. B